

NCM-MCI Kostenlos Downladen - NCM-MCI Übungsmaterialien



NCM-MCI Exam Details

Exam Name	Nutanix Certified Master - Multicloud Infrastructure
Exam Code	NCM-MCI
Exam Price	\$299 USD
Duration	180 minutes
Number of Questions	16-20
Passing Score	3000/1000-6000
Recommended Training / Books	Advanced Administration & Performance Management (AAPM) v6.5
Schedule Exam	Nutanix
Sample Questions	Nutanix NCM-MCI Sample Questions
Recommended Practice	Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Practice Test

BONUS!!! Laden Sie die vollständige Version der ZertPruefung NCM-MCI Prüfungsfragen kostenlos herunter:
https://drive.google.com/open?id=10yfYGCuR1IJY_1pXqmStVaGZQyvgkYLb

Die Ausbildungsmaterialien zur Nutanix NCM-MCI Zertifizierungsprüfung aus ZertPruefung sind nicht nur der Grundstein auf dem Weg zu Ihrem Erfolg, sie können Ihnen auch dabei helfen, Ihre Fähigkeiten in der IT-Branche effektiver zu entfalten. Nach mehrjährigen Bemühungen beträgt die Hit-Rate von Nutanix NCM-MCI Zertifizierungsprüfung von ZertPruefung bereits 100%. Wenn Sie die Zertifizierungsprüfung nicht bestehen, nachdem Sie unsere Fragenpool gekauft haben, werden wir alle Ihre bezahlten Summe zurückgeben.

Nutanix NCM-MCI Prüfungsplan:

Thema	Einzelheiten
Thema 1	<ul style="list-style-type: none"> Advanced Configuration and Troubleshooting: This topic covers sub-topics of executing API calls, configuring third-party integrations, analyzing AOS security posture, and translate business needs into technical solutions. Lastly, it discusses troubleshooting Nutanix services as well.
Thema 2	<ul style="list-style-type: none"> Analyze and Optimize Network Performance: Focal points of this topic are overlay networking, physical networks, virtual networks, network configurations, and flow policies. Moreover, questions about configurations also appear.

Thema 3	<ul style="list-style-type: none"> Analyze and Optimize VM Performance: Manipulation of VM configuration for resource utilization is discussed in this topic. It also explains interpreting VM, node, and cluster metrics.
Thema 4	<ul style="list-style-type: none"> Analyze and Optimize Storage Performance: It covers storage settings, workload requirements, and storage internals.
Thema 5	<ul style="list-style-type: none"> Business Continuity: The topic of business continuity measures knowledge about analyzing BCDR plans for compliance and evaluating BCDR plans for specific workloads.

>> NCM-MCI Kostenlos Downloaden <<

Nutanix NCM-MCI Übungsmaterialien, NCM-MCI PDF

In der heutigen wettbewerbsorientierten IT-Branche hat man viele Vorteile, wenn man die Nutanix NCM-MCI Zertifizierungsprüfung besteht. Mit einem Nutanix NCM-MCI Zertifikat kann man ein hohes Gehalt erhalten. Menschen, die Nutanix NCM-MCI Zertifikat erhalten, haben oft viel höheres Gehalt als Kollegen ohne Nutanix NCM-MCI Zertifikat. Jedoch ist es nicht sehr einfach, die Nutanix NCM-MCI Zertifizierungsprüfung zu bestehen. So hilft ZertPruefung Ihnen, Ihr Gehalt zu erhöhen.

Nutanix Certified Master - Multicloud Infrastructure v6.10 NCM-MCI Prüfungsfragen mit Lösungen (Q11-Q16):

11. Frage

Task 14

The application team has requested several mission-critical VMs to be configured for disaster recovery. The remote site (when added) will not be managed by Prism Central. As such, this solution should be built using the Web Console.

Disaster Recovery requirements per VM:

Mkt01

RPO: 2 hours

Retention: 5 snapshots

Fin01

RPO: 15 minutes

Retention: 7 days

Dev01

RPO: 1 day

Retention: 2 snapshots

Configure a DR solution that meets the stated requirements.

Any objects created in this item must start with the name of the VM being protected.

Note: the remote site will be added later

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure a DR solution that meets the stated requirements, you can follow these steps:

Log in to the Web Console of the source cluster where the VMs are running.

Click on Protection Domains on the left menu and click on Create Protection Domain.

Enter a name for the protection domain, such as PD_Mkt01, and a description if required. Click Next.

Select Mkt01 from the list of VMs and click Next.

Select Schedule Based from the drop-down menu and enter 2 hours as the interval. Click Next.

Select Remote Site from the drop-down menu and choose the remote site where you want to replicate the VM. Click Next.

Enter 5 as the number of snapshots to retain on both local and remote sites. Click Next.

Review the protection domain details and click Finish.

Repeat the same steps for Fin01 and Dev01, using PD_Fin01 and PD_Dev01 as the protection domain names, and adjusting the interval and retention values according to the requirements.



12. Frage

Task 16

Running NCC on a cluster prior to an upgrade results in the following output FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%) Identify the CVM with the issue, remove the file causing the storage bloat, and check the health again by running the individual disk usage health check only on the problematic CVM do not run NCC health check Note: Make sure only the individual health check is executed from the affected node

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To identify the CVM with the issue, remove the file causing the storage bloat, and check the health again, you can follow these steps: Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and find the NCC health check output file from the list. You can use the date and time information to locate the file. The file name should be something like ncc-output-YYYY-MM-DD-HH-MM-SS.log

Open the file and look for the line that says FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%). Note down the IP address of the CVM that has this issue. It should be something like X.X.X.X.

Log in to the CVM using SSH or console with the username and password provided.

Run the command `du -sh /home/*` to see the disk usage of each file and directory under /home. Identify the file that is taking up most of the space. It could be a log file, a backup file, or a temporary file. Make sure it is not a system file or a configuration file that is needed by the CVM.

Run the command `rm -f /home/<filename>` to remove the file causing the storage bloat. Replace <filename> with the actual name of the file.

Run the command `ncc health_checks hardware_checks disk_checks disk_usage_check --cvm_list=X.X.X.X` to check the health again by running the individual disk usage health check only on the problematic CVM. Replace X.X.X.X with the IP address of the CVM that you noted down earlier.

Verify that the output shows PASS: CVM System Partition /home usage at XX% (less than threshold, 90%). This means that the issue has been resolved.

#access to CVM IP by Putty

allssh df -h #look for the path /dev/sdb3 and select the IP of the CVM

```
ssh CVM_IP
```

```
ls
```

```
cd software_downloads
```

```
ls
```

```
cd nos
```

```
ls -l -h
```

```
rm files_name
```

```
df -h
```

```
ncc health_checks hardware_checks disk_checks disk_usage_check
```

13. Frage

Topic 1, Performance Based Questions

Environment

You have been provisioned a dedicated environment for your assessment which includes the following:

Workstation

- * windows Server 2019

- * All software/tools/etc to perform the required tasks

- * Nutanix Documentation and whitepapers can be found in desktop\files\Documentation

- * Note that the workstation is the system you are currently logged into Nutanix Cluster

- * There are three clusters provided. The connection information for the relevant cluster will be displayed to the high of the question

Please make sure you are working on the correct cluster for each item Please ignore any licensing violations

- * Cluster A is a 3-node cluster with Prism Central 2022.6 where most questions will be performed

- * Cluster B is a one-node cluster and has one syslog item and one security item to perform

- * Cluster D is a one-node cluster with Prism Central 5.17 and has a security policy item to perform Important Notes

- * If the text is too small and hard to read, or you cannot see an of the GUI. you can increase/decrease the zoom of the browser with CTRL + , and CTRL - (the plus and minus keys) You will be given 3 hours to complete the scenarios for Nutanix NCMCI Once you click the start button below, you will be provided with:

- A Windows desktop A browser page with the scenarios and credentials (Desktop\instructions) Notes for this exam delivery. The browser can be scaled to improve visibility and fit all the content on the screen.
- Copy and paste hot-keys will not work Use your mouse for copy and paste.
- The Notes and Feedback tabs for each scenario are to leave notes for yourself or feedback for
- Make sure you are performing tasks on the correct components.
- Changing security or network settings on the wrong component may result in a failing grade.
- Do not change credentials on an component unless you are instructed to.
- All necessary documentation is contained in the Desktop\Files\Documentation directory Task 1 An administrator has been asked to configure a storage for a distributed application which uses large data sets across multiple worker VMs. The worker VMs must run on every node. Data resilience is provided at the application level and low cost per GB is a Key Requirement. Configure the storage on the cluster to meet these requirements. Any new object created should include the phrase Distributed_App in the name.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure the storage on the cluster for the distributed application, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as Distributed_App_Storage_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for low cost per GB, you may prefer to use more HDDs than SSDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container, such as Distributed_App_Container, and select the storage pool that you just created, Distributed_App_Storage_Pool, as the source.

Under Advanced Settings, enable Erasure Coding and Compression to reduce the storage footprint of the data. You can also disable Replication Factor since data resilience is provided at the application level. These settings will help you achieve low cost per GB for the container.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore, such as Distributed_App_Datastore, and select NFS as the datastore type. Select the container that you just created, Distributed_App_Container, as the source.

Click Save to create the datastore.

The datastore will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on Distributed_App_Datastore. You should see all nodes listed under Hosts.

You can now create or migrate your worker VMs to this datastore and run them on any node in the cluster. The datastore will provide low cost per GB and high performance for your distributed application.

14. Frage

Task 8

Depending on the order you perform the exam items, the access information and credentials could change. Please refer to the other item performed on Cluster B if you have problems accessing the cluster.

The infosec team has requested that audit logs for API Requests and replication capabilities be enabled for all clusters for the top 4 severity levels and pushed to their syslog system using highest reliability possible. They have requested no other logs to be included.

Syslog configuration:

Syslog Name: Corp_syslog

Syslog IP: 34.69.43.123

Port: 514

Ensure the cluster is configured to meet these requirements.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure the cluster to meet the requirements of the infosec team, you need to do the following steps:

Log in to Prism Central and go to Network > Syslog Servers > Configure Syslog Server. Enter Corp_syslog as the Server Name,

34.69.43.123 as the IP Address, and 514 as the Port. Select TCP as the Transport Protocol and enable RELP (Reliable Logging Protocol). This will create a syslog server with the highest reliability possible.

Click Edit against Data Sources and select Cluster B as the cluster. Select API Requests and Replication as the data sources and set the log level to CRITICAL for both of them. This will enable audit logs for API requests and replication capabilities for the top 4 severity levels (EMERGENCY, ALERT, CRITICAL, and ERROR) and push them to the syslog server. Click Save.

Repeat step 2 for any other clusters that you want to configure with the same requirements.

To configure the Nutanix clusters to enable audit logs for API Requests and replication capabilities, and push them to the syslog system with the highest reliability possible, you can follow these steps:

Log in to the Nutanix Prism web console using your administrator credentials.

Navigate to the "Settings" section or the configuration settings interface within Prism.

Locate the "Syslog Configuration" or "Logging" option and click on it.

Configure the syslog settings as follows:

Syslog Name: Enter "Corp_syslog" as the name for the syslog configuration.

Syslog IP: Set the IP address to "34.69.43.123", which is the IP address of the syslog system.

Port: Set the port to "514", which is the default port for syslog.

Enable the option for highest reliability or persistent logging, if available. This ensures that logs are sent reliably and not lost in case of network interruptions.

Save the syslog configuration.

Enable Audit Logs for API Requests:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and API requests. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

Enable Audit Logs for Replication Capabilities:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and replication capabilities. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

After completing these steps, the Nutanix clusters will be configured to enable audit logs for API Requests and replication capabilities. The logs will be sent to the specified syslog system with the highest reliability possible.

ncli

```
<ncli> rsyslog-config set-status enable=false
```

```
<ncli> rsyslog-config add-server name=Corp_Syslog ip-address=34.69.43.123 port=514 network-protocol=tdp relp-enabled=false
```

```
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=APLOS level=INFO
```

```
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=CEREBRO level=INFO
```

```
<ncli> rsyslog-config set-status enable=true
```

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e0000009CEECA2>

15. Frage

Task 10

An administrator is working to create a VM using Nutanix V3 API calls with the following specifications.

* VM specifications:

* vCPUs: 2

* Memory: 8Gb

* Disk Size: 50Gb

* Cluster: Cluster A

* Network: default- net

The API call is failing, indicating an issue with the payload:

The body is saved in Desktop/ Files/API_Create_VM,text

Correct any issues in the text file that would prevent from creating the VM. Also ensure the VM will be created as speeded and make sure it is saved for re-use using that filename.

Deploy the vm through the API

Note: Do not power on the VM.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LLEzCAO>

<https://jsonformatter.curiousconcept.com/#>

acli net.list (uuid network default_net)

ncli cluster info (uuid cluster)

Put Call: [https://PrismCentralIP address : 9440/api/nutanix/v3/vms](https://PrismCentralIPaddress:9440/api/nutanix/v3/vms)

Edit these lines to fix the API call, do not add new lines or copy lines.

You can test using the Prism Element API explorer or PostMan

Body:

```
{
{
"spec": {
"name": "Test_Deploy",
"resources": {
"power_state": "OFF",
"num_vcpus_per_socket": ,
"num_sockets": 1,
"memory_size_mib": 8192,
"disk_list": [
{
"disk_size_mib": 51200,
"device_properties": {
"device_type": "DISK"
}
},
{
"device_properties": {
"device_type": "CDROM"
}
}
],
"nic_list": [
{
"nic_type": "NORMAL_NIC",
"is_connected": true,
"ip_endpoint_list": [
{
"ip_type": "DHCP"
}
]
},
{
"subnet_reference": {
"kind": "subnet",
"name": "default_net",
"uuid": "00000000-0000-0000-0000-000000000000"
}
}
],
"cluster_reference": {
"kind": "cluster",
"name": "NTNXDemo",
"uuid": "00000000-0000-0000-0000-000000000000"
}
},
"api_version": "3.1.0",
"metadata": {
"kind": "vm"
```

}
}
}

<https://www.nutanix.dev/2019/08/26/post-a-package-building-your-first-nutanix-rest-api-post-request/> Reference

16. Frage

.....

Haben Sie ZertPruefung, haben Sie den Schlüssel zum Erfolg, denn Sie können damit die Nutanix NCM-MCI Zertifizierungsprüfung zügig bestehen. Unsere Berufsgruppe aus gut ausgebildeten und erfahrenen IT-Eliten haben die Entwicklungen der ständig veränderten IT-Branche untersucht und erforscht, dann erstellen Sie die Schulungsunterlagen zur Nutanix NCM-MCI Zertifizierungsprüfung für ZertPruefung. Ihre Autorität ist zweifellos. Bevor Sie unsere Prüfungsmaterialien kaufen, können Sie die Demo durch unsere Webseite ZertPruefung herunterladen.

NCM-MCI Übungsmaterialien: https://www.zertpruefung.ch/NCM-MCI_exam.html

- NCM-MCI Dumps und Test Überprüfungen sind die beste Wahl für Ihre Nutanix NCM-MCI Testvorbereitung Suchen Sie jetzt auf www.zertpruefung.ch nach (NCM-MCI) und laden Sie es kostenlos herunter NCM-MCI Lerntipps
- Das neueste NCM-MCI, nützliche und praktische NCM-MCI pass4sure Trainingsmaterial Suchen Sie auf der Webseite www.itzert.com nach NCM-MCI und laden Sie es kostenlos herunter NCM-MCI Übungsmaterialien
- NCM-MCI Vorbereitung NCM-MCI Originale Fragen NCM-MCI Schulungsunterlagen Suchen Sie jetzt auf www.zertpruefung.de nach NCM-MCI und laden Sie es kostenlos herunter NCM-MCI Online Tests
- Kostenlose Nutanix Certified Master - Multicloud Infrastructure v6.10 vce dumps - neueste NCM-MCI examcollection Dumps Öffnen Sie www.itzert.com geben Sie NCM-MCI ein und erhalten Sie den kostenlosen Download NCM-MCI PDF Demo
- NCM-MCI Zertifikatsdemo NCM-MCI Übungsmaterialien NCM-MCI Originale Fragen Suchen Sie auf de.fast2test.com nach « NCM-MCI » und erhalten Sie den kostenlosen Download mühelos NCM-MCI Prüfungsunterlagen
- Reliable NCM-MCI training materials bring you the best NCM-MCI guide exam: Nutanix Certified Master - Multicloud Infrastructure v6.10 Suchen Sie auf www.itzert.com nach NCM-MCI und erhalten Sie den kostenlosen Download mühelos NCM-MCI Demotesten
- NCM-MCI Braindumpsit Dumps PDF - Nutanix NCM-MCI Braindumpsit IT-Zertifizierung - Testking Examen Dumps www.zertpruefung.ch ist die beste Webseite um den kostenlosen Download von NCM-MCI zu erhalten NCM-MCI Vorbereitung
- NCM-MCI Unterlage NCM-MCI Lerntipps NCM-MCI Prüfungsfrage Suchen Sie auf www.itzert.com nach NCM-MCI und erhalten Sie den kostenlosen Download mühelos NCM-MCI Originale Fragen
- NCM-MCI Online Tests NCM-MCI Vorbereitung NCM-MCI Übungsmaterialien URL kopieren [www.deutschpruefung.com] Öffnen und suchen Sie (NCM-MCI) Kostenloser Download NCM-MCI Lerntipps
- NCM-MCI Übungsmaterialien NCM-MCI Schulungsangebot NCM-MCI Examengine Erhalten Sie den kostenlosen Download von [NCM-MCI] mühelos über www.itzert.com NCM-MCI PDF Demo
- Nutanix NCM-MCI Quiz - NCM-MCI Studienanleitung - NCM-MCI Trainingsmaterialien Erhalten Sie den kostenlosen Download von NCM-MCI mühelos über www.zertpruefung.ch NCM-MCI Prüfungsunterlagen
- bd.enrollbusiness.com, www.stes.tyc.edu.tw, lms.drektashow.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

Laden Sie die neuesten ZertPruefung NCM-MCI PDF-Versionen von Prüfungsfragen kostenlos von Google Drive herunter:
https://drive.google.com/open?id=10yfYGCuR1IJY_1pXqmStVaGZQyvkgYLB