

CIS-Discovery Dumps und Test Überprüfungen sind die beste Wahl für Ihre ServiceNow CIS-Discovery Testvorbereitung



Laden Sie die neuesten ZertSoft CIS-Discovery PDF- Versionen von Prüfungsfragen kostenlos von Google Drive herunter:
https://drive.google.com/open?id=1rEqBs1UQBBez5nflo_DnHSBj41V5HOr

CIS-Discovery ist eine ServiceNow Zertifizierungsprüfung. So ist CIS-Discovery Zertifizierung der erste Schritt zur ServiceNow Zertifizierung. Deswegen ist die CIS-Discovery Zertifizierungsprüfung kürzlich immer beliebter geworden. Immer mehr Leute haben sich an der ServiceNow CIS-Discovery Zertifizierungsprüfung beteiligt. Aber die Erfolgsquote in der Prüfung ist nicht so hoch. Wählen Sie auch einschlägige Prüfungskurse, wenn Sie CIS-Discovery Prüfung ablegen möchten?

Die ServiceNow CIS-Discovery Zertifizierungsprüfung umfasst eine Vielzahl von Themen, einschließlich, aber nicht beschränkt auf: Discovery-Architektur, Sonden und Sensoren, MID-Server, Anmeldeinformationen und Anmeldeinformationen-Tresor, Muster und Discovery-Maps. Die Prüfung richtet sich an IT-Profis, die für die Implementierung und Wartung der ServiceNow Discovery-Anwendung in ihrer Organisation verantwortlich sind. Personen, die diese Zertifizierung erhalten, haben ihre Fähigkeit demonstriert, die Discovery-Anwendung effektiv zu implementieren und zu konfigurieren, um den Anforderungen ihrer Organisation gerecht zu werden.

Die CIS-Discovery-Zertifizierungsprüfung von ServiceNow besteht aus 60 Fragen der Multiple-Choice-Fragen, und der Kandidat hat 90 Minuten Zeit, um die Prüfung abzuschließen. Die Prüfung deckt eine Reihe von Themen ab, einschließlich Discovery - Architektur, Datenquellen, Anmeldeinformationen, Mustern und Zeitplänen. Darüber hinaus bewertet die Prüfung das Wissen des Kandidaten über die Integrationen von ServiceNow Discovery in andere ServiceNow -Anwendungen wie CMDB, Orchestrierung und Eventmanagement.

>> CIS-Discovery Testengine <<

CIS-Discovery Testing Engine - CIS-Discovery Prüfungs-Guide

Die echten und originalen Prüfungsfragen und Antworten zu CIS-Discovery (Certified Implementation Specialist - Discovery) bei ZertSoft wurden verfasst von unseren ServiceNow-Experten mit den Informationen von CIS-Discovery (Certified Implementation Specialist - Discovery) aus dem Testcenter wie PROMETRIC oder VUE.

Die CIS-Discovery-Prüfung umfasst eine Vielzahl von Themen, darunter Konfiguration und Verwaltung der Entdeckung, Identifizierung und Integration von Datenquellen, Fehlerbehebung und Behebung von Problemen bei der Entdeckung sowie das Verständnis der Auswirkungen der Entdeckung auf andere ServiceNow-Anwendungen. Die Prüfung besteht aus 60 Multiple-Choice-Fragen und hat eine Zeitbegrenzung von 90 Minuten.

ServiceNow Certified Implementation Specialist - Discovery CIS-Discovery Prüfungsfragen mit Lösungen (Q125-Q130):

125. Frage

Based on the following images, which choice best describes what occurs if Discovery sets the name attribute of a discovered Windows Server CI to 'Windows1' and then Altiris discovery runs detecting 'Windows2' for the name attribute on the same CI?

- A. The name of the CI changes to 'Windows2'.
- B. The CI is not discovered because Discovery is not listed in either image.
- C. The name of the CI does not populate with either discovery.
- D. The name of the CI stays 'Windows1'.

Antwort: A

126. Frage

What action should be taken when the Discovery Status of a device shows "Active, Couldn't Classify".
Response:

- A. Update the firewalls
- B. Update the credentials
- C. Create/Update the Classifier for that device CMDB Class

Antwort: C

127. Frage

In a discovery pattern, which types are available with CI Attributes in the Pattern Designer? (Choose two.)

- A. All CI types
- B. Global CI types
- C. Related CI types
- D. Main pattern CI type

Antwort: C,D

Begründung:

In a discovery pattern, CI Attributes are the fields that store the information about the configuration items (CIs) that are discovered by the pattern. The Pattern Designer is a graphical interface that allows users to create and edit patterns using drag-and-drop operations. In the Pattern Designer, there are two types of CI Attributes that are available: Main pattern CI type and Related CI types. The Main pattern CI type is the CI type that the pattern is designed to discover, such as Windows Server, Linux Server, or Database. The Related CI types are the CI types that are related to the main CI type, such as IP Address, Network Adapter, or Software Installation. Users can select the CI Attributes from these types to populate the CMDB tables with the data collected by the pattern.

References:

- * Patterns and horizontal discovery - Product Documentation: Tokyo - Now Support Portal
- * Pattern Designer - Product Documentation: Vancouver - ServiceNow
- * Discovery pattern designer - ServiceNow IT Operations Management [Book]

128. Frage

Minimum Shazzam Batch Size for a Discovery Schedule.

Response:

- A. 0
- B. 1
- C. 2
- D. 3

Antwort: C

129. Frage

Which of the following must be configured to allow a MID Server to access servers using WinRM?

- A. Add the WinRM parameter on the target servers
- B. Add a MID Server parameter mid.windows.management.protocol to use WinRM
- C. Add the MID Servers as a trusted source with DNS
- D. Set the JEA Property to True

Antwort: B

Begründung:

For a MID Server to access servers using Windows Remote Management (WinRM), it's necessary to specify that WinRM should be used as the protocol for Windows management. This is typically done by setting the appropriate MID Server parameter, such as `mid.windows.management_protocol`, to WinRM. This configuration tells the MID Server to use the WinRM protocol when communicating with the target servers for executing commands and collecting data. The answer is derived from understanding how ServiceNow Discovery uses MID Servers to perform remote operations and the need to configure these MID Servers appropriately to communicate using different protocols like WinRM. It is not sufficient to just add the WinRM parameter on target servers or simply add the MID Servers as a trusted source with DNS; the MID Server itself must be configured to use WinRM. Setting a 'JEA Property' to true is not relevant to the basic configuration of a MID Server for WinRM access.

130. Frage

• • • • •

CIS-Discovery Testing Engine: <https://www.zertsoft.com/CIS-Discovery-pruefungsfragen.html>

- [illegible]

www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

Außerdem sind jetzt einige Teile dieser ZertSoft CIS-Discovery Prüfungsfragen kostenlos erhältlich: https://drive.google.com/open?id=1rEoqBs1UQBBez5nflo_DnHSBj41V5HOr