

# Automating and Programming Cisco Enterprise Solutions Updated Torrent - 300-435 Study Questions & 300-435 Updated Material

## Automating and Programming Cisco Enterprise Solutions (ENAUTO)

### 300-435

P.S. Free & New 300-435 dumps are available on Google Drive shared by TroytecDumps: [https://drive.google.com/open?id=1\\_T3v5oJrBUB\\_4vVzV\\_\\_GlvQ5X58jOdaE](https://drive.google.com/open?id=1_T3v5oJrBUB_4vVzV__GlvQ5X58jOdaE)

They work closely and check all Cisco 300-435 exam practice test questions step by step and ensure the top standard of 300-435 exam questions all the time. So rest assured that with the 300-435 exam dumps you will get everything that you need to prepare and pass the Cisco 300-435 Certification Exam with good scores. Countless Automating and Programming Cisco Enterprise Solutions exam candidates have passed their 300-435 exam and they all got help from real and updated Cisco 300-435 exam questions. You can also be the next successful candidate for the 300-435 certification exam.

Cisco 300-435 (Automating and Programming Cisco Enterprise Solutions) certification exam is a highly sought-after certification offered by Cisco. 300-435 exam is designed to validate the skills and knowledge of network engineers, network architects, and other IT professionals who want to learn how to automate and program Cisco enterprise solutions. 300-435 exam measures the candidate's ability to use programming concepts to deploy, configure, monitor, and troubleshoot Cisco enterprise solutions.

### Programmability of Network Devices

In the framework of this topic that makes up 20% of the whole content, the test takers are required to demonstrate their skills in the following operations:

- Configuring the subscriptions for telemetry that is model-driven on the IOS XE devices;
- Implementing device monitoring and management with NetMiko;
- Comparing the publication and subscription telemetry models, including on-change and periodic/cadence;
- Explaining the Day-Zero provisioning techniques, such as ZTP, iPX, and PnP.

>> 300-435 Actual Test Answers <<

### Pdf Demo 300-435 Download | Reliable 300-435 Braindumps

Our 300-435 test questions provide free trial services for all customers so that you can better understand our products. You can experience the effects of outside products in advance by downloading clue versions of our 300-435 exam torrent. In addition, it has simple procedure to buy our learning materials. After your payment is successful, you will receive an e-mail from our company within 10 minutes. After you click on the link and log in, you can start learning using our 300-435 test material. You can download our 300-435 test questions at any time. If you encounter something you do not understand, in the process of learning our 300-435 exam torrent, you can ask our staff. We provide you with 24-hour online services to help you solve the problem. Therefore we can ensure that we will provide you with efficient services.

Cisco 300-435 examination is an essential certification exam for professionals who want to demonstrate their skills and knowledge in network automation and programming using Cisco technologies. 300-435 exam is comprehensive, challenging, and covers a wide range of topics related to network automation and programming. Passing this certification exam will not only enhance the candidate's career prospects but will also demonstrate their commitment to their profession and their willingness to keep up with the latest industry trends and technologies.

### Cisco Automating and Programming Cisco Enterprise Solutions Sample Questions (Q119-Q124):

#### NEW QUESTION # 119

Which CLI command do you use on Cisco IOS XE Software to put the AP named Floor1\_AP1 back in the default AP group?

- A. ap name Floor1\_AP1 ap-groupname default
- B. ap name Floor1\_AP1 apgroup default-group
- C. ap name Floor1\_AP1 ap-groupname default-group
- D. ap Floor1\_AP1 ap-groupname default-group

Answer: C

Explanation:

1. `ap name ap-name ap-group-name ap-group`

#### DETAILED STEPS

	Command or Action	Purpose
Step 1	<code>ap name ap-name ap-group-name ap-group</code>  Example: Switch# <code>ap name 1240-101 ap-groupname apgroup1</code>	Assigns the access point to the access point group. The keywords and arguments are as follows: <ul style="list-style-type: none"><li>• <b>name</b>—Specifies that the argument following this keyword is the name of an AP that is associated to the switch.</li><li>• <b>ap-name</b>—AP that you want to associate to the AP group.</li><li>• <b>ap-group-name</b>—Specifies that the argument following this keyword is the name of the AP group that is configured on the switch.</li><li>• <b>ap-group</b>—Name of the access point group that is configured on the switch.</li></ul>

Reference:

#### NEW QUESTION # 120

Refer to the exhibit.

**"https://vmanage-ip-address:8443/dataservice/template/policy/vsmart/activate/{policyId}"**

A Python script must be created to deactivate vSmart Policy Cisco SD-WAN vManage Configuration APIs. The documentation states the URL is as shown in the exhibit for this REST call using POST, and that "policyId" is a required request parameter. Which line of Python code makes this call, assuming the variable "s" is a valid Requests session object and the variable "policy-id" is the policyId?

- A. `s.port("https://vmanage:8443/dataservice/template/policy/vsmart/activate/", data = {'policyId': policy_id})`
- B. `s.port("https://vmanage:8443/dataservice/template/policy/vsmart/activate&policyId=%s" % policy_id)`
- **C. `s.port("https://vmanage:8443/dataservice/template/policy/vsmart/activate?policyId=%s" % policy_id)`**
- D. `s.port("https://vmanage:8443/dataservice/template/policy/vsmart/activate/%s" % policy_id)`

**Answer: C**

#### NEW QUESTION # 121

What does the command `boot ipxe forever switch 1` perform when executed on a Cisco IOS XE device?

- A. It continuously sends DHCP requests for iPXE until the device restarts.
- B. It continuously sends DNS requests for iPXE until the device boots with an image.
- **C. It continuously sends DHCP requests for iPXE until the device boots with an image.**
- D. It continuously sends DNS requests for iPXE until the device restarts.

**Answer: C**

Explanation:

Section: Network Device Programmability

Explanation/Reference: [https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst3850/software/release/16-5/configuration\\_guide/prog/b\\_165\\_prog\\_3850\\_cg/ipxe.html](https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst3850/software/release/16-5/configuration_guide/prog/b_165_prog_3850_cg/ipxe.html)

#### NEW QUESTION # 122

Which curl command is used to update the SNMP community of network ID "1234567" to read-only?

```
A. curl -L -H 'X-Cisco-Meraki-API-Key: <key>' \
-H 'Content-Type: application/json' \
-X PUT --data-binary '{ \
  "access": "users", \
  "communityString": "readonly"}' \
'https://api.meraki.com/api/v0/networks/1234567/snmpSettings'

B. curl -L -H 'X-Cisco-Meraki-API-Key: <key>' \
-H 'Content-Type: application/json' \
-X PUT --data-binary '{ \
  "access": "community", \
  "communityString": "readonly"}' \
'https://api.meraki.com/api/v0/networks/1234567/snmpSettings'

C. curl -L -H 'X-Cisco-Meraki-API-Key: <key>' \
-H 'Content-Type: application/json' \
-X PUT --data-binary '{ \
  "access": "users", \
  "username": "snmp", \
  "passphrase": "readonly"}' \
'https://api.meraki.com/api/v0/networks/1234567/snmpSettings'

D. curl -L -H 'X-Cisco-Meraki-API-Key: <key>' \
-H 'Content-Type: application/json' \
-X POST --data-binary '{ \
  "access": "community", \
  "communityString": "readonly"}' \
'https://api.meraki.com/api/v0/networks/1234567/snmpSettings'
```

- A. Option D
- B. Option A
- **C. Option B**
- D. Option C

**Answer: C**

Explanation:

Explanation:

PUT is used to update the snmp network ID. The access has to be community and not users. Therefore, option B is correct.

#### NEW QUESTION # 123

Which path do call begin with to implement Cisco DNA Center Intent APIs?

- A. `/dna/v1`
- **B. `/intent`**
- C. `/dna/system/api/v1/`

