

# AZ-500 Valid Dumps Demo & AZ-500 Latest Test Answers



BTW, DOWNLOAD part of DumpsReview AZ-500 dumps from Cloud Storage: <https://drive.google.com/open?id=1K0iCEWWnT7QVUII6tgoXXtqM8pCAQs-4>

Great concentrative progress has been made by our company, who aims at further cooperation with our candidates in the way of using our AZ-500 exam engine as their study tool. Owing to the devotion of our professional research team and responsible working staff, our AZ-500 training materials have received wide recognition and now, with more people joining in the AZ-500 Exam army, we have become the top-ranking training materials provider in the international market. We believe our AZ-500 practice materials can give you a timely and effective helping for you to pass the exam.

Microsoft AZ-500 Certification Exam is an excellent choice for professionals looking to advance their careers in cloud security. Microsoft Azure Security Technologies certification is highly respected in the industry, and it demonstrates that the holder has the skills and knowledge required to secure Azure environments effectively. It also provides a solid foundation for other Azure certifications, such as the Azure Solutions Architect Expert certification.

>> AZ-500 Valid Dumps Demo <<

## Microsoft - AZ-500 - Updated Microsoft Azure Security Technologies Valid Dumps Demo

It is seen as a challenging task to pass the AZ-500 exam. Tests like these demand profound knowledge. The Microsoft AZ-500 certification is absolute proof of your talent and ticket to high-paying jobs in a renowned firm. Microsoft AZ-500 tests every year to shortlist applicants who are eligible for the AZ-500 exam certificate.

## Microsoft Azure Security Technologies Sample Questions (Q83-Q88):

### NEW QUESTION # 83

You need to perform the planned changes for OU2 and User1.

Which tools should you use? To answer, drag the appropriate tools to the correct resources. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

### Tools

The Azure portal
Azure AD Connect
The Active Directory admin center
Active Directory Sites and Services
Active Directory Users and Computers

### Answer Area

OU2:	Tool
User1:	Tool



Answer:

Explanation:

**Tools**

The Azure portal
Azure AD Connect
The Active Directory admin center
Active Directory Sites and Services
Active Directory Users and Computers

**Answer Area**

OU2:	Azure AD Connect
User1:	The Azure portal

### NEW QUESTION # 84

Your company has two offices in Seattle and New York. Each office connects to the Internet by using a NAT device. The offices use the IP addresses shown in the following table.


Location	IP address space	Public NAT segment
Seattle	10.10.0.0/16	190.15.1.0/24
New York	172.16.0.0/16	194.25.2.0/24

The company has an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains the users shown in the following table.

Name	Multi-factor authentication (MFA) status
User1	Enabled
User2	Enforced

The MFA service settings are configured as shown in the exhibit. (Click the Exhibit tab.)

trusted ips (learn more)

 Microsoft

☒ Skip multi-factor authentication for requests from federated users on my intranet

Skip multi-factor authentication for requests from following range of IP address subnets

10.10.0.0/16

194.25.2.0/24

verification options (learn more)

Methods available to users:

☒ Call to phone

☒ Text message to phone

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

	Yes	No
If User1 signs in to Azure from a device that uses an IP address of 134.18.14.10, User1 must be authenticated by using a phone.	<input type="radio"/>	<input type="radio"/>
If User2 signs in to Azure from a device in the Seattle office, User2 must be authenticated by using the Microsoft Authenticator app.	<input type="radio"/>	<input type="radio"/>
If User2 signs in to Azure from a device in the New York office, User1 must be authenticated by using a phone	<input type="radio"/>	<input type="radio"/>

**Answer:**

Explanation:

	Yes	No
If User1 signs in to Azure from a device that uses an IP address of 134.18.14.10, User1 must be authenticated by using a phone.	<input checked="" type="radio"/>	<input type="radio"/>
If User2 signs in to Azure from a device in the Seattle office, User2 must be authenticated by using the Microsoft Authenticator app.	<input type="radio"/>	<input checked="" type="radio"/>
If User2 signs in to Azure from a device in the New York office, User1 must be authenticated by using a phone	<input type="radio"/>	<input checked="" type="radio"/>

Explanation

	Yes	No
If User1 signs in to Azure from a device that uses an IP address of 134.18.14.10, User1 must be authenticated by using a phone.	<input checked="" type="radio"/>	<input type="radio"/>
If User2 signs in to Azure from a device in the Seattle office, User2 must be authenticated by using the Microsoft Authenticator app.	<input type="radio"/>	<input checked="" type="radio"/>
If User2 signs in to Azure from a device in the New York office, User1 must be authenticated by using a phone	<input type="radio"/>	<input checked="" type="radio"/>

Box 2: No

Use of Microsoft Authenticator is not required.

Note: Microsoft Authenticator is a multifactor app for mobile devices that generates time-based codes used during the Two-Step Verification process.

Box 3: No

The New York IP address subnet is included in the "skip multi-factor authentication for request.

References:

<https://www.cayosoft.com/difference-enabling-enforcing-mfa/>

### NEW QUESTION # 85

You have an Azure Container Registry named Registry1.

You add role assignment for Registry1 as shown in the following table.

User	Role
User1	AcrPush
User2	AcrPull
User3	AcrImageSigner
User4	Contributor

Which users can upload images to Registry1 and download images from Registry1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Upload images:

User1 only

User1 and User4 only

User1, User3, and User4

User1, User2, User3, and User4

Download images:

User2 only

User1 and User2 only


User2 ad User4 only

User1, User2, and User4

User1, User2, User3, and User4

Answer:

Explanation:

 Microsoft

Upload images:

User1 only

User1 and User4 only

User1, User3, and User4

User1, User2, User3, and User4

Download images:

User2 only

User1 and User2 only

User2 ad User4 only

User1, User2, and User4

User1, User2, User3, and User4

References:

<https://docs.microsoft.com/bs-latn-ba/azure/container-registry/container-registry-roles>

### NEW QUESTION # 86

You work at a company named Contoso, Ltd. that has the offices shown in the following table.



Name	IP address space
Boston	180.15.10.0/24
Seattle	132.32.15.0/24

Contoso has an Azure Active Directory (Azure AD) tenant named contoso.com. All contoso.com users have Azure Multi-Factor Authentication (MFA) enabled. The tenant contains the users shown in the following table.

Name	User device	Last sign-in	During last sign-in, user selected Don't ask again for 14 days
User1	Device1	June 1	Yes
User2	Device2	June 3	No

The multi-factor settings for contoso.com are configured as shown in the following exhibit.

## multi-factor authentication

users service settings

### app passowrds [\(learn more\)](#)

- ☒ Allow users to create app passwords to sign in to non-browser apps
- ☐ Do not allow users to create app passwords to sign in to non-browser apps

### trusted ips [\(learn more\)](#)

- ☐ Skip multi-factor authentication for requests from federated users on my intranet
- Skip multi-factor authentication for requests from following range of IP address subnets

180.15.10.0/24

Microsoft

### verification options [\(learn more\)](#)

Methods available to users:

- ☐ call to phone
- ☒ Text message to phone
- ☒ Notification through mobile app
- ☒ Verification code from mobile app or hardware token

### remember multi-factor authentication [\(learn more\)](#)

- ☒ Allow users to remember multi-factor authentication on devices they trust
- Days before a device must re-authenticate (1-60):

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When User1 signs in to Device1 from the Seattle office on June 10, the user will be prompted for MFA.	<input type="radio"/>	<input type="radio"/>
When User2 signs in to Device2 from the Boston office on June 5, the user will be prompted for MFA.	<input type="radio"/>	<input type="radio"/>
When User1 signs in to to a new device from the Seattle office on June 7, the user will be prompted for MFA.	<input type="radio"/>	<input type="radio"/>

Answer:

Explanation:

Statements	Yes	No
When User1 signs in to Device1 from the Seattle office on June 10, the user will be prompted for MFA.	<input type="radio"/>	<input checked="" type="radio"/>
When User2 signs in to Device2 from the Boston office on June 5, the user will be prompted for MFA.	<input checked="" type="radio"/>	<input type="radio"/>
When User1 signs in to to a new device from the Seattle office on June 7, the user will be prompted for MFA.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation

Statements	Yes	No
When User1 signs in to Device1 from the Seattle office on June 10, the user will be prompted for MFA.	<input type="radio"/>	<input checked="" type="radio"/>
When User2 signs in to Device2 from the Boston office on June 5, the user will be prompted for MFA.	<input checked="" type="radio"/>	<input type="radio"/>
When User1 signs in to to a new device from the Seattle office on June 7, the user will be prompted for MFA.	<input checked="" type="radio"/>	<input type="radio"/>

#### NEW QUESTION # 87

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Resource group	Status
VM1	RG1	Stopped (Deallocated)
VM2	RG2	Stopped (Deallocated)

You create the Azure policies shown in the following table.

Policy definition	Resource type	Scope
Not allowed resource types	virtualMachines	RG1
Allowed resource types	virtualMachines	RG2

You create the resource locks shown in the following table.

Name	Type	Created on
Lock1	Read-only	VM1
Lock2	Read-only	RG2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

## Answer Area



Statements	Yes	No
You can start VM1.	<input type="radio"/>	<input type="radio"/>
You can start VM2.	<input type="radio"/>	<input type="radio"/>
You can create a virtual machine in RG2.	<input type="radio"/>	<input type="radio"/>

Answer:

Explanation:

## Answer Area

### Statements

	Yes	No
You can start VM1.	<input type="radio"/>	<input checked="" type="radio"/>
You can start VM2.	<input checked="" type="radio"/>	<input type="radio"/>
You can create a virtual machine in RG2.	<input checked="" type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/governance/blueprints/concepts/resource-locking>

• • • • •

**AZ-500 Latest Test Answers:** <https://www.dumpsreview.com/AZ-500-exam-dumps-review.html>

- P.S. Free & New AZ-500 dumps are available on Google Drive shared by DumpsReview: <https://drive.google.com/open?id=1K0iCEWWnT7QVUII6tgoXXtqM8pCAQs-4>