

Neueste FSCP Pass Guide & neue Prüfung FSCP braindumps & 100% Erfolgsquote



Laden Sie die neuesten ZertPrüfung FSCP PDF-Versionen von Prüfungsfragen kostenlos von Google Drive herunter:
<https://drive.google.com/open?id=1r0G04OnR1IliHB-PAtI3v89dwKtTLBI>

Die Feedbacks von den IT-Fachleuten, die Fore Scout FSCP Zertifizierungsprüfung erfolgreich bestanden haben, haben bewiesen, dass ihren Erfolg ZertPrüfung beizumessen ist. Die Fragen und Antworten zur Fore Scout FSCP Zertifizierungsprüfung haben ihnen sehr geholfen. Dabei erspart ZertPrüfung ihnen auch viele wertvolle Zeit und Energie. Sie haben die Fore Scout FSCP Zertifizierungsprüfung ganz mühlos beim ersten Versuch bestanden. So ist ZertPrüfung eine zuverlässige Website. Wenn Sie ZertPrüfung wählen, sind Sie der nächste erfolgreiche IT-Fachmann. ZertPrüfung würde Ihren Traum verwirklichen.

Fore Scout FSCP Prüfungsplan:

Thema	Einzelheiten
Thema 1	Advanced Product Topics Licenses, Extended Modules and Redundancy: This section of the exam measures skills of product deployment leads and solution engineers, and covers topics such as licensing models, optional modules or extensions, high availability or redundancy configurations, and how those affect architecture and operational readiness.
Thema 2	Policy Functionality: This section of the exam measures skills of policy implementers and integration specialists, and covers how policies operate within the platform, including dependencies, rule order, enforcement triggers, and how they interact with device classifications and dynamic attributes.
Thema 3	- Plugin Tuning Switch: This section of the exam measures skills of network switch engineers and NAC (network access control) specialists, and covers tuning switch related plugins such as switch port monitoring, layer 2 3 integration, ACL or VLAN assignments via network infrastructure and maintaining visibility and control through those network assets.
Thema 4	Advanced Troubleshooting: This section of the exam measures skills of operations leads and senior technical support engineers, and covers diagnosing complex issues across component interactions, policy enforcement failures, plugin misbehavior, and end to end workflows requiring root cause analysis and corrective strategy rather than just surface level fixes.
Thema 5	General Review of FSMA Topics: This section of the exam measures skills of network security engineers and system administrators, and covers a broad refresh of foundational platform concepts, including architecture, asset identification, and initial deployment considerations. It ensures you are fluent in relevant baseline topics before moving into more advanced areas.]. Policy Best Practices: This section of the exam measures skills of security policy architects and operational administrators, and covers how to design and enforce robust policies effectively, emphasizing maintainability, clarity, and alignment with organizational goals rather than just technical configuration.

FSCP Bestehen Sie Forescout Certified Professional Exam! - mit höhere Effizienz und weniger Mühen

Per ZertPruefung können Sie die neuesten Fragen und Antworten zur Forescout FSCP Zertifizierungsprüfung bekommen. Bitte kaufen Sie die Produkte schnell, so dass Sie die Prüfung zum ersten mal bestehen können. Zur Zeit besitzt nur PassTest die kürzlich aktualisierten Forescout FSCP Prüfungsfragen und Antworten .

Forescout Certified Professional Exam FSCP Prüfungsfragen mit Lösungen (Q65-Q70):

65. Frage

Which field in the User Directory plugin should be configured for Active Directory subdomains?

- A. Address
- B. Replicas
- **C. Domain Aliases**
- D. Parent Groups
- E. DNS Detection

Antwort: C

Begründung:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

According to the Forescout User Directory Plugin Configuration Guide - Microsoft Active Directory Server Settings, the field that should be configured for Active Directory subdomains is "Domain Aliases".

Domain Aliases for Subdomains:

According to the Microsoft Active Directory Server Settings documentation:

"Configure the following additional server settings in the Directory and Additional Domain Aliases sections:

Domain Aliases - Configure additional domain names that users can use to log in, such as subdomains." Purpose of Domain Aliases:

According to the documentation:

Domain Aliases are used to specify:

- * Subdomains - Alternative domain names like subdomain.company.com
- * Alternative Domain Names - Other domain name variations
- * User Login Options - Additional domains users can use to authenticate
- * Alias Resolution - Maps aliases to the primary domain

Example Configuration:

For an organization with the primary domain company.com and subdomain accounts.company.com:

- * Domain Field - Set to: company.com
- * Domain Aliases Field - Add: accounts.company.com

This allows users from either domain to authenticate successfully.

Why Other Options Are Incorrect:

- * A. Replicas - Replicas configure redundant User Directory servers, not subdomains
- * B. Address - Address field specifies the server IP/FQDN, not domain aliases
- * C. Parent Groups - Parent Groups relate to group hierarchy, not domain subdomains
- * E. DNS Detection - DNS Detection is not a User Directory configuration field

Additional Domain Configuration:

text

Primary Configuration:

```
## Domain: company.com
## Domain Aliases: accounts.company.com
# services.company.com
# mail.company.com
## Port: 636 (default)
```

Referenced Documentation:

- * Microsoft Active Directory Server Settings

* Define User Directory Servers - Domain Aliases section

66. Frage

How are additional recipients added to a "Send Mail" action?

- A. Thru the policy sub rule and adding a condition for each of the desired recipients
- B. Thru the policy "Send Mail" action, under the Parameters tab add the recipients separated by commas
- C. Thru Tools > Options > Advanced - Mail and adding the recipients separated by semi-colons
- D. Thru the Tools > Options > NAC Email and adding the recipients separated by semi-colons
- E. Thru the setting on Tools > Options > General > Mail and adding the recipients separated by commas

Antwort: E

Begründung:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

According to the Forescout Administration Guide, additional recipients for the "Send Mail" action are added through the setting on Tools > Options > General > Mail and adding the recipients separated by commas.

Managing Email Notification Addresses:

According to the official documentation:

"From the Tools menu, select Options > General > Mail and DNS. Update any of the following fields: Send Email Alerts/Notifications - List email addresses to receive CounterACT email alerts." Email Address Separator Options:

According to the documentation:

"Separate multiple addresses using any of the following characters: semicolon (;), blank space or comma (,)." So while commas are the primary method shown in the documentation, the system also accepts semicolons and spaces as separators. However, the answer that most specifically matches the Forescout documentation interface is Option A.

How to Configure Email Recipients:

According to the administration guide:

* Open Tools Menu - Select "Tools" from the menu bar

* Select Options - Click on "Options"

* Navigate to Mail Settings - Select "General > Mail and DNS"

* Add Recipients - Enter email addresses in the "Send Email Alerts/Notifications" field

* Separate Multiple Addresses - Use commas, semicolons, or spaces between addresses Example Recipient Configuration:

According to the documentation:

text

Example 1: user1@example.com,user2@example.com,user3@example.com

Example 2: user1@example.com; user2@example.com; user3@example.com

Policy-Level vs. Global Email Configuration:

According to the documentation:

* Global Email Configuration (Tools > Options > General > Mail) - Sets default recipients for all email alerts

* Send Email Action (in policy) - Can be configured to send to administrator email or specify alternative recipients The global configuration in Tools > Options is where the primary recipient list is maintained.

Why Other Options Are Incorrect:

* B. Thru the policy "Send Mail" action, under the Parameters tab - This is not where email recipients are configured; the policy action uses the global settings

* C. Thru Tools > Options > Advanced - Mail - The correct path is Tools > Options > General > Mail, not Advanced

* D. Thru the Tools > Options > NAC Email - There is no "NAC Email" option in Tools > Options

* E. Thru the policy sub rule and adding a condition - Sub-rules contain conditions, not email recipient configuration Send Email Action in Policies:

According to the documentation:

"The Send Email action automatically delivers email to administrators when a policy is matched." This action uses the email addresses configured in the global mail settings.

Referenced Documentation:

* Managing Email Notifications documentation

* Initial Setup - Mail section

* Managing Email Notification Addresses documentation

* Core Extensions Module Reports Plugin Configuration Guide

67. Frage

Which of the following is a switch plugin property that can be used to identify endpoint connection location?

- **A. Switch IP/FQDN and Port Name**
- B. Switch Port Action
- C. Wireless SSID
- D. Switch Port Alias
- E. Switch Location

Antwort: A

Begründung:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

According to the Forescout Switch Plugin Configuration Guide Version 8.12 and the Switch Properties documentation, the Switch IP/FQDN and Port Name property is used to identify an endpoint's connection location. The documentation explicitly states:

"The Switch IP/FQDN and Port Name property contains either the IP address or the fully qualified domain name of the switch and the port name (the physical connection point on that switch) to which the endpoint is connected." Switch IP/FQDN and Port Name Property:

This property is fundamental for identifying where an endpoint is physically connected on the network.

According to the documentation:

Purpose: Provides the exact physical location of an endpoint on the network by identifying:

* Switch IP Address or FQDN - Which switch the endpoint is connected to

* Port Name - Which specific port on that switch the endpoint uses

Example: A property value might look like:

* 10.10.1.50:Port Fa0/15 (IP address and port name)

* core-switch.example.comGigabitEthernet0/1/1 (FQDN and port name)

Use Cases for Location Identification:

According to the Switch Plugin Configuration Guide:

* Physical Topology Mapping - Administrators can see exactly where each endpoint connects to the network

* Port-Based Policies - Create policies that apply actions based on specific switch ports

* Troubleshooting - Quickly locate endpoints by their switch port connection

* Inventory Tracking - Maintain accurate records of device locations and connections Switch Location vs. Switch IP/FQDN and Port Name:

According to the documentation:

Property

Purpose

Switch Location

The switch location based on the switch MIB (Management Information Base) - geographic location of the switch itself Switch IP/FQDN and Port Name The specific switch and port where an endpoint is connected - physical connection point Switch Port Alias The alias/description of the port (if configured on the switch) The key difference: Switch Location identifies where the switch itself is located, while Switch IP/FQDN and Port Name identifies the specific connection point where the endpoint is attached.

Why Other Options Are Incorrect:

* A. Switch Location - Identifies the location of the switch device itself (from MIB), not the endpoint's connection point

* B. Switch Port Alias - This is an alternate name for a port (like "Conference Room Port"), not the connection location information

* D. Switch Port Action - This indicates what action was performed on a port, not where the endpoint is located

* E. Wireless SSID - This is a Wireless Plugin property, not a Switch Plugin property; identifies wireless network name, not switch connection location Switch Properties for Endpoint Location:

According to the complete Switch Properties documentation:

The Switch Plugin provides these location-related properties:

* Switch IP/FQDN - The switch to which the endpoint connects

* Switch IP/FQDN and Port Name - The complete location (switch and port)

* Switch Port Name - The specific port on the switch

* Switch Port Alias - Alternate port name

Only Switch IP/FQDN and Port Name provides the complete endpoint connection location information in a single property.

Referenced Documentation:

* Forescout CounterACT Switch Plugin Configuration Guide Version 8.12

* Switch Properties documentation

* Viewing Switch Information in the All Hosts Pane

* About the Switch Plugin

Which of the following lists contain items you should verify when you are troubleshooting a failed switch change VLAN action?
Select one:

- A. The Switch Vendor is compatible for the change VLAN action
The Enterprise manager IP is allowed read VLAN access to the switch
The network infrastructure allows CounterACT SSH and SNMP Get traffic to reach the switch The action is disabled in the policy The Switch Model is compatible for ACL actions The Enterprise manager IP is allowed write VLAN changes to the switch The network infrastructure allows CounterACT SSH and SNMP Trap traffic to reach the switch The action is enabled in the policy
- B. The Switch Vendor is compatible for the change VLAN action
The managing appliance IP is allowed read VLAN access to the switch
The network infrastructure allows CounterACT SSH and SNMP Get traffic to reach the switch The action is disabled in the policy
- C. The Switch Vendor is compatible for all actions
The managing appliance IP is allowed read VLAN access to the switch
The network infrastructure allows CounterACT SSH and SNMP Set traffic to reach the switch The action is enabled in the policy
- D. The Switch Model is compatible for the change VLAN action
The managing appliance IP is allowed write VLAN changes to the switch
The network infrastructure allows CounterACT SSH and SNMP Set traffic to reach the switch The action is enabled in the policy

Antwort: D

Begründung:

According to the Forescout Switch Plugin Configuration Guide Version 8.12 and 8.14.2, when troubleshooting a failed change VLAN action, you should verify: "The Switch Model is compatible for the change VLAN action, The managing appliance IP is allowed write VLAN changes to the switch, The network infrastructure allows CounterACT SSH and SNMP Set traffic to reach the switch, The action is enabled in the policy".

Troubleshooting Switch VLAN Changes:

According to the Switch Plugin documentation:

When a VLAN assignment fails, verify:

- * Switch Model Compatibility
- * Not all switch models support VLAN changes via SNMP/SSH
- * Consult Forescout compatibility matrix
- * Refer to Appendix 1 of Switch Plugin guide for capability summary
- * Managing Appliance Permissions
- * The managing appliance must have write access to VLAN settings
- * Requires appropriate SNMP community strings or SNMPv3 credentials
- * Must be allowed to execute SNMP Set commands
- * Network Infrastructure
- * SSH access to the switch (CLI) - typically port 22
- * SNMP Set traffic to the switch - port 161
- * NOT "SNMP Get" (read-only) or "SNMP Trap" (notifications)
- * SNMP Set is specifically for write operations like VLAN assignment
- * Policy Action Status
- * The action must be enabled in the policy
- * If the action is disabled, it won't execute regardless of other settings

Why Option C is Correct:

According to the documentation:

- * # Switch Model (not Vendor) - Model-specific capabilities matter
- * # Managing appliance (not Enterprise Manager) - For distributed deployments
- * # SNMP Set (not Get or Trap) - Required for write/change operations
- * # Action enabled (not disabled) - Prerequisite for execution

Why Other Options Are Incorrect:

- * A - Mixes incorrect items: "action is disabled" is wrong; "SNMP Trap" is for notifications, not VLAN changes
- * B - States "SNMP Get" (read-only) instead of "SNMP Set" (write); has "action is disabled"
- * D - Says "all actions" instead of "change VLAN action"; uses "SNMP Set" correctly but other details wrong

Documentation:

- * Forescout CounterACT Switch Plugin Configuration Guide v8.12
- * Switch Plugin Configuration Guide v8.14.2
- * Switch Configuration Parameters

* Switch Restrict Actions

69. Frage

When using MS-WMI for Remote inspection, which of the following properties should be used to test for Windows Manageability?

- A. Windows Manageable Domain (Current)
- B. MS-SMB Reachable
- C. Windows Manageable Domain
- **D. MS-WMI Reachable**
- E. MS-RRP Reachable

Antwort: D

Begründung:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

According to the Forescout HPS Inspection Engine Configuration Guide Version 10.8, when using MS-WMI for Remote Inspection, MS-WMI Reachable property should be used to test for Windows Manageability.

MS-WMI Reachable Property:

According to the documentation:

"MS-WMI Reachable: Indicates whether Windows Management Instrumentation can be used for Remote Inspection tasks on the endpoint." This Boolean property specifically tests whether WMI services are available and reachable on a Windows endpoint.

Remote Inspection Reachability Properties:

According to the HPS Inspection Engine guide:

Three reachability properties are available for detecting services on endpoints:

- * MS-RRP Reachable - Indicates whether Remote Registry Protocol is available
- * MS-SMB Reachable - Indicates whether Server Message Block protocol is available
- * MS-WMI Reachable - Indicates whether Windows Management Instrumentation is available (THIS IS FOR MS-WMI) How to Use MS-WMI Reachable:

According to the documentation:

When Remote Inspection method is set to "Using MS-WMI":

- * Check the MS-WMI Reachable property value
- * If True - WMI services are running and available for Remote Inspection
- * If False - WMI services are not available; fallback methods or troubleshooting required Property Characteristics:

According to the documentation:

"These properties do not have an Irresolvable state. When HPS Inspection Engine cannot establish connection with the service, the property value is False." This means:

- * Always returns True or False (never irresolvable)
- * False indicates the service is not reachable
- * No need for "Evaluate Irresolvable Criteria" option

Why Other Options Are Incorrect:

- * A. Windows Manageable Domain (Current) - This is not the specific property for testing MS-WMI capability
- * B. MS-RRP Reachable - This tests Remote Registry Protocol, not WMI
- * D. MS-SMB Reachable - This tests Server Message Block protocol, not WMI
- * E. Windows Manageable Domain - General manageability property, not specific to WMI testing Remote Inspection

Troubleshooting:

According to the documentation:

When troubleshooting Remote Inspection with MS-WMI:

- * First verify MS-WMI Reachable = True
- * Check required WMI services:
- * Server
- * Windows Management Instrumentation (WMI)
- * Verify port 135/TCP is available
- * If MS-WMI Reachable = False, check firewall and WMI configuration

Referenced Documentation:

- * CounterACT Endpoint Module HPS Inspection Engine Configuration Guide v10.8
- * Detecting Services Available on Endpoints

70. Frage

.....

Alle IT-Fachleute sind mit der Fore Scout FSCP Zertifizierungsprüfung vertraut. Sie alle träumen davon, ein Zertifikat zu bekommen. Sie können Ihren Traum verwirklichen und eine gute Berufskarriere machen. Durch die Schulungsunterlagen zur Fore Scout FSCP Zertifizierungsprüfung von ZertPruefung können Sie bekommen, was Sie wollen.

FSCP Schulungsunterlagen: https://www.zertpruefung.ch/FSCP_exam.html

- FSCP Online Test ☐ FSCP Exam ☐ FSCP Lerntipps ☐ ✓ www.itzert.com ☐ ✓ ☐ ist die beste Webseite um den kostenlosen Download von ➡ FSCP ☐ zu erhalten  FSCP Online Test
- FSCP Test Dumps, FSCP VCE Engine Ausbildung, FSCP aktuelle Prüfung ☐ ☐ www.itzert.com ☐ ist die beste Webseite um den kostenlosen Download von ➡ FSCP ☐ ☐ zu erhalten ☐ FSCP Online Tests
- FSCP Lerntipps ☐ FSCP Prüfung ☐ FSCP Simulationsfragen ☐ Suchen Sie auf ➡ www.zertpruefung.ch ☐ nach kostenlosem Download von { FSCP } ☐ FSCP Antworten
- FSCP Übungsfragen: Fore Scout Certified Professional Exam - FSCP Dateien Prüfungsunterlagen ☐ Öffnen Sie die Webseite ✓ www.itzert.com ☐ ✓ ☐ und suchen Sie nach kostenloser Download von ✓ FSCP ☐ ✓ ☐ FSCP Online Test
- FSCP Kostenlos Downladen ☐ FSCP Trainingsunterlagen ☐ FSCP Dumps ☼ Suchen Sie jetzt auf ☐ www.pass4test.de ☐ nach ☐ FSCP ☐ um den kostenlosen Download zu erhalten ☐ FSCP Zertifizierungsantworten
- FSCP Kostenlos Downladen ☐ FSCP Prüfung ☐ FSCP Antworten ☐ Sie müssen nur zu ☐ www.itzert.com ☐ gehen um nach kostenloser Download von ➤ FSCP ☐ zu suchen ☐ FSCP Trainingsunterlagen
- FSCP Mit Hilfe von uns können Sie bedeutendes Zertifikat der FSCP einfach erhalten! ☐ Öffnen Sie die Webseite ➡ www.zertpruefung.ch ☐ und suchen Sie nach kostenloser Download von ➡ FSCP ☐ ☐ FSCP Zertifizierungsantworten
- FSCP Prüfung ☐ FSCP Zertifizierungsfragen ☐ FSCP Examengine ☐ Suchen Sie auf ☼ www.itzert.com ☐ ☼ ☐ nach ➡ FSCP ☐ ☐ und erhalten Sie den kostenlosen Download mühelos ☐ FSCP Kostenlos Downladen
- FSCP Kostenlos Downladen ☐ FSCP Fragenpool ☐ FSCP Prüfung ☐ Öffnen Sie die Website ➡ www.zertpruefung.ch ☐ Suchen Sie ☐ FSCP ☐ Kostenloser Download ☐ FSCP Zertifizierungsfragen
- FSCP Lerntipps ☐ FSCP Exam ☐ FSCP Prüfungsunterlagen ☐ Öffnen Sie die Webseite [www.itzert.com] und suchen Sie nach kostenloser Download von ➡ FSCP ☐ ☐ ☐ FSCP Lerntipps
- FSCP Exam ☐ FSCP Antworten ☐ FSCP PDF Testsoftware ☐ Öffnen Sie « www.zertpruefung.de » geben Sie [FSCP] ein und erhalten Sie den kostenlosen Download ☐ FSCP Kostenlos Downladen
- gettr.com, camp-fire.jp, wefunder.com, elearn.ellak.gr, www.flirtic.com, fortunetelleroracle.com, estar.jp, fortunetelleroracle.com, friendori.com, emmaklewis.sites.gettysburg.edu, Disposable vapes

Laden Sie die neuesten ZertPruefung FSCP PDF-Versionen von Prüfungsfragen kostenlos von Google Drive herunter:
<https://drive.google.com/open?id=1r0G04OnR1IliHB-PAtI3v89dwKtTLBI>