

SAP C-ADBTP-2601模擬対策問題 & C-ADBTP-2601資格認定試験



IT職員の一員として、今のC-ADBTP-2601試験資料を知っていますか？もし了解しなかったら、C-ADBTP-2601試験に合格するかどうか心配する必要がありません。弊社はC-ADBTP-2601試験政策の変化に応じて、C-ADBTP-2601試験資料を定期的に更新しています。こうした、お客様に全面的かつ高品質のC-ADBTP-2601試験資料を提供できます。C-ADBTP-2601試験に合格するために、お客様は今からC-ADBTP-2601試験資料を手に入りましょう！

私たちは、MogiExamのSAPのC-ADBTP-2601問題集を使ったら、初めて認定試験を受ける君でも一回で試験に合格することができることを保証します。もし認定試験に失敗したら、或いは学習教材は問題があれば、私たちは全額返金することを保証いたします。そして、MogiExamのSAPのC-ADBTP-2601問題集を購入したら、私たちは一年間で無料更新サービスを提供することができます。

>> SAP C-ADBTP-2601模擬対策問題 <<

C-ADBTP-2601試験の準備方法 | 素敵なC-ADBTP-2601模擬対策問題試験 | 信頼的な Administrating SAP Business Technology Platform(C_ADBTP_2601)資格認定試験

弊社SAPの資料を使用すると、最短でAdministrating SAP Business Technology Platform(C_ADBTP_2601)の最高の質問トレントを習得し、他のことを完了するための時間とエネルギーを節約できます。最も重要なのは、C-ADBTP-2601学習資料を安全にダウンロード、インストール、MogiExam使用できることです。製品にウイルスがないことを保証できます。それだけでなく、最高のサービスと最高のAdministrating SAP Business Technology Platform(C_ADBTP_2601)試験トレントを提供し、製品の品質が良好であることを保証できます。そのため、購入後はお気軽にご利用ください。お金を無駄にさせません。

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) 認定 C-ADBTP-2601 試験問題 (Q10-Q15):

質問 # 10

SIMULATION

Establish Shared Services

Task 2: Entitle and Subscribe a Service in a Shared Subaccount

In your SAP BTP cockpit, in your SH Dev subaccount, entitle one standard (Application) service plan for the SAP Build Work Zone, advanced edition.

In the SH Dev subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your SH Dev subaccount, create a service subscription for SAP Build Work Zone, advanced edition with the standard service plan.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Shared Services directory.

Open the SH Dev subaccount.

This matters because all three required actions must be done inside SH Dev, not in the directory and not in another subaccount.

Part 1 - Entitle the service in SH Dev

Step 1 - Open the subaccount

In the cockpit, choose Directories.

Open Shared Services.

Select SH Dev.

You should now be on the SH Dev subaccount page.

Step 2 - Open Entitlements

In SH Dev, choose Entitlements.

SAP documents that service plans and quotas for a subaccount are added in the subaccount's Entitlements are a.

Step 3 - Add the required service plan

Click Configure Entitlements or Add Service Plans.

Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard (Application).

Set the quantity to 1 if a quota/amount field is shown.

Save the entitlement changes.

This task explicitly asks for one standard (Application) service plan. SAP Help also notes that SAP Build Work Zone usage depends on the correct entitlement being available in the subaccount first.

Verify

Under Entitlements, you should now see:

SAP Build Work Zone, advanced edition

plan: standard (Application)

quantity: 1 if shown

Part 2 - Establish trust to the identity provider

Step 4 - Open Trust Configuration

In SH Dev, go to Security.

Choose Trust Configuration.

SAP Help states that trust to a custom identity provider is established from Security > Trust Configuration in the SAP BTP cockpit.

Step 5 - Create the trust

Click Establish Trust.

Enter or select the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard.

Save the trust configuration.

SAP documents that to use a custom identity provider, the subaccount must have a trust relationship to that provider. SAP also highlights that apps such as SAP Build Work Zone rely on SAP Cloud Identity Services trust configuration.

Verify

On the Trust Configuration page, you should see:

agvlamkzw.accounts.ondemand.com

as a trusted identity provider.

Part 3 - Create the subscription

Step 6 - Open Instances and Subscriptions

In SH Dev, go to Services.

Choose Instances and Subscriptions.

Step 7 - Create the subscription

Click Create.

Choose Subscription if the cockpit asks for a type.

Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard.

Confirm the creation.

SAP Help for SAP Build Work Zone scenarios indicates that the subaccount needs the correct entitlements and subscription flow to expose and use SAP Build Work Zone content.

Step 8 - Confirm subscription status

Stay on Instances and Subscriptions.

Check that the new subscription appears and is active.

Verify

You should see:

SAP Build Work Zone, advanced edition

plan: standard

subscription created successfully

Final expected result

Inside SH Dev:

the entitlement for SAP Build Work Zone, advanced edition exists

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, advanced edition

the subscription uses the standard plan

Common mistakes to avoid

Doing the entitlement in Shared Services directory instead of SH Dev

Choosing SAP Build Work Zone, standard edition instead of advanced edition
Choosing the wrong plan; the entitlement must be standard (Application)
Forgetting the trust step to agvlamkzw.accounts.ondemand.com
Trying to subscribe before the entitlement exists

質問 # 11

SIMULATION

Enable Service Subscriptions

Task 2: Entitle and Subscribe a Service in a Subaccount

In your AM PA Prod subaccount, entitle the standard (Application) service plan for SAP Build Work Zone, standard edition.

In the AM PA Prod subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your AM PA Prod subaccount, create a service subscription for SAP Build Work Zone, standard edition with the standard service plan .

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Part A - Entitle the Service Plan in AM PA Prod

Step 1 - Open the AM PA Prod Subaccount

What to do

In the SAP BTP Cockpit, go to Directories.

Open the Partner directory.

Select the subaccount AM PA Prod.

Explanation:

This opens the exact subaccount where the entitlement and subscription must be created.

What to verify

You should now be on the AM PA Prod subaccount page.

Step 2 - Open Entitlements in the Subaccount

What to do

In AM PA Prod, open Entitlements.

Explanation:

SAP documents that subaccount entitlements are configured in the subaccount's entitlement area, where you add service plans and quotas available to that subaccount.

What to verify

You should see the Entitlements screen for AM PA Prod.

Step 3 - Add the Required Service Plan

What to do

Click Configure Entitlements or Add Service Plans.

Search for:

SAP Build Work Zone, standard edition

Select the service.

Choose the plan:

standard (Application)

Add the service plan.

Save the entitlement changes.

Explanation:

The task requires the standard (Application) plan specifically. SAP's entitlement flow requires you to add the service plan to the subaccount before you can subscribe to the application.

What to verify

Under Entitlements, you should now see:

SAP Build Work Zone, standard edition

plan: standard (Application)

Part B - Establish Trust to the Identity Provider

Step 4 - Open Trust Configuration

What to do

In the AM PA Prod subaccount, go to:

Security

Trust Configuration

Explanation:

SAP Help states that trust to a custom identity provider is established from the cockpit in Security > Trust Configuration.

What to verify

You should be on the Trust Configuration page of AM PA Prod.

Step 5 - Start the Trust Setup

What to do

Click Establish Trust or New Trust Configuration.

Explanation:

This opens the wizard or form to add a trusted identity provider for the subaccount. SAP documents this as the standard cockpit flow for custom identity provider trust.

Step 6 - Enter the Identity Provider

What to do

In the trust configuration, use the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard and confirm the trust setup.

Save the configuration.

Explanation:

The simulation explicitly requires trust to that identity provider domain. For SAP Build Work Zone, standard edition, SAP also notes that the subaccount must trust an identity provider before subscription use cases for business users are completed.

What to verify

On the Trust Configuration page, the identity provider

agvlamkzw.accounts.ondemand.com should appear as trusted.

Part C - Create the Service Subscription

Step 7 - Open the Subscription Area

What to do

In AM PA Prod, go to:

Services

Instances and Subscriptions

Explanation:

SAP Help for SAP Build subscriptions points to the subaccount subscription flow after the entitlement is available. In current cockpit usage, subscriptions are created from the subaccount's services are a.

What to verify

You should see the Instances and Subscriptions page.

Step 8 - Create the Subscription

What to do

Click Create.

Choose Subscription if a type selection appears.

Search for:

SAP Build Work Zone, standard edition

Select the plan:

standard

Then confirm the creation.

□ Explanation:

SAP's getting-started guidance for SAP Build Work Zone, standard edition says that once the subaccount has the required entitlement, you can subscribe to the application from the subaccount.

What to verify

You should now see a subscription entry for:

SAP Build Work Zone, standard edition

plan: standard

Step 9 - Confirm the Subscription Is Active

What to do

Check the status of the new subscription in Instances and Subscriptions.

Explanation:

The subscription should be visible and active in the subaccount after creation.

What to verify

You should see:

SAP Build Work Zone, standard edition

subscription created successfully

SAP's guidance for subscription-based applications consistently uses this subaccount subscription flow after entitlement is present.

□ Final Expected Result for Task 2

Inside AM PA Prod:

the entitlement SAP Build Work Zone, standard edition is assigned

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, standard edition

the subscription uses the standard service plan

Common Mistakes to Avoid

1. Doing the entitlement in the wrong place

This task must be done in:

AM PA Prod subaccount

Not only in:

Partner directory

Directory entitlement and subaccount entitlement are different scopes in the cockpit.

2. Choosing the wrong service or wrong plan

Use exactly:

SAP Build Work Zone, standard edition

standard (Application) for entitlement

standard for the subscription selection screen

SAP's service subscription flow starts only after the correct entitlement exists.

3. Skipping trust configuration

The simulation explicitly requires trust to:

agvlamkzw.accounts.ondemand.com

Trust is configured in Security > Trust Configuration.

4. Looking for subscription creation before entitlement

The entitlement must be added first, otherwise the service may not appear in the subscription creation flow.

Quick Validation Checklist

Confirm all of the following in AM PA Prod:

Entitlements contains SAP Build Work Zone, standard edition

the plan is standard (Application)

Trust Configuration shows agvlamkzw.accounts.ondemand.com

Instances and Subscriptions shows SAP Build Work Zone, standard edition the subscription is created successfully

質問 # 12

SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

正解:

解説:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner
Description: Partner Accounts
Parent: Americas
Locate the Labels section.
Add a new label:
Key: access
Value: external
Click Create.

□ Explanation:
This creates Partner as a child directory under Americas.
The label is required and must be entered exactly:
access = external

This label helps classify the directory.
What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

□ Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

□ Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

質問 # 13

SIMULATION

Task 2: Create Subaccounts in a Directory

In the Partner directory, create the subaccount AM PA Dev Test (Description: Partner Development and Testing) with subdomain btpops#####-am-pa-dev-test in the region Microsoft Azure → US West (WA) cf-us20.

In the Partner directory, create the subaccount AM PA Prod (Description: Partner Production) with subdomain btpops#####-am-pa-prod using AM PA Dev Test as source subaccount. Set the subaccount as used in production.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Task 2 - Create Subaccounts in a Directory

You must create these two subaccounts inside the Partner directory:

AM PA Dev Test

AM PA Prod

Important:

Replace ##### with your global account number

Enter all names and subdomains exactly

Be careful with hyphens and spaces

AM PA Prod must be marked as used in production

Before You Start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both subaccounts in this task must be created inside the Partner directory. If you create them under the global account or another directory, the task will be wrong.

Step 1 - Open the Partner Directory

What to do

In the left menu, click Directories.

In the directory list, select Partner.

Explanation:

The Partner directory is the container where both required subaccounts must be created.

What to verify

You should now be inside the Partner directory page.

Step 2 - Start Creating the First Subaccount

What to do

Inside the Partner directory, go to Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

What to verify

You should now see the form for creating a new subaccount.

Step 3 - Enter Data for AM PA Dev Test

What to do

Enter the following values:

Display Name / Name: AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Then choose the region:

Cloud Provider: Microsoft Azure

Region: US West (WA)

Environment / Technical Region: cf-us20

After checking all values, click Create.

□ Explanation:

This creates the development and testing subaccount for the Partner directory.

The important points are:

the subaccount name must match exactly

the subdomain must include your account number in place of #####

the region must be Microsoft Azure → US West (WA) cf-us20

What to verify

After creation, you should see the new subaccount:

AM PA Dev Test

inside the Partner directory.

Step 4 - Confirm the First Subaccount Exists

What to do

Check the subaccounts list under Partner.

Explanation:

Before creating the production subaccount, confirm that AM PA Dev Test was created successfully, because it will be used as the source subaccount for the next step.

What to verify

You should see:

AM PA Dev Test

If it is not there, do not continue until it is created correctly.

□ Step 5 - Start Creating the Second Subaccount

What to do

Still inside the Partner directory, click Create → Subaccount again.

Explanation:

This opens a new subaccount creation form for the production subaccount.

Step 6 - Enter Data for AM PA Prod

What to do

Enter the following values:

Display Name / Name: AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Then set:

Source Subaccount: AM PA Dev Test

Enable the production setting:

Used in Production: Yes

Then click Create.

□ Explanation:

This creates the production subaccount by using AM PA Dev Test as the source subaccount.

Using a source subaccount means SAP BTP copies base settings from the selected source, which helps keep configuration aligned.

The production indicator is mandatory here because this is the production subaccount.

What to verify

After creation, you should see:

AM PA Prod

inside the Partner directory, and it should be marked as a production subaccount.

Final Expected Result for Task 2

Inside the Partner directory, you must have these two subaccounts:

1. AM PA Dev Test

Description: Partner Development and Testing
Subdomain: btpops#####-am-pa-dev-test
Region: Microsoft Azure → US West (WA) cf-us20

2. AM PA Prod

Description: Partner Production
Subdomain: btpops#####-am-pa-prod
Source Subaccount: AM PA Dev Test
Used in Production: Yes

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong place

Both subaccounts must be created in:

Partner directory

Not in:

Global Account

Americas

Eurasia

Human Resources

2. Wrong subdomain format

Use exactly:

btpops#####-am-pa-dev-test

btpops#####-am-pa-prod

Replace only ##### with your global account number.

Do not:

remove hyphens

add spaces

misspell dev-test or pa-prod

3. Wrong region for AM PA Dev Test

It must be:

Microsoft Azure

US West (WA)

cf-us20

4. Forgetting the source subaccount for AM PA Prod

You must select:

AM PA Dev Test

as the source subaccount.

5. Forgetting the production flag

For AM PA Prod, make sure:

Used in Production is enabled

質問 # 14

.....

当社の製品よりも高いプロフィールと低価格を備えた他の学習教材もあるかもしれませんが、C-ADBTP-2601学習教材の合格率は彼らのものよりもはるかに高いことを保証できます。そしてこれが最も重要です。以前のデータによると、C-ADBTP-2601トレーニング質問を使用する人の98%~99%が試験に合格しました。あなたが私たちに信頼を与えてくれるなら、私たちはあなたに成功を与えます。

C-ADBTP-2601資格認定試験: <https://www.mogixam.com/C-ADBTP-2601-exam.html>

時間が足りないですので、C-ADBTP-2601試験を落ちました、C-ADBTP-2601の実際の試験教材には独自の学習方法があり、従来の暗記学習を放棄し、テキストとグラフィックスの記憶方法の組み合わせなど、多様な記憶パターンを採用して、知識の記憶を区別します、したがって、C-ADBTP-2601テストトレントを購入することは非常に価値があります、SAP C-ADBTP-2601模擬対策問題 あなたが自分のキャリアでの異なる条件で自身の利点を発揮することを助けられます、MogiExamのC-ADBTP-2601試験勉強資料はあなたが成功へのショートカットを与えます、第二、あなたは試験に合格したいなら、我々のC-ADBTP-2601テスト問題集の学習に20~30時間をかけるだけです、C-ADBTP-2601学習教材自体については、学習者が学習教材をさまざまな角度から効率的に学習できるように複数の機能を強化します。

はじめての経験なんです、声のした方に目を向けると、ドラゴンの足の間をくぐって一つの人影がこちらに走り出てきた、時間が足りないですので、C-ADBTP-2601試験を落ちました、C-ADBTP-2601の実際の試験教材に

は独自の学習方法があり、従来の暗C-ADBTP-2601記学習を放棄し、テキストとグラフィックスの記憶方法の組み合わせなど、多様な記憶パターンを採用して、知識の記憶を区別します。

試験の準備方法-100%合格率のC-ADBTP-2601模擬対策問題試験-正確的なC-ADBTP-2601資格認定試験

したがって、C-ADBTP-2601テストトレントを購入することは非常に価値があります、あなたが自分のキャリアでの異なる条件で自身の利点を発揮することを助けられます、MogiExamのC-ADBTP-2601試験勉強資料はあなたが成功へのショートカットを与えます。

- 試験の準備方法-完璧なC-ADBTP-2601模擬対策問題試験-便利なC-ADBTP-2601資格認定試験 □ 今すぐ □ www.xhs1991.com □ で▷ C-ADBTP-2601 ◁を検索し、無料でダウンロードしてくださいC-ADBTP-2601資格難易度
- 試験の準備方法-完璧なC-ADBTP-2601模擬対策問題試験-便利なC-ADBTP-2601資格認定試験 □ { www.goshiken.com } サイトで ➡ C-ADBTP-2601 □□□の最新問題が使えるC-ADBTP-2601参考書勉強
- 試験の準備方法-完璧なC-ADBTP-2601模擬対策問題試験-便利なC-ADBTP-2601資格認定試験 □ 最新▶ C-ADBTP-2601 □問題集ファイルは ➡ www.passtest.jp □□□にて検索C-ADBTP-2601赤本勉強
- SAPのC-ADBTP-2601の認定試験の最新学習資料 * □ www.goshiken.com □で使える無料オンライン版 ➡ C-ADBTP-2601 □ の試験問題C-ADBTP-2601資格試験
- C-ADBTP-2601赤本勉強 □ C-ADBTP-2601関連日本語内容 □ C-ADBTP-2601一発合格 □ Open Webサイト“www.jpctestking.com”検索 ➡ C-ADBTP-2601 □□□無料ダウンロードC-ADBTP-2601試験番号
- C-ADBTP-2601最新試験 □ C-ADBTP-2601独学書籍 □ C-ADBTP-2601日本語解説集 □ ウェブサイト▶ www.goshiken.com ◀から「C-ADBTP-2601」を開いて検索し、無料でダウンロードしてくださいC-ADBTP-2601認定デベロッパ
- SAPのC-ADBTP-2601認定試験に関連する優秀な教材 □ “www.passtest.jp”から簡単に □ C-ADBTP-2601 □ を無料でダウンロードできますC-ADBTP-2601無料サンプル
- 実用的なC-ADBTP-2601模擬対策問題 - 合格スムーズC-ADBTP-2601資格認定試験 | 有難いC-ADBTP-2601資格トレーニング □ “www.goshiken.com”に移動し、 ➡ C-ADBTP-2601 □□□を検索して、無料でダウンロード可能な試験資料を探しますC-ADBTP-2601日本語解説集
- C-ADBTP-2601最新試験 □ C-ADBTP-2601独学書籍 □ C-ADBTP-2601独学書籍 □ サイト⇒ www.passtest.jp ⇐で ➡ C-ADBTP-2601 □問題集をダウンロードC-ADBTP-2601試験復習
- 実用的なC-ADBTP-2601模擬対策問題 - 合格スムーズC-ADBTP-2601資格認定試験 | 有難いC-ADBTP-2601資格トレーニング □ { C-ADBTP-2601 } を無料でダウンロード ➡ www.goshiken.com □□□で検索するだけC-ADBTP-2601赤本勉強
- C-ADBTP-2601試験番号 □ C-ADBTP-2601日本語解説集 ◌ C-ADBTP-2601独学書籍 □ ➡ C-ADBTP-2601 □ を無料でダウンロード 《 www.jpctestking.com 》で検索するだけC-ADBTP-2601試験番号
- ncon.edu.sa, www.stes.tyc.edu.tw, daotao.wisebusiness.edu.vn, kumu.io, learn.academichive.com, vietnamfranchise.vn, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes