

NCM-MCI Zertifizierungsantworten, NCM-MCI Testfragen



Es ist ganz einfach, die Nutanix NCM-MCI Zertifizierungsprüfung zu bestehen, wenn Sie die Schulungsunterlagen zur Nutanix NCM-MCI Prüfung von DeutschPrüfung benutzen. Die Schulungsunterlagen zur Nutanix NCM-MCI Zertifizierungsprüfung aus DeutschPrüfung werden von den erfahrenen Experten durch ständige Praxis und Forschung bearbeitet. Die Trainingsmaterialien zur Nutanix NCM-MCI Zertifizierungsprüfung aus unserer Webseite können Ihnen helfen, dass Sie die NCM-MCI Prüfung bei Ihrem ersten Versuch mühelos zu bestehen.

Als eine zuverlässige Website versprechen wir Ihnen, Ihre persönliche Informationen nicht zu verraten und die Sicherheit Ihrer Bezahlung zu garantieren. Deshalb können Sie unsere Nutanix NCM-MCI Prüfungssoftware ganz beruhigt kaufen. Wir haben eine große Menge IT-Prüfungsunterlagen. Wenn Sie neben Nutanix NCM-MCI noch an anderen Prüfungen Interesse haben, können Sie auf unsere Website online konsultieren. Wir wünschen Ihnen viel Erfolg bei der Nutanix NCM-MCI Prüfung!

>> NCM-MCI Zertifizierungsantworten <<

NCM-MCI Testfragen, NCM-MCI Fragenpool

Unser DeutschPrüfung hat langjährige Schulungserfahrungen über IT-Zertifizierungsprüfungen. Die Schulungsunterlagen zur Nutanix NCM-MCI Prüfung von DeutschPrüfung sind zuverlässig. Unser Eliteteam aktualisiert ständig die neuesten Schulungsunterlagen zur Nutanix NCM-MCI Prüfung. Unsere Angestellten haben sich sehr viel Mühe dafür geben, um Ihnen zu helfen, eine gute Note in der Prüfung zu bekommen. Es ist sicher, dass DeutschPrüfung Ihnen die realen und besten Schulungsunterlagen zur Nutanix NCM-MCI Prüfung bietet.

Nutanix Certified Master - Multicloud Infrastructure v6.10 NCM-MCI Prüfungsfragen mit Lösungen (Q10-Q15):

10. Frage

Topic 1, Performance Based Questions

Environment

You have been provisioned a dedicated environment for your assessment which includes the following:

Workstation

- * windows Server 2019

- * All software/tools/etc to perform the required tasks

- * Nutanix Documentation and whitepapers can be found in desktop\files\Documentation

- * Note that the workstation is the system you are currently toggled into Nutanix Cluster

- * There are three clusters provided. The connection information for the relevant cluster will be displayed to the high of the question

Please make sure you are working on the correct cluster for each item Please ignore any licensing violations

- * Cluster A is a 3-node cluster with Prism Central 2022.6 where most questions will be performed

- * Cluster B is a one-node cluster and has one syslog item and one security item to perform

- * Cluster D is a one-node cluster with Prism Central 5.17 and has a security policy item to perform Important Notes

- * If the text is too small and hard to read, or you cannot see an of the GUI. you can increase/decrease the zoom of the browser with

CTRL + , and CTRL + (the plus and minus keys) You will be given 3 hours to complete the scenarios for Nutanix NCMMCI Once you click the start button below, you will be provided with:

- A Windows desktop A browser page with the scenarios and credentials (Desktop\instructions) Notes for this exam delivery:

The browser can be scaled to Improve visibility and fit all the content on the screen.

- Copy and paste hot-keys will not work Use your mouse for copy and paste.

- The Notes and Feedback tabs for each scenario are to leave notes for yourself or feedback for

- Make sure you are performing tasks on the correct components.

- Changing security or network settings on the wrong component may result in a falling grade.

- Do not change credentials on an component unless you are instructed to.

- All necessary documentation is contained in the Desktop\Files\Documentation directory Task 1 An administrator has been asked to configure a storage for a distributed application which uses large data sets across multiple worker VMs.

The worker VMs must run on every node. Data resilience is provided at the application level and low cost per GB is a Key Requirement.

Configure the storage on the cluster to meet these requirements. Any new object created should include the phrase Distributed_App in the name.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure the storage on the cluster for the distributed application, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as Distributed_App_Storage_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for low cost per GB, you may prefer to use more HDDs than SSDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container, such as Distributed_App_Container, and select the storage pool that you just created, Distributed_App_Storage_Pool, as the source.

Under Advanced Settings, enable Erasure Coding and Compression to reduce the storage footprint of the data. You can also disable Replication Factor since data resilience is provided at the application level. These settings will help you achieve low cost per GB for the container.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore, such as Distributed_App_Datastore, and select NFS as the datastore type. Select the container that you just created, Distributed_App_Container, as the source.

Click Save to create the datastore.

The datastore will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on Distributed_App_Datastore. You should see all nodes listed under Hosts.

You can now create or migrate your worker VMs to this datastore and run them on any node in the cluster. The datastore will provide low cost per GB and high performance for your distributed application.

11. Frage

Task 11

An administrator has noticed that after a host failure, the SQL03 VM was not powered back on from another host within the cluster. The Other SQL VMs (SQL01, SQL02) have recovered properly in the past.

Resolve the issue and configure the environment to ensure any single host failure affects a minimal number of SQL VMs.

Note: Do not power on any VMs

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

One possible reason why the SQL03 VM was not powered back on after a host failure is that the cluster was configured with the default (best effort) VM high availability mode, which does not guarantee the availability of VMs in case of insufficient resources on the remaining hosts. To resolve this issue, I suggest changing the VM high availability mode to guarantee (reserved segments), which reserves some memory on each host for failover of VMs from a failed host. This way, the SQL03 VM will have a higher chance of being restarted on another host in case of a host failure.

To change the VM high availability mode to guarantee (reserved segments), you can follow these steps:

Log in to Prism Central and select the cluster where the SQL VMs are running.

Click on the gear icon on the top right corner and select Cluster Settings.

Under Cluster Services, click on Virtual Machine High Availability.

Select Guarantee (Reserved Segments) from the drop-down menu and click Save.

To configure the environment to ensure any single host failure affects a minimal number of SQL VMs, I suggest using anti-affinity rules, which prevent VMs that belong to the same group from running on the same host. This way, if one host fails, only one SQL VM will be affected and the other SQL VMs will continue running on different hosts.

To create an anti-affinity rule for the SQL VMs, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Group.

Enter a name for the group, such as SQL Group, and click Next.

Select the SQL VMs (SQL01, SQL02, SQL03) from the list and click Next.

Select Anti-Affinity from the drop-down menu and click Next.

Review the group details and click Finish.

I hope this helps. How else can I help?

https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6_5:ahv-affinity-policies-c.html

The screenshot shows the Nutanix Prism Central interface. The top navigation bar includes 'VMs', 'Summary', 'List', 'Policies', 'Alerts', 'Events', and 'Metrics'. The 'Policies' tab is active, showing a list of affinity policies. The 'bugtestaffinity' policy is selected, and its details are displayed in a table. The table has columns for Name, VMs, Hosts, VM Compliance Status, Modified By, and Last Modified. The 'bugtestaffinity' policy has 2 VMs, 1 host, and 2 non-compliant VMs. The 'Hosts' column for the 'bugtestaffinity' policy is highlighted with a blue box containing the number '1'.

Name	VMs	Hosts	VM Compliance Status	Modified By	Last Modified
bugtestaffinity	2	1	2 Non Compliant	admin	Nov 25, 2022, 07:49 PM

12. Frage

Task 2

An administrator needs to configure storage for a Citrix-based Virtual Desktop infrastructure.

Two VDI pools will be created

Non-persistent pool names MCS_Pool for tasks users using MCS Microsoft Windows 10 virtual Delivery Agents (VDAs)

Persistent pool named Persist_Pool with full-clone Microsoft Windows 10 VDAs for power users

20 GiB capacity must be guaranteed at the storage container level for all power user VDAs The power user container should not be able to use more than 100 GiB Storage capacity should be optimized for each desktop pool.

Configure the storage to meet these requirements. Any new object created should include the name of the pool(s) (MCS and/or Persist) that will use the object.

Do not include the pool name if the object will not be used by that pool.

Any additional licenses required by the solution will be added later.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure the storage for the Citrix-based VDI, you can follow these steps:

Log in to Prism Central using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as VDI_Storage_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for optimal performance, you may prefer to use more SSDs than HDDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container for the non-persistent pool, such as MCS_Pool_Container, and select the storage pool that you just created, VDI_Storage_Pool, as the source.

Under Advanced Settings, enable Deduplication and Compression to reduce the storage footprint of the non-persistent desktops.

You can also enable Erasure Coding if you have enough nodes in your cluster and want to save more space. These settings will help you optimize the storage capacity for the non-persistent pool.

Click Save to create the container.

Go to Storage > Containers and click on Create Container again.

Enter a name for the new container for the persistent pool, such as Persist_Pool_Container, and select the same storage pool, VDI_Storage_Pool, as the source.

Under Advanced Settings, enable Capacity Reservation and enter 20 GiB as the reserved capacity. This will guarantee that 20 GiB of space is always available for the persistent desktops. You can also enter 100 GiB as the advertised capacity to limit the maximum space that this container can use. These settings will help you control the storage allocation for the persistent pool.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore for the non-persistent pool, such as MCS_Pool_Datastore, and select NFS as the datastore type. Select the container that you just created, MCS_Pool_Container, as the source.

Click Save to create the datastore.

Go to Storage > Datastores and click on Create Datastore again.

Enter a name for the new datastore for the persistent pool, such as Persist_Pool_Datastore, and select NFS as the datastore type.

Select the container that you just created, Persist_Pool_Container, as the source.

Click Save to create the datastore.

The datastores will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on each datastore. You should see all nodes listed under Hosts.

You can now use Citrix Studio to create your VDI pools using MCS or full clones on these datastores. For more information on how to use Citrix Studio with Nutanix Acropolis, see Citrix Virtual Apps and Desktops on Nutanix or Nutanix virtualization environments.

Create Storage Container

?

X

Name

ST_MCS_Pool

Storage Pool

Storage_Pool

Max Capacity

53.26 TiB (Physical) Based on storage pool free unreserved capacity

NUTANIX

Advanced Settings

Replication Factor ?

2

Reserved Capacity

20

GiB

Advertised Capacity

Total GiB

GiB

☒ Compression

Perform post-process compression of all persistent data. For inline compression, set the delay to 0.

Delay (in minutes)

0

Deduplication

☐ Cache

Perform inline deduplication of read caches to optimize performance.

☐ Capacity

Perform post-process deduplication of persistent data.

Erasure Coding [?](#)

☐ Enable

Erasure coding enables capacity savings across solid-state drives and hard disk drives.

Filesystem Whitelists

Enter comma separated entries

[Advanced Settings](#)

Cancel

Save

Create Storage Container

[?](#)

[X](#)

Name

ST_Persist_Pool

Storage Pool

Storage_Pool

Max Capacity

53.26 TiB (Physical) Based on storage pool free unreserved capacity

Advanced Settings

Replication Factor [?](#)

2

Reserved Capacity

0 GiB

Advertised Capacity

100 GiB

☒ Compression

Perform post-process compression of all persistent data. For inline compression, set the delay to 0.

Delay (in minutes)

0

Deduplication

☒ Cache

Perform inline deduplication of read caches to optimize performance.

☐ Capacity

Perform post-process deduplication of persistent data.

Erasure Coding ?

☐ Enable

Erasure coding enables capacity savings across solid-state drives and hard disk drives.

Filesystem Whitelists

Enter comma separated entries

⚙️ Advanced Settings

Cancel Save

NUTANIX

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2079-Citrix-Virtual-Apps-and-Desktops:bp-nutanix-storage-configuration.html>

13. Frage

Task 15

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root
Password: nutanix/4u
Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.
Power off the VM before proceeding.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available
power on vm and verify if ping is working

14. Frage

TASK2

The security team has provided some new security requirements for cluster level security on Cluster 2.

Security requirements:

Update the password for the root user on the Cluster 2 node to match the admin user password.

Note: The 192.168.x.x network is not available. To access a node use the host IP (172.30.0.x) from the CVM.

Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and cvms for Cluster 2.

Enable high-strength password policies for the hypervisor and cluster.

Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the desktop\Files\SSH folder.) Ensure the cluster meets these requirements. Do not reboot any cluster components.

Note: Please ensure you are modifying the correct components.

Antwort:

Begründung:

See the Explanation

Explanation:

This task focuses on Security Technical Implementation Guides (STIGs) and general hardening of the Nutanix cluster. Most of these tasks are best performed via the Nutanix Command Line Interface (ncli) on the CVM, though the SSH key requirement is often easier to handle via the Prism GUI.

Here is the step-by-step procedure to complete Task 2.

Prerequisites: Connection

Open PuTTY (or the available terminal) from the provided Windows Desktop.

SSH into the Cluster 2 CVM. (If the Virtual IP is unknown, check Prism Element for the CVM IP).

Log in using the provided credentials (usually nutanix / nutanix/4u or the admin password provided in your instructions).

Step 1: Output SCMA Policy (Do this FIRST)

Requirement: Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

In the SSH session on the CVM, run:

Bash

ncli cluster get-software-config-management-policy

Copy the output from the terminal window.

Open Notepad on the Windows Desktop.

Paste the output.

Save the file as output.txt on the Desktop.

Step 2: Enable AIDE (Weekly)

Requirement: Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and CVMs.

In the same CVM SSH session, run the following command to modify the SCMA policy:

Bash

```
ncli cluster edit-software-config-management-policy enable-aide=true schedule-interval=WEEKLY (Note: This single command applies the policy to both Hypervisor and CVMs by default in most versions).
```

Step 3: Enable High-Strength Password Policies

Requirement: Enable high-strength password policies for the hypervisor and cluster.

Run the following command:

Bash

```
ncli cluster set-high-strength-password-policy enable=true
```

Step 4: Update Root Password for Cluster Nodes

Requirement: Update the password for the root user on the Cluster 2 node to match the admin user password.

Method A: The Automated Way (Recommended)

Use ncli to set the password for all hypervisor nodes at once without needing to SSH into them individually.

Run:

Bash

```
ncli cluster set-hypervisor-password
```

When prompted, enter the current admin password (this becomes the new root password).

Method B: The Manual Way (If NCLI fails or manual access is required)

Note: Use this if the exam specifically wants you to touch the node via the 172.x network.

From the CVM, SSH to the host using the internal IP:

Bash

```
ssh root@172.30.0.x (Replace x with the host ID, e.g., 4 or 5)
```

Run the password change command:

Bash

```
passwd
```

Enter the admin password twice.

Repeat for other nodes in Cluster 2.

Step 5: Cluster Lockdown (SSH Keys)

Requirement: Ensure CVMs require SSH keys for login instead of passwords.

It is safest to do this via the Prism Element GUI to prevent locking yourself out.

Open Prism Element for Cluster 2 in the browser.

Click the Gear Icon (Settings) -> Cluster Lockdown.

Uncheck the box "Enable Remote Login with Password".

Click New Public Key (or Add Key).

Open the folder Desktop\Files\SSH on the Windows desktop.

Open the public key file (usually ends in .pub) in Notepad and copy the contents.

Paste the key into the Prism "Key" box.

Click Save.

Note: Do not reboot the cluster. The SCMA and Password policies take effect immediately without a reboot.

15. Frage

.....

Machen Sie sich noch Sorgen um die Nutanix NCM-MCI (Nutanix Certified Master - Multicloud Infrastructure v6.10) Zertifizierungsprüfung? Haben Sie schon mal gedacht, sich an einem entsprechenden Kurs teilzunehmen? Gute Prüfungsmaterialien zu wählen, wird Ihnen helfen, Ihre Fachkenntnisse zu konsolidieren und sich gut auf die Nutanix NCM-MCI Zertifizierungsprüfung vorbereiten. Das Expertenteam von DeutschPrüfung hat endlich die neuesten zielgerichteten Schulungsunterlagen, die Ihnen beim Vorbereiten der Prüfung helfen, nach ihren Erfahrungen und Kenntnissen erforscht. Die Nutanix NCM-MCI Schulungsunterlagen von DeutschPrüfung ist Ihre optimale Wahl.

NCM-MCI Testfragen: <https://www.deutschpruefung.com/NCM-MCI-deutsch-pruefungsfragen.html>

Nutanix NCM-MCI Zertifizierungsantworten Sie können daran zweifeln, wie wir Ihnen garantieren können, Wenn Sie einen IT-Traum haben, dann wählen Sie doch DeutschPrüfung NCM-MCI Testfragen, Wir helfen Ihnen mit umfassenden Prüfungsaufgaben und ausführlichen Analysen, die Nutanix NCM-MCI Prüfung zu bestehen, DeutschPrüfung bietet Ihnen die zielgerichteten Übungen von guter Qualität, mit denen Sie sich gut auf die Nutanix NCM-MCI Zertifizierungsprüfung vorbereiten können.

Setz dich, dann erkläre ich es dir, Mammut trompeteten NCM-MCI Zertifikatsfragen in der Finsternis, fremdartige Stimmen riefen etwas in noch fremdartigeren Sprachen, und Septon Cellador betete so laut und betrunken darum, dass die Morgendämmerung NCM-MCI Zertifizierungsantworten sich bald zeigen möge, dass Jon bald selbst in Versuchung geriet, ihn über die Kante zu stoßen.

NCM-MCI Bestehen Sie Nutanix Certified Master - Multicloud Infrastructure v6.10! - mit höhere Effizienz und weniger Mühen

Sie können daran zweifeln, wie wir Ihnen garantieren NCM-MCI können, Wenn Sie einen IT-Traum haben, dann wählen Sie doch DeutschPrüfung. Wir helfen Ihnen mit umfassenden Prüfungsaufgaben und ausführlichen Analysen, die Nutanix NCM-MCI Prüfung zu bestehen.

DeutschPrüfung bietet Ihnen die zielgerichteten Übungen von guter Qualität, mit denen Sie sich gut auf die Nutanix NCM-MCI Zertifizierungsprüfung vorbereiten können.

Mit ihr können Sie alle Probleme lösen.

- NCM-MCI Trainingsunterlagen □ NCM-MCI Online Tests □ NCM-MCI Tests ↗ Suchen Sie auf der Webseite “www.zertpruefung.ch” nach ▶ NCM-MCI ◀ und laden Sie es kostenlos herunter □ NCM-MCI Echte Fragen
- NCM-MCI Übungsmaterialien □ NCM-MCI Schulungsunterlagen □ NCM-MCI Examsfragen □ “www.itzert.com” ist die beste Webseite um den kostenlosen Download von ⇒ NCM-MCI ⇐ zu erhalten □ NCM-MCI Online Prüfungen
- NCM-MCI Deutsche Prüfungsfragen □ NCM-MCI Online Tests □ NCM-MCI Examsfragen □ Geben Sie [www.pruefungfrage.de] ein und suchen Sie nach kostenloser Download von ➡ NCM-MCI □ □ NCM-MCI Prüfungs-Guide
- NCM-MCI neuester Studienführer - NCM-MCI Training Torrent prep □ Geben Sie { www.itzert.com } ein und suchen Sie nach kostenloser Download von □ NCM-MCI □ □ NCM-MCI Online Prüfungen
- NCM-MCI Quizfragen Und Antworten □ NCM-MCI Online Prüfungen □ NCM-MCI Deutsch Prüfungsfragen □ ▶ de.fast2test.com ◀ ist die beste Webseite um den kostenlosen Download von [NCM-MCI] zu erhalten □ NCM-MCI Testing Engine
- Kostenlose Nutanix Certified Master - Multicloud Infrastructure v6.10 vce dumps - neueste NCM-MCI examcollection Dumps □ Öffnen Sie die Website ➡ www.itzert.com □ Suchen Sie { NCM-MCI } Kostenloser Download □ NCM-MCI Online Prüfungen
- NCM-MCI Deutsche Prüfungsfragen □ NCM-MCI Prüfungs-Guide □ NCM-MCI Praxisprüfung □ Suchen Sie jetzt auf ☀ de.fast2test.com ☀ □ nach ☀ NCM-MCI ☀ □ um den kostenlosen Download zu erhalten □ NCM-MCI Online Prüfungen
- NCM-MCI Prüfungsfragen Prüfungsvorbereitungen 2026: Nutanix Certified Master - Multicloud Infrastructure v6.10 - Zertifizierungsprüfung Nutanix NCM-MCI in Deutsch Englisch pdf downloaden □ Öffnen Sie die Webseite ⇒ www.itzert.com ⇐ und suchen Sie nach kostenloser Download von [NCM-MCI] □ NCM-MCI Übungsmaterialien
- NCM-MCI Schulungsangebot - NCM-MCI Simulationsfragen - NCM-MCI kostenlos downloaden □ Suchen Sie einfach auf ▶ www.zertpruefung.de ◀ nach kostenloser Download von ➤ NCM-MCI □ □ NCM-MCI Trainingsunterlagen
- Echte NCM-MCI Fragen und Antworten der NCM-MCI Zertifizierungsprüfung □ Öffnen Sie die Webseite ➡ www.itzert.com □ und suchen Sie nach kostenloser Download von 【 NCM-MCI 】 □ NCM-MCI Prüfungs-Guide
- Die seit kurzem aktuellsten Nutanix Certified Master - Multicloud Infrastructure v6.10 Prüfungsunterlagen, 100% Garantie für Ihren Erfolg in der Nutanix NCM-MCI Prüfungen! □ Sie müssen nur zu ➡ www.zertpruefung.ch □ gehen um nach kostenloser Download von “NCM-MCI” zu suchen □ NCM-MCI Testing Engine
- tooter.in, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, notefolio.net, remspace.com, github.com, yu856.com, e-learning.matsiemaal.nl, www.skudci.com, www.childrenoflife.co.za, edgedigitalsolutionllc.com, Disposable vapes