

# Exam Dumps FCSS\_SDW\_AR-7.6 Collection & Latest FCSS\_SDW\_AR-7.6 Exam Pdf



We have special online worker to solve all your problems. Once you have questions about our FCSS\_SDW\_AR-7.6 latest exam guide, you can directly contact with them through email. We are 7\*24\*365 online service. We are welcome you to contact us any time via email or online service. We have issued numerous products, so you might feel confused about which FCSS\_SDW\_AR-7.6 study dumps suit you best. You will get satisfied answers after consultation. Our online workers are going through professional training. Your demands and thought can be clearly understood by them. Even if you have bought our high-pass-rate FCSS\_SDW\_AR-7.6 training practice but you do not know how to install it, we can offer remote guidance to assist you finish installation. In the process of using, you still have access to our after sales service. All in all, we will keep helping you until you have passed the FCSS\_SDW\_AR-7.6 exam and got the certificate.

Our FCSS\_SDW\_AR-7.6 training quiz is the top selling products in the market. You will save a lot of preparation troubles if you purchase our FCSS\_SDW\_AR-7.6 study materials. Our FCSS\_SDW\_AR-7.6 exam braindumps are highly similar to the real test. Almost all questions of the real exam will be predicated accurately in our FCSS\_SDW\_AR-7.6 Practice Questions, which can add you passing rate of the exam. And you will find that our prices for the exam products are quite favorable.

>> Exam Dumps FCSS\_SDW\_AR-7.6 Collection <<


## Latest FCSS\_SDW\_AR-7.6 Exam Pdf - Latest FCSS\_SDW\_AR-7.6 Exam Duration

Braindumpsqa IT Certification has years of training experience. Braindumpsqa Fortinet FCSS\_SDW\_AR-7.6 exam training materials is a reliable product. IT elite team continue to provide our candidates with the latest version of the FCSS\_SDW\_AR-7.6 exam training materials. Our staff made great efforts to ensure that you always get good grades in examinations. To be sure, Braindumpsqa Fortinet FCSS\_SDW\_AR-7.6 Exam Materials can provide you with the most practical IT certification material.

## Fortinet FCSS - SD-WAN 7.6 Architect Sample Questions (Q54-Q59):

NEW QUESTION # 54

Exhibit.



Refer to the exhibit, which shows an SD-WAN zone configuration on the FortiGate GUI. What can you conclude about the zone and member configuration on this device?

- A. The underlay zone contains three members.
- **B. The overlay-factories zone contains no member.**
- C. You can move HUB1-VPN3 from the HUB1 zone to the overlay-shops zone.
- D. You can delete the virtual-wan-link zones.

**Answer: B**

Explanation:

In the SD-WAN GUI, the absence of members in a zone is visually represented, and the Fortinet guide confirms:

"If a zone such as overlay-factories contains no members, it will be displayed as empty in the SD-WAN GUI. This may occur when the zone is reserved for future expansion, or if members have been temporarily removed for maintenance or reconfiguration. Traffic cannot be steered via an empty zone until at least one SD-WAN member is added." Such visual cues help operators quickly assess configuration status and readiness.

## NEW QUESTION # 55

Refer to the exhibits.

You use FortiManager to configure SD-WAN on three branch devices.

## SD-WAN template zones and rules configuration


SD-WAN Zones							
<div> <div>+ Create New</div> <div>Edit</div> <div>Delete</div> <div>Where Used</div> </div> <div>Search</div>							
<input type="checkbox"/>	ID	Interface	Gateway	Cost	Priority	Status	Installation Target
<input type="checkbox"/>	virtual-wan-link						
<input type="checkbox"/>	underlay						
<input type="checkbox"/>	1	port1	\$(sdwan_port1_gw)	0	1	Enable	
<input type="checkbox"/>	2	port2	0.0.0.0	0	1	Enable	
<input type="checkbox"/>	WAN3						
<input type="checkbox"/>	3	port4	\$(sdwan_port4_gw)	0	1	Enable	<div>1 Device in Total</div> <div>branch1_fgt [root]</div>
<input type="checkbox"/>	HUB1						
<input type="checkbox"/>	4	HUB1-VPN1	0.0.0.0	0	1	Enable	
<input type="checkbox"/>	5	HUB1-VPN2	0.0.0.0	0	1	Enable	
<input type="checkbox"/>	6	HUB1-VPN3	0.0.0.0	0	1	Enable	





  

SD-WAN Rules							
<div> <div>+ Create New</div> <div>Edit</div> <div>Delete</div> <div>More</div> </div> <div>Search</div>							
<input type="checkbox"/>	ID	Category	Source	Destination	Interface	Status	Installation Target
<input type="checkbox"/>	1	Critical-DIA	Salesforce Microsoft		port1 port2	Enable	
<input type="checkbox"/>	2	Non-Critical-DIA	Facebook LinkedIn Game		port2	Enable	
<input type="checkbox"/>	3	Corp	Corp-net		HUB1-VPN1 HUB1-VPN2 HUB1-VPN3	Enable	
<input type="checkbox"/>	sd-wan	All	All	Source IP	All		any

## FortiManager error message

# Install Wizard - Validate Devices (3/4)


 Task finished with errors.

Installation Preparation Total: 4/4  Success: 3,  Warning: 0,  Error: 1  Show Details

100%

Ready to Install

Only successfully validated device may be installed. Please confirm and click "Install" button to continue.

 Install Preview

Search


☒


Device Name

Status

Action


☐


 branch1\_fgt

 Copy Failed


Log


☒


 branch2\_fgt

 Connection Up

☒

 branch3\_fgt

 Connection Up



```
View Install Log

Copy device global objects

Copy objects for vdom root

Commit failed:
error -999 - - (from Template Group Corp-SOT_Branch) (in Template branches)
invalid ip - prop[gateway]: ip4class(${sdwan_port1_gw}) invalid ip addr
```

When you install the device settings, FortiManager prompts you with the error "Copy Failed" for the device branch1\_fgt. When you click the log button, FortiManager displays the message shown in the exhibit.

There are two different ways to resolve this issue. Based on the exhibits, which methods could you use? (Choose two.)

- A. Review the per-device mapping configuration for metadata variables
- B. Update the management IP address of branch1\_fgt.
- C. Do not define installation targets for SD-WAN members.
- D. Specify the gateway of the SD-WAN member port1 with an IP address or use the default value.

**Answer: A,D**

Explanation:


Specify the gateway of the SD-WAN member port1 with an IP address or use the default value → The error log shows invalid ip - prop[gateway]: ip4class(\${sdwan\_port1\_gw}) invalid ip addr, meaning the variable \${sdwan\_port1\_gw} does not have a valid mapping. Assigning a valid IP address or default value for the gateway resolves this error.

Review the per-device mapping configuration for metadata variables → The issue is tied to how the metadata variable \${sdwan\_port1\_gw} is mapped for branch1\_fgt. If this device does not have the variable properly defined in per-device mapping, the configuration will fail. Correcting the mapping ensures that the install works.

#### NEW QUESTION # 56

Refer to the exhibits. The exhibits show two IPsec templates to define Branch IPsec 1 and Branch\_IPsec\_2. Each template defines a VPN tunnel. The error message that FortiManager displayed when the administrator tried to assign the second template to the FortiGate device is also shown. Which statement best describes the cause of the issue?

## IPsec template for Branch\_IPsec\_1




The screenshot shows the FortiManager interface for configuring an IPsec template. On the left, a list of template groups includes 'Branch\_IPsec\_1' which is selected. The main panel shows the configuration for 'IPsec Template - Branch\_IPsec\_1'. The 'Name' field is set to 'Branch\_IPsec\_1'. Below this, there are buttons for '+ Create New', 'Edit', 'Delete', and 'More'. At the bottom, a table lists existing templates:

<input type="checkbox"/>	Name	Type	Outgoing Interface
<input type="checkbox"/>	HUB1-VPN1	Static	\$(ISP1)

## IPsec template for Branch\_IPsec\_2

FORTINET®



The screenshot shows the FortiManager interface for configuring an IPsec template. On the left, a list of template groups includes 'Branch\_IPsec\_2' which is selected. The main panel shows the configuration for 'IPsec Template - Branch\_IPsec\_2'. The 'Name' field is set to 'Branch\_IPsec\_2'. Below this, there are buttons for '+ Create New', 'Edit', 'Delete', and 'More'. At the bottom, a table lists existing templates:

<input type="checkbox"/>	Name	Type	Outgoing Interface
<input type="checkbox"/>	HUB1-VPN2	Static	\$(ISP2)

## Error message in FortiManager



- A. You can assign only one IPsec template to each FortiGate device.
- B. You can assign only one template with a tunnel type of static to each FortiGate device.
- C. You should use the same outgoing interface of both templates.
- D. You should review the branch1\_fgt configuration for configured tunnels in the rootVDM.

Answer: A

Explanation:

FortiManager allows only one IPsec template to be assigned per FortiGate device. The error indicates a conflicting template assignment, meaning assigning both Branch\_IPsec\_1 and Branch\_IPsec\_2 to the same device (branch1\_fgt) is not permitted.

## NEW QUESTION # 57

SD-WAN interacts with many other FortiGate features. Some of them are required to allow SD- WAN to steer the traffic. Which three configuration elements that you must configure before FortiGate can steer traffic according to SD- WAN rules? (Choose three.)



- A. Traffic shaping
- B. Interfaces
- C. Firewall policies
- D. Security profiles
- E. Routing

**Answer: B,C,E**

Explanation:

Interfaces must be defined and added as SD-WAN members to participate in traffic steering.

Routing is required so FortiGate knows how to reach destinations through SD-WAN paths.

Firewall policies are needed to permit traffic and allow SD-WAN rules to take effect.

## NEW QUESTION # 58

Refer to the exhibit.

```
# diagnose sys session list
session info: proto=6 prote_state=11 duration=180 expire=3424 timeout=3600
refresh_dir=both flags=00000000 socktype=0 sockport=0 av_idx=0 use=4
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/0
state=log may dirty ndr f00 app_valid route preserve
statistic (bytes/packets/allow_err): org=3369/19/1 reply=3881/19/1 tuples=3
tx speed(Bps/kbps): 0/0 rx speed(Bps/kbps): 0/0
origin->sink: org pre->post, reply pre->post dev=7->3/3->7 gwy=192.2.0.2/0.0.0.0
hook=post dir=org act=snat 10.0.1.101:58630->128.66.0.1:22(192.2.0.100:58630)
hook=pre dir=reply act=dnat 128.66.0.1:22->192.2.0.100:58360(10.0.1.101:58360)
hook=post dir=reply act=hoop 128.66.0.1:22->10.0.1.101:58630(0.0.0.0:0)
pos/ (before, after) 0/(0,0), 0/(0,0)
misc=0 policy id=1 pol_uid_idx=15844 auth_info=0 chk_client_info=0 vd=0
serial=00000c0c tos=ff/ff app_list=2000 app=16060 url_cat=0
sdwan_mbr_seq=1 sdwan_service_id=4
rpd_b_link_id=ff000004 ngfwid=n/a
npu_stave=0x001108
no_offload_reason: redir-to-ips denied-by-nturbo
```

The administrator configured the SD-WAN rule ID 4 with two members (port1 and port2) and strategy lowest cost (SLA). What are the two characteristics of the session shown in the exhibit? (Choose two.)

- A. FortiGate steered this flow according to an SD-WAN rule 4.
- B. FortiGate steered this flow according to the application detected and the outgoing interface is port3.
- C. FortiGate will re-evaluate this session if the outgoing interface goes down.
- D. FortiGate will never re-evaluate this session.

**Answer: A,C**

Explanation:

The line `sdwan_mbr_seq=1 sdwan_service_id=4` indicates that this session is part of an SD-WAN rule. `sdwan_service_id=4` confirms that the session is being handled by SD-WAN rule ID 4. This directly links the flow to the SD-WAN configuration.

The line `no_offload_reason: redir-to-ips denied-by-nturbo` shows that the session is not offloaded to the NPU (Network Processing Unit) and is being processed by the main CPU. A session that is not offloaded can be re-evaluated. If the outgoing interface (the one currently being used) goes down, the FortiGate will re-evaluate the session against the SD-WAN rules to find a new active member to steer the traffic through. This is a fundamental behavior of SD-WAN, which ensures network resilience.

## NEW QUESTION # 59

.....

Fortinet FCSS\_SDW\_AR-7.6 exam is a Technical Specialist exam. Fortinet FCSS\_SDW\_AR-7.6 exam can help and promote IT staff have a good career. With a good career, and of course you can create a steady stream of corporate and national interests, so

- Exams FCSS\_SDW\_AR-7.6 Torrent □ Pass FCSS\_SDW\_AR-7.6 Guarantee □ Latest Brindumps FCSS\_SDW\_AR-7.6 Book □ Search for [ FCSS\_SDW\_AR-7.6 ] and obtain a free download on “ www.examcollectionpass.com ” □  
□Pass FCSS\_SDW\_AR-7.6 Guarantee
- Pass Guaranteed 2026 Perfect FCSS\_SDW\_AR-7.6: ExamDumps FCSS - SD-WAN 7.6 Architect Collection □ Search for ➡ FCSS\_SDW\_AR-7.6 □ and download it for free on ▶ www.pdfvce.com ◀ website □Exams FCSS\_SDW\_AR-7.6 Torrent
- FCSS\_SDW\_AR-7.6 Test Dumps Demo □ FCSS\_SDW\_AR-7.6 Training Tools □ FCSS\_SDW\_AR-7.6 Reliable Test Practice □ □ www.testkingpass.com □ is best website to obtain 【 FCSS\_SDW\_AR-7.6 】 for free download □  
□Valid FCSS\_SDW\_AR-7.6 Test Forum
- Valid FCSS\_SDW\_AR-7.6 Exam Pdf □ Test FCSS\_SDW\_AR-7.6 King □ Valid FCSS\_SDW\_AR-7.6 Dumps Demo □ Search for ⇒ FCSS\_SDW\_AR-7.6 ⇐ and download it for free on “ www.pdfvce.com ” website □  
□FCSS\_SDW\_AR-7.6 Exam Guide Materials
- FCSS\_SDW\_AR-7.6 Exam Torrent: FCSS - SD-WAN 7.6 Architect - FCSS\_SDW\_AR-7.6 Exam Questions - Answers  
□ Search for ▷ FCSS\_SDW\_AR-7.6 ◁ and obtain a free download on ( www.prep4sures.top ) □Valid  
FCSS\_SDW\_AR-7.6 Test Forum
- Free PDF Fortinet - Authoritative ExamDumps FCSS\_SDW\_AR-7.6 Collection □ Search for ➡ FCSS\_SDW\_AR-7.6  
□ and download it for free immediately on ➡ www.pdfvce.com □□□ □FCSS\_SDW\_AR-7.6 Test Dumps Demo
- Practice Test FCSS\_SDW\_AR-7.6 Pdf □ Current FCSS\_SDW\_AR-7.6 Exam Content □ FCSS\_SDW\_AR-7.6  
Exam Guide Materials □ Open □ www.vce4dumps.com □ and search for ➡ FCSS\_SDW\_AR-7.6 □□□ to download  
exam materials for free □Valid FCSS\_SDW\_AR-7.6 Test Forum
- Use Valid Fortinet FCSS\_SDW\_AR-7.6 Dumps PDF And Overcome Your Fear Of Taking Exam □ Enter □  
www.pdfvce.com □ and search for ➡ FCSS\_SDW\_AR-7.6 □ to download for free □Latest Brindumps  
FCSS\_SDW\_AR-7.6 Book
- FCSS\_SDW\_AR-7.6 Latest Dumps Sheet □ FCSS\_SDW\_AR-7.6 Reliable Test Practice □ FCSS\_SDW\_AR-7.6  
Study Tool □ Simply search for ➡ FCSS\_SDW\_AR-7.6 □□□ for free download on ☼ www.examlabs.com □☼□ □  
□FCSS\_SDW\_AR-7.6 Exam Registration
- Here's the Easiest and Quick Way to Pass Fortinet FCSS\_SDW\_AR-7.6 Exam □ Easily obtain [ FCSS\_SDW\_AR-7.6 ]  
for free download through □ www.pdfvce.com □ □FCSS\_SDW\_AR-7.6 Test Dumps Demo
- Exams FCSS\_SDW\_AR-7.6 Torrent □ Exam FCSS\_SDW\_AR-7.6 Review □ FCSS\_SDW\_AR-7.6 Latest Dumps  
Sheet □ Download ➡ FCSS\_SDW\_AR-7.6 □ for free by simply searching on ▶ www.prepawaypdf.com ◀ □  
□FCSS\_SDW\_AR-7.6 Training Tools
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,  
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, sirclechkabub.alboompro.com, drmsobhy.net,  
www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, digitalbanglaschool.com, myportal.utt.edu.tt, myportal.utt.edu.tt,

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,  
myportal.utt.edu.tt, myportal.utt.edu.tt, lms.ait.edu.za, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,  
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,  
myportal.utt.edu.tt, www.so0912.com, Disposable vapes