

便利なISO-45001-Lead-Auditor参考資料一回合格-素晴らしいISO-45001-Lead-Auditor日本語解説集



P.S.It-PassportsがGoogle Driveで共有している無料の2026 PECB ISO-45001-Lead-Auditorダウンロード: https://drive.google.com/open?id=1p7Z4pLWfKSNUZ33F_sCPM0uOthomPem5

今の社会では、高い効率の仕方を慣れています。あなたはPECBのISO-45001-Lead-Auditor資格認定のために、他人より多くの時間がかかるんですか？ It-PassportsのISO-45001-Lead-Auditor問題集を紹介させてください。ISO-45001-Lead-Auditorは専門家たちが長年の経験で研究分析した勉強資料です。受験生のあなたを助けて時間とお金を節約したり、ISO-45001-Lead-Auditor試験に速く合格すると保証します。

私はあなたがISO-45001-Lead-Auditor試験に合格したいことを知っています。私たちのISO-45001-Lead-Auditor学習教材は、多くの人が試験に合格するのを助け、あなたを助けようと思います。私たちのISO-45001-Lead-Auditor学習教材の99%の合格率は高いです。また、あなたの自分の努力が必要です。そして、私たちのISO-45001-Lead-Auditor試験問題を利用すれば、あなたは絶対試験に合格できます。

>> ISO-45001-Lead-Auditor参考資料 <<

PECB ISO-45001-Lead-Auditor日本語解説集、ISO-45001-Lead-Auditor資格復習テキスト

It-PassportsはPECBのISO-45001-Lead-Auditor認定試験にたいして短期で有効なウェブサイトでISO-45001-Lead-Auditor認定試験に合格するのを保証したり、PECB認証試験に合格しなければ全額で返金いたします。あなたはIt-Passportsが提供したISO-45001-Lead-Auditorの認証試験の問題集を購入するの前にインターネットで無料な試用版をダウンロードしてください。

PECB ISO-45001-Lead-Auditor 認定試験の出題範囲:

トピック	出題範囲

トピック 1	<ul style="list-style-type: none"> • Fundamental principles and concepts of an occupational health and safety management system: This section of the exam measures the skills of Health and Safety Managers and covers the essential principles and concepts underlying an occupational health and safety management system (OHSMS). It focuses on understanding the framework for managing health and safety risks to prevent workplace injuries and illnesses. One skill to be measured is identifying key components of an effective OHSMS.
トピック 2	<ul style="list-style-type: none"> • Conducting an ISO 45001 audit: This section of the exam measures the skills of Lead Auditors and covers the execution of an ISO 45001 audit. It focuses on gathering evidence, interviewing personnel, and assessing compliance with OHSMS requirements during the audit process.
トピック 3	<ul style="list-style-type: none"> • ISO 45001 requirements for an OH&S MS – Clauses 4 to 10: This section of the exam measures the skills of Auditors related to specific requirements outlined in ISO 45001 about occupational health and safety management systems. It emphasizes understanding clauses that address context, leadership, planning, support, operation, performance evaluation, and improvement. A skill to be measured is applying ISO 45001 requirements to organizational practices.

PECB Certified ISO 45001 Lead Auditor Exam 認定 ISO-45001-Lead-Auditor 試験問題 (Q54-Q59):

質問 # 54

Select the two options which describe a disadvantage of using a checklist.

- A. Not varying from the checklist when necessary
- B. Noting down evidence details
- C. Ensuring relevant audit trails are followed
- D. Using the same checklist for every audit without review
- E. Helping with sampling of evidence
- F. Assisting with starting an interview

正解: A、B

質問 # 55

"An audit finding is the result of the evaluation of the collected audit evidence against audit criteria.

Evaluate the following potential formats of audit evidence and select the two that are acceptable.

- A. Observation of video recorded before the audit started demonstrating the performance of a hazardous activity
- B. Statements by a worker that cannot be verified
- C. Unsigned hand-written changes to test results
- D. An audio recording of a dialogue between the OHS manager and a line worker
- E. Statement of facts by the OHS manager"
- F. Documented information on results of OHS site inspections

正解: D、F

質問 # 56

You identify that the OSHMS manager conducts a safety inspection of the building each day before the museum opens to the public. You review your latest report and note that there seems to be some confusion between what constitutes a hazard and what constitutes a risk.

Which three of the following observations has the OHSMS manager correctly rated?

- A. The carpet on the main staircase is peeling off (Risk)
- B. The fire extinguishers in the Natural World area have not been serviced in the last five years [Risk]
- C. The head of the dinosaur suspended over the main hall has become detached from the rest of the skeleton (Risk)
- D. There Is a high possibility of unfit food being sold due to the failure of the oven temperature indicator In the visitors' restaurant (Hazard)
- E. Conference room emergency sign directs people to an exit that is no longer available for use (Hazard)

- F. There is a water leak next to the electric heater in the admissions area (Danger)
- **G. The emergency light in the gift shop did not work when checked (Risk)**
- H. The non-slip mats have been removed from the restaurant (Risk)

正解: A、B、G

解説:

Comprehensive Detailed Explanation along with All ISO 45001 Audit References

- * Hazard: A potential source of harm or adverse health effects.
- * Risk: The likelihood of harm occurring as a result of the hazard.
- * Danger: An immediate threat that requires urgent action.

Analysis of Options:

- * A. Conference room emergency sign directs people to an exit that is no longer available for use (Hazard): Correctly identified as a hazard since it poses a potential risk during emergencies.
- * B. The carpet on the main staircase is peeling off (Risk): This is a hazard, not a risk, as it represents a source of potential harm.
- * C. The emergency light in the gift shop did not work when checked (Risk): This is a hazard because it is a condition that could lead to a risk during emergencies.
- * D. The fire extinguishers in the Natural World area have not been serviced in the last five years (Risk): Correctly identified as a risk because the likelihood of fire-related harm increases without proper servicing.
- * E. The head of the dinosaur suspended over the main hall has become detached from the rest of the skeleton (Risk): This is a hazard, not a risk, as it represents a potential source of harm.
- * F. The non-slip mats have been removed from the restaurant (Risk): This is a hazard, not a risk.
- * G. There is a high possibility of unfit food being sold due to the failure of the oven temperature indicator in the visitors' restaurant (Hazard): This is a risk because it specifies the likelihood of harm occurring (selling unfit food).
- * H. There is a water leak next to the electric heater in the admissions area (Danger): Correctly identified as a danger because it represents an immediate and critical threat.

ISO References:

- * Clause 6.1.2: Hazard identification and assessment of risks and opportunities.

質問 # 57

You will lead a second-party audit of an organization that manufactures car batteries. When you are checking the audit plan with the auditee's Safety Manager, she asks you to reduce the production line audit from two hours to one hour and to extend the audit to the warehouse from two hours to three hours. She argues that in the last four internal audits, she did not raise any nonconformities in Production while more than 10 were raised in the warehouse.

Which of the following would be your best answer?

- **A. I will not change the plan, but I will consider your comments during the audit.**
- B. OK. I will change the plan. If necessary, I will use the lunchtime to stay longer in the warehouse.
- C. OK. I will reduce the time in Production to one hour and will review with you (the Safety Manager) the corrective action process in detail during the second hour.
- D. OK. I will change the plan accordingly.

正解: A

質問 # 58

You have been assigned by the audit team leader to evaluate the process of complying with application legislation.

Which three of the following statements about the evaluation of compliance are true?

- A. If the organisation is failing to address a legal requirement relating to another discipline e.g. Environmental management, this cannot be raised in the audit.
- **B. The organisation is required to evaluate its compliance status with OH&S legal and other requirements**
- C. The organisation cannot outsource its process for evaluating compliance.
- **D. 'Other requirements' include requirements that the organisation has chosen to comply with.**
- E. The organization must evaluate its compliance status at least once a year
- F. A management review is required in all instances where one or more legal requirements are not being met.
- **G. The organisation is required to establish a process for evaluating compliance**
- H. Every member of an audit team must have a detailed understanding of the legal requirements for the sector and type of organisation they are auditing.

正解: B、D、G

解説:

Comprehensive Detailed Explanation along with All ISO 45001 Audit References Clause 9.1.2 of ISO 45001:2018 outlines the need for organizations to evaluate compliance with applicable legal and other requirements as part of their OH&S management system.

Analysis of Options:

* A. The organization must evaluate its compliance status at least once a year. The standard does not prescribe a specific frequency but states that evaluations must be conducted at planned intervals.

* B. 'Other requirements' include requirements that the organization has chosen to comply with:

Correct. Other requirements may include voluntary standards, industry codes, or contractual obligations.

* C. A management review is required in all instances where one or more legal requirements are not being met. This is not true. Management reviews address compliance but are not mandated for every noncompliance.

* D. Every member of an audit team must have a detailed understanding of the legal requirements for the sector and type of organization they are auditing. Not true. Auditors must have general competency but can rely on subject-matter experts for legal specifics.

* E. If the organization is failing to address a legal requirement relating to another discipline (e.g., Environmental management), this cannot be raised in the audit. Not true. If the legal noncompliance impacts OH&S, it can be raised.

* F. The organization cannot outsource its process for evaluating compliance. The organization can outsource evaluation but retains accountability.

* G. The organization is required to establish a process for evaluating compliance. Correct. Clause 9.1.2 requires a process for compliance evaluation.

* H. The organization is required to evaluate its compliance status with OH&S legal and other requirements. Correct. Clause 9.1.2 explicitly states this requirement.

ISO References:

* Clause 9.1.2: Evaluation of compliance.

* Clause 7.5: Documented information requirements

質問 # 59

.....

ISO-45001-Lead-Auditor学習教材のシステムはスムーズで、インストールすることも簡単です。だから、あなたの多くの貴重な時間を節約できます。インストールした後、ISO-45001-Lead-Auditor学習教材を勉強できます。勉強するとき、問題の答えをちゃんと覚えると、ISO-45001-Lead-Auditor試験に参加できます。ISO-45001-Lead-Auditor学習教材の的中率が高いので、多くの受験者は試験に合格しました。

ISO-45001-Lead-Auditor日本語解説集: <https://www.it-passports.com/ISO-45001-Lead-Auditor.html>

- ISO-45001-Lead-Auditor受験体験 □ ISO-45001-Lead-Auditor復習対策書 □ ISO-45001-Lead-Auditor日本語受験攻略 □ ➤ www.jpctestking.com □ で使える無料オンライン版⇒ ISO-45001-Lead-Auditor ⇐ の試験問題ISO-45001-Lead-Auditor認定デベロッパー
- 信頼的なISO-45001-Lead-Auditor参考資料試験-試験の準備方法-有効的なISO-45001-Lead-Auditor日本語解説集 □ サイト { www.goshiken.com } で ▶ ISO-45001-Lead-Auditor ◀ 問題集をダウンロードISO-45001-Lead-Auditor受験資格
- 正確なPECB ISO-45001-Lead-Auditor参考資料 は 主要材料s - 素敵なISO-45001-Lead-Auditor日本語解説集 □ ▶ www.goshiken.com ◀ の無料ダウンロード“ISO-45001-Lead-Auditor”ページが開きますISO-45001-Lead-Auditor専門知識
- ISO-45001-Lead-Auditor試験関連赤本 □ ISO-45001-Lead-Auditor試験関連赤本 □ ISO-45001-Lead-Auditor合格率 □ 今すぐ ➤ www.goshiken.com □ を開き、(ISO-45001-Lead-Auditor) を検索して無料でダウンロードしてくださいISO-45001-Lead-Auditor試験関連赤本
- ISO-45001-Lead-Auditor試験関連赤本 ⇨ ISO-45001-Lead-Auditorソフトウェア □ ISO-45001-Lead-Auditor資格勉強 □ { www.shikenpass.com } で ✨ ISO-45001-Lead-Auditor □ ✨ □ を検索し、無料でダウンロードしてくださいISO-45001-Lead-Auditor模擬練習
- ISO-45001-Lead-Auditor受験資格 □ ISO-45001-Lead-Auditor合格率 □ ISO-45001-Lead-Auditor受験体験 □ URL ➤ www.goshiken.com □ をコピーして開き、(ISO-45001-Lead-Auditor) を検索して無料でダウンロードしてくださいISO-45001-Lead-Auditor合格受験記
- PECB ISO-45001-Lead-Auditor Exam | ISO-45001-Lead-Auditor参考資料 - 保証される品質と価値 ISO-45001-Lead-Auditor日本語解説集 □ ➤ www.shikenpass.com □ にて限定無料の { ISO-45001-Lead-Auditor } 問題集をダウンロードせよ ISO-45001-Lead-Auditor日本語認定対策
- ISO-45001-Lead-Auditor復習対策書 □ ISO-45001-Lead-Auditor合格率 □ ISO-45001-Lead-Auditor受験料過去

