

PL-400対応受験 & PL-400日本語認定



P.S. JpshikenがGoogle Driveで共有している無料かつ新しいPL-400ダンプ: <https://drive.google.com/open?id=1HEPd6cMnztMS6q1jxL1UmKilFsjOgL>

JpshikenのPL-400 問題集はあなたがPL-400認定試験に準備するときにも最も欠かせない資料です。この問題集の価値は試験に関連する他の参考書の総合の価値に相当します。このアサーションは過言ではありません。Jpshikenの問題集を利用してからこのすべてが真であることがわかります。

Microsoft PL-400認定試験は、Power Platformソリューションの開発と展開における専門知識をアピールしたい開発者にとって理想的な選択肢です。試験は、データモデルの作成と管理、ユーザーインターフェースの設計と実装、外部データソースとの統合、カスタムコードの開発などの様々なトピックをカバーしています。認定試験はまた、候補者のPower Platformのセキュリティとコンプライアンス機能に対する理解力も評価します。

Microsoft PL-400認定試験に合格することで、開発者のPower Platform上でのソリューション構築の熟練度が証明され、キャリアアップの新しい機会が開かれます。

PL-400試験は、Power Platformとその機能に深い理解を持つことが求められる、難しい試験です。候補者は、Power Apps、Power BI、Power Automate、Power Virtual Agentsでの作業経験を持ち、Microsoft Dataverseにも精通しており、カスタムデータモデルを構築することができる必要があります。PL-400試験に合格することは、候補者がPower Platform上でのソリューション開発に必要なスキルと知識を持っていることを雇用主に証明することになります。

Microsoft PL-400試験は、パワープラットフォームを使用してソリューションを構築することにおける、開発者の知識とスキルを証明する素晴らしい方法です。この試験に合格することで、専門家はMicrosoft Certified: Power Platform Developer Associate認定を取得し、パワープラットフォームのソリューションを構築および管理する能力を証明することができます。この認定は業界でも高く評価され、多くの新しいキャリアチャンスを提供します。

>> PL-400対応受験 <<

PL-400日本語認定 & PL-400無料サンプル

Jpshikenは100%の合格率を保証するだけでなく、1年間の無料なオンラインのPL-400問題更新を提供しております。最新の資源と最新の動態が第一時間にお客様に知らせいたします。何の問題があったらお気軽に聞いてください。

Microsoft Power Platform Developer 認定 PL-400 試験問題 (Q212-Q217):

質問 # 212

A travel agency has a Dynamics 365 Customer Engagement.

Customers are allowed to add up to three countries/regions to their travel preferences from the website. Their preferences must be stored in the Contact entity.

You need to register the plug-in to meet the requirements.

Which value should you apply for each parameter? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Parameter	Value
message	▼ create associate update
primary entity	▼ none country contact
secondary entity	▼ none country contact
execution mode	▼ synchronous asynchronous

正解:

解説:

Parameter	Value
message	▼ create associate update
primary entity	▼ none country contact
secondary entity	▼ none country contact
execution mode	▼ synchronous asynchronous

Explanation:

Parameter	Value
message	▼ create associate update
primary entity	▼ none country contact
secondary entity	▼ none country contact
execution mode	▼ synchronous asynchronous

Box 1: associate

Box 2: contact

Customers are allowed to add up to three countries/regions to their travel preferences from the website. Their preferences must be stored in the Contact entity.

Box 3: country

Box 4: synchronous

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/tutorial-write-plugin-in>


質問 # 213

A company uses Dynamics 365 Sales.

You need to configure the customer lookup search for email activity in the canvas app.

How should you complete the expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



正解:

解説:



Explanation

Box 1: IsBlank

The IsBlank function tests for a blank value or an empty string. The test includes empty strings to ease app creation since some data sources and controls use an empty string when there is no value present.

Box 2: IsType

The IsType function tests whether a record reference refers to a specific table type.

Box 3: AsType

The AsType function treats a record reference as a specific table type, sometimes referred to as casting. You can use the result as if it were a record of the table and again use the Record.Field notation to access all of the fields of that record. An error occurs if the reference isn't of the specific type.

Box 4: AsType

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-isblank-isempty>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-astype-istype>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-astype-istype>

質問 # 214

You need to select data types for required fields.

Which data types should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Field	Data type
Division	▼ Text Option Set Unique Identifier Owner
End date	▼ Text Duration Date Only Option Set
Tournament owner	▼ Text Lookup Option Set Unique Identifier

正解:

解説:

Field	Data type
Division	▼ Text Option Set Unique Identifier Owner
End date	▼ Text Duration Date Only Option Set
Tournament owner	▼ Text Lookup Option Set Unique Identifier

Explanation

Box 1: Option Set

Box 2: Date only

When team members create tournament records they must enter the start date for a tournament. The end date of the tournament must be automatically calculated.

Box 3: Lookup

Customer information is stored in the Accounts entity. Each tournament record must list the associated sales representative as the

tournament owner.

Note: When you create a new lookup column you are creating a new Many-to-One (N:1) table relationship between the table you're working with and the Target Row Type defined for the lookup. There are additional configuration options for this relationship that are described in Create and edit relationships between tables.

But all custom lookups can only allow for a reference to a single row for a single target row type.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/types-of-fields>

質問 # 215

You are creating an app that connects to Microsoft Dataverse on a nightly basis. You plan to integrate the app with an external system.

The application must not authenticate by using a Microsoft Azure Active Directory (Azure AD) user account.

You need to enable the application to authenticate to Dataverse.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Use the Azure AD application id and secret as credentials in the application.

Grant the Dataverse application user the Access Dynamics 365 as organization users permission in Azure AD.

Register the application in Azure AD with appropriate permissions.

Use the Dataverse application user username and password as credentials in the application.

Create the application user in Dataverse using the Application User form.

Assign a security role to the application user in Dataverse.

正解:

解説:

Register the application in Azure AD with appropriate permissions.

Use the Dataverse application user username and password as credentials in the application.

Create the application user in Dataverse using the Application User form.

Assign a security role to the application user in Dataverse.

Explanation

Register the application in Azure AD with appropriate permissions.

Use the Dataverse application user username and password as credentials in the application.

Create the application user in Dataverse using the Application User form.

Assign a security role to the application user in Dataverse.

質問 # 216

A company updates their client contact information periodically. The contact entity has alternate keys defined.

You have the following code. (Line numbers are included for reference only.)

```

1. Entity contact = new Entity()
2. {
3.     LogicalName = "contact",
4.     KeyAttributes =
5.     {
6.         "lastname", "Smith",
7.         "clientnumber", "abc123"
8.     }
9. },
10. contact["lastname"] = "Doe";
11. UpsertRequest updcontact = new UpsertRequest ();
12. {
13.     Target = contact;
14. }
15. UpsertResponse response = ( UpsertResponse )service.Execute(updcontact);

```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statement	Yes	No
If the last name is an alternate key and there are no contacts with the last name Smith, the stored value of the last name is Smith.	☐	☐
If the client number is an alternate key and the client number exists, the stored value of the last name is Smith.	☐	☐
If the last name is an alternate key and there are people who have the last name Smith, the stored value of the last name is Smith.	☐	☐
If the client number is an alternate key and the client number does not exist, the stored value of the last name is Smith.	☐	☐

正解:

解説:

Statement	Yes	No
If the last name is an alternate key and there are no contacts with the last name Smith, the stored value of the last name is Smith.	☐	☒
If the client number is an alternate key and the client number exists, the stored value of the last name is Smith.	☒	☐
If the last name is an alternate key and there are people who have the last name Smith, the stored value of the last name is Smith.	☐	☒
If the client number is an alternate key and the client number does not exist, the stored value of the last name is Smith.	☐	☒

Explanation:

Statement	Yes	No
If the last name is an alternate key and there are no contacts with the last name Smith, the stored value of the last name is Smith.	☐	☒
If the client number is an alternate key and the client number exists, the stored value of the last name is Smith.	☒	☐
If the last name is an alternate key and there are people who have the last name Smith, the stored value of the last name is Smith.	☐	☒
If the client number is an alternate key and the client number does not exist, the stored value of the last name is Smith.	☐	☒

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/use-alternate-key-create-record>

質問 # 217

.....

成功した方法を見つけるだけで、失敗の言い訳をしないでください。MicrosoftのPL-400試験に受かるのは実際にそんなに難しいことではないです。大切なのはあなたがどんな方法を使うかということです。JpshikenのMicrosoftのPL-400試験トレーニング資料はよい選択で、あなたが首尾よく試験に合格することを助けられます。これも成功へのショートカットです。誰もが成功する可能性があって、大切なのは選択することです。

PL-400日本語認定: https://www.jpshiken.com/PL-400_shiken.html

- 試験の準備方法-素敵なPL-400対応受験試験-信頼的なPL-400日本語認定 ☐ ➡ www.shikenpass.com ☐☐☐に移動し、▶PL-400 ◀を検索して無料でダウンロードしてくださいPL-400試験番号
- 試験の準備方法-有効的なPL-400対応受験試験-100%合格率のPL-400日本語認定 ☐ 【PL-400】を無料でダウンロード✓ www.goshiken.com ☐✓ウェブサイトを入力するだけPL-400試験関連赤本
- 100%合格率のPL-400対応受験 - 合格スムーズPL-400日本語認定 | 信頼的なPL-400無料サンプル ☐ [www.passtest.jp]で⇒ PL-400 ◀を検索して、無料でダウンロードしてくださいPL-400資格講座
- 精選問題+充実解説で PL-400 合格の実力がつく ☐ ▶ www.goshiken.com ◀で▶ PL-400 ◀を検索して、無料で簡単にダウンロードできますPL-400専門知識訓練
- 100%合格率のPL-400対応受験 - 合格スムーズPL-400日本語認定 | 信頼的なPL-400無料サンプル ☐ ▶ www.jpsteking.com ◀にて限定無料の[PL-400]問題集をダウンロードせよPL-400資格関連題
- 試験の準備方法-有効的なPL-400対応受験試験-100%合格率のPL-400日本語認定 ☐ 最新【PL-400】問題集ファイルは{ www.goshiken.com }にて検索PL-400日本語版対応参考書
- PL-400試験準備 ☐ PL-400難易度 ☐ PL-400受験対策 ☐ ➡ PL-400 ◀を無料でダウンロード⇒ www.japancert.com ◀ウェブサイトを入力するだけPL-400認定試験
- PL-400試験番号 ☐ PL-400試験番号 ☐ PL-400受験対策 ☐ ウェブサイト▶ www.goshiken.com ◀を開き、「PL-400」を検索して無料でダウンロードしてくださいPL-400科目対策
- 精選問題+充実解説で PL-400 合格の実力がつく ☐ ▶ www.passtest.jp ◀で➡ PL-400 ◀を検索し、無料でダウンロードしてくださいPL-400合格問題
- PL-400資料勉強 ☐ PL-400資料勉強 ☐ PL-400資格講座 ☐ 時間限定無料で使える《PL-400》の試験問題は ☐ www.goshiken.com ◀サイトで検索PL-400試験時間
- PL-400資料勉強 ☐ PL-400試験時間 ☐ PL-400試験時間 ☐ 今すぐ ☐ www.passtest.jp ◀で《PL-400》を検索して、無料でダウンロードしてくださいPL-400試験番号
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, study.stcs.edu.np, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, study.stcs.edu.np, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes

無料でクラウドストレージから最新のJpshiken PL-400 PDFダンプをダウンロードする: <https://drive.google.com/open?id=1HEPd6cMnzhtMS6q1jxL1UmKilFsjOgL>

