

NCM-MCI-6.10 Fragen Antworten, NCM-MCI-6.10 Antworten



Nutanix NCM-MCI-6.10 Unterlagen von PrüfungFrage sind besser als andere entsprechende Unterlagen für Nutanix NCM-MCI-6.10 Prüfung, weil sie einmaligen Erfolg der Prüfung gewährleisten. Die hohe Durchlaufquote sind von vielen Kandidaten geprüft. Nutanix NCM-MCI-6.10 Dumps von PrüfungFrage sind der erfolgreiche Weg. Sie können viel Zeit für die Vorbereitung der NCM-MCI-6.10 Prüfung sparen und auch mit guter Note die NCM-MCI-6.10 Zertifizierungsprüfung machen.

IT-Fachleute sind sehr beliebt. Aber die Konkurrenz ist zugleich auch sehr heftig. So beteiligen sich viele IT-Fachleute an der autoritären Nutanix NCM-MCI-6.10 IT-Zertifizierungsprüfung, um Ihre Position zu konsolidieren. Und unser PrüfungFrage bietet speziell Bequemlichkeiten für den Nutanix NCM-MCI-6.10 Kandidaten.

>> NCM-MCI-6.10 Fragen Antworten <<

Reliable NCM-MCI-6.10 training materials bring you the best NCM-MCI-6.10 guide exam: Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI)

Seit Jahren bemühen uns wir PrüfungFrage darum, allen Kandidaten die besten und echten Prüfungsunterlagen zur Nutanix NCM-MCI-6.10 Prüfung zu bieten. PrüfungFrage hat sehr reichende Erfahrungen über die NCM-MCI-6.10 Prüfungsfragen. PrüfungFrage helfen vielen Kandidaten und sind von ihnen vertraut und gut bewertet. Deshalb ist es unnötig für Sie, die Qualität der NCM-MCI-6.10 Dumps zu bezweifeln. Das wird Ihr großer Verlust, es zu verpassen.

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) NCM-MCI-6.10 Prüfungsfragen mit Lösungen (Q28-Q33):

28. Frage

An administrator needs to perform AOS and AHV upgrades on a Nutanix cluster and wants to ensure that VM data is replicated as quickly as possible when hosts and CVMs are rebooted.

Configure Cluster 1 so that after planned host and CVM reboots, the rebuild scan starts immediately.

Note:

You will need to use SSH for this task. Ignore the fact that this is a 1-node cluster.

Antwort:

Begründung:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to configure the immediate rebuild scan on Cluster 1.

This task must be performed from an SSH session connected to a CVM (Controller VM) on Cluster 1.

1. Access the Cluster 1 CVM

* From the Prism Central dashboard, navigate to Hardware > Clusters and click on Cluster 1 to open its Prism Element (PE) interface.

* In the Cluster 1 PE, navigate to Hardware > CVMs to find the IP address of any CVM in the cluster.

* Use an SSH client (like PuTTY) to connect to the CVM's IP address.

* Log in with the admin user and password.

2. Modify the Rebuild Delay Setting

By default, the cluster waits 15 minutes (900 seconds) before starting a rebuild scan after a CVM reboot. You will change this setting to 0.

* Once logged into the CVM, run the following command to set the delay to 0 seconds:

```
gflag --set --gflags=stargate_delayed_rebuild_scan_secs=0
```

* (Optional but recommended) You can verify the change took effect by running the "get" command:

```
gflag --get --gflags=stargate_delayed_rebuild_scan_secs
```

The output should now show stargate_delayed_rebuild_scan_secs=0.

29. Frage

A company who offers Infrastructure as a Service needs to onboard a new customer. The new customer requires a dedicated cloud plan which tolerates two host failures.

The customer is planning to move current workloads in three waves, with three months between waves starting today:

* Wave One: 100 VMs

* Wave Two: 50 VMs

* Wave Three: 20 VMs

Workload profile is:

* vCPU: 4

* vRAM: 16 GB

* Storage: 200 GB

The service provider company needs to estimate required resources upfront, to accommodate customer requirements, considering also that:

* limit the number of total nodes

* selected system vendor HPE

* selected model DX365-10-G11-NVMe

* full-flash node (including NVMe + SSD)

* 12 months runway

Create and save the scenario as IaaS and export to the desktop, name the file IaaS-requirement.pdf Note: You must export the PDF to the desktop as IaaS-requirement.pdf to receive any credit.

Antwort:

Begründung:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to create and export the capacity planning scenario. This task is performed within Prism Central.

1. Navigate to the Planning Dashboard
 - * From the Prism Central main menu (hamburger icon), navigate to Operations > Planning.
2. Create and Define the Scenario
 - * Click the + Create Scenario button.
 - * In the dialog box:
 - * Scenario Name: IaaS
 - * Scenario Type: Select New Workload
 - * Click Create. This will open the scenario editor.
3. Configure Cluster and Runway Settings
 - * In the "IaaS" scenario editor, find the Runway setting (top left) and set it to 12 Months.
 - * Find the Cluster configuration tile and click Edit.
 - * Set Number of Host Failures to Tolerate to 2.
 - * Click Save.
4. Define the Workload Profile
 - * In the Workloads section, click the + Add Workload button.
 - * Select Create a new workload profile.
 - * Fill in the VM specifications:
 - * Workload Name: Customer-VM (or similar)
 - * vCPU per VM: 4
 - * Memory per VM: 16 GB
 - * Storage per VM: 200 GB
 - * Click Add.
5. Set the Workload Growth Plan (Waves)
 - * You will be returned to the main scenario editor. In the timeline section ("Workload Plan"), add the VMs:
 - * Wave One (Today):
 - * Click + Add under the "Today" column.
 - * Select the Customer-VM profile.
 - * Enter 100 VMs.
 - * Click Add.
 - * Wave Two (3 Months):
 - * Click the + icon on the timeline itself.
 - * Set the date to 3 Months from today.
 - * Click + Add under this new "3 Months" column.
 - * Select the Customer-VM profile.
 - * Enter 50 VMs.
 - * Click Add.
 - * Wave Three (6 Months):
 - * Click the + icon on the timeline.
 - * Set the date to 6 Months from today.
 - * Click + Add under this new "6 Months" column.
 - * Select the Customer-VM profile.
 - * Enter 20 VMs.
 - * Click Add.
6. Select the Hardware
 - * In the Hardware configuration tile, click Change Hardware.
 - * In the "Select Hardware" pane:
 - * Vendor: Select HPE.
 - * Model: Search for and select DX365-10-G11-NVMe.
 - * Note: This model is full-flash by definition, satisfying the requirement.
 - * Click Done. The planner will recalculate the required nodes.
7. Save and Export the Scenario
 - * Click the Save icon (floppy disk) in the top-right corner to save the IaaS scenario.
 - * Click the Export icon (arrow pointing down) in the top-right corner.
 - * Select PDF from the dropdown menu.
 - * A "Save As" dialog will appear.
 - * Navigate to the Desktop.
 - * Set the file name to IaaS-requirement.pdf.
 - * Click Save.

30. Frage

The DB team is requesting an SQL database instance and has requested it be configured for best performance.

This VM has been migrated from a 3 tier solution into Nutanix.

The database VM hosts 4 databases, each set to a 20 GB limit. Logs are expected to not grow beyond 20 GB and should be limited to within 25% to avoid runaway processes. Do not configure more storage than is needed.

The VM that has been migrated is identified as sql3532. Once the VM has been properly reconfigured, the DBA team will reconfigure the OS and database.

The VM should be configured as per KB-3532.

While this VM is being tested, make sure it is the first VM to power up in the event the node it is on goes down.

To maximize performance, ensure as much of the VM as possible will be kept on SSD drives.

Note: The VM does not need to be powered on. The VM should remain on the default container and should not be configured with a volume group. No network is required at this time.

Antwort:

Begründung:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to reconfigure the sql3532 virtual machine.

This task is performed from the Prism Element interface for the cluster the VM is on (e.g., Cluster 1).

1. Locate and Update the VM

- * From the Prism Element main dashboard, navigate to the VM view.

- * Find the VM named sql3532 in the VM table.

- * Select the checkbox next to sql3532 and click the Update button.

2. Configure HA Priority and Flash Mode

In the "Update VM" dialog, configure the HA and SSD performance settings:

- * HA Priority:

- * Find the VM High Availability section.

- * Select the High Priority radio button. This ensures it is one of the first VMs to power on during an HA event.

- * Flash Mode (SSD Performance):

- * Scroll down to the Flash Mode section.

- * Check the box to Enable Flash Mode. This pins the VM's vDisks to the SSD tier, satisfying the requirement to keep as much of the VM as possible on SSDs, especially since it's on the default (hybrid) container.

3. Reconfigure Disks (per KB-3532)

While still in the "Update VM" dialog, scroll to the Disks section to add the new data and log disks. The key to "best performance" (KB-3532) is to place Data and Logs on separate vSCSI controllers.

- * (The VM already has an OS disk, which we will assume is on scsi.0.)

- * Add Data Disk:

- * Click the + Add New Disk button.

- * Storage Container: default (as required).

- * Size: 80 GB (for the 4 x 20 GB databases).

- * Bus Type: SCSI.

- * Device Index: 1. (This creates a new vSCSI controller, scsi.1, for the data disk).

- * Click Add.

- * Add Log Disk:

- * Click the + Add New Disk button.

- * Storage Container: default (as required).

- * Size: 20 GB.

- * Bus Type: SCSI.

- * Device Index: 2. (This creates a third vSCSI controller, scsi.2, for the log disk).

- * Click Add.

4. Save Configuration

- * After adding the disks and setting HA/Flash Mode, click the main Save button at the bottom of the

"Update VM" dialog.

The VM is now configured with high availability, its storage is pinned to SSD, and its disk layout follows performance best practices by separating the OS, Data, and Log I/O paths onto three different controllers.

31. Frage

Create a VM template on Cluster 1 named Small Template that matches the small VM Configuration in NVD-2031 (see the Files\Documentation 6.10 folder) however, you will use default storage container.

Configure SMTP Alerting and NCC reports per NVD-2031 for Cluster 1.

Settings:

- * SMTP: Use Cluster 2 IP address
- * Cluster email: cluster1@ACME.org
- * Alert emails: primaryalerts@ACME.org, secondaryalerts@ACME.org

Antwort:

Begründung:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to complete both tasks on Cluster 1.

This solution requires you to first find the IP of Cluster 2 (for the SMTP server) and then perform all configurations within the Prism Element interface for Cluster 1.

Prerequisite: Find Cluster 2 IP

- * In Prism Central, navigate to Hardware > Clusters.
- * Find Cluster 2 in the list and note its IP Address. You will use this in the steps below.

Task 1: Create the VM Template

* Log in to the Prism Element (PE) interface for Cluster 1. (From PC, go to Hardware > Clusters > click the name "Cluster 1").

* Navigate to the VM view from the main dashboard.

* Click the + Create VM button.

* Fill in the VM details based on the NVD-2031 "Small VM" configuration (e.g., 2 vCPUs, 1 Core per vCPU, 4 GB RAM).

* Name: Small Template

* Compute Details:

* vCPUs: 2

* Number of Cores per vCPU: 1

* Memory: 4 GB

* Scroll down to Storage and click + Add New Disk.

* Operation: Select Clone from Image Service.

* Image: Select any available guest OS image (e.g., a Windows or CentOS image).

* Storage Container: Ensure the default container is selected (as required by the task).

* Click Add.

* Scroll down to Network Adapters (NIC) and click + Add NIC.

* Select any available VLAN/Subnet (e.g., Primary).

* Click Add.

* Click Save. The VM will be created (and remain powered off).

* Find the new Small Template VM in the list. Select its checkbox.

* Click the Actions dropdown and select Convert to Template.

* Confirm the action by clicking OK.

Task 2: Configure SMTP and NCC Reports

* While still in the Cluster 1 Prism Element interface, click the gear icon (Settings) in the top-right corner.

* Select SMTP Server from the left-hand menu.

* Click the Configure button.

* In the "Server Settings" tab, fill in the following:

* Server Address: Enter the Cluster 2 IP Address (which you found in the prerequisite step).

* Port: 25 (leave as default).

* From Email Address: cluster1@ACME.org

* Click Next.

* In the "Email Recipients" tab, click + Add Email Recipient.

* Address: primaryalerts@ACME.org

* Ensure all severities (Critical, Warning, Info) are checked.

* Click Save.

* Click + Add Email Recipient again.

* Address: secondaryalerts@ACME.org

* Ensure all severities are checked.

* Click Save.

* Click Done. A test email will be sent.

* In the main Settings menu, select Alerts and Notifications.

* Scroll to the NCC Health Checks section.

* Check the box labeled Email Nutanix Cluster Check reports to recipients. (This will use the SMTP settings and recipients you just configured).

* Click Save.

32. Frage

The security team has provided some new security requirements for cluster level security on Cluster 2.

Security requirements:

- * Update the password for the root user on the Cluster 2 node to match the admin user password.

Note: The 192.168.x.x network is not available. To access a node use the host IP (172.30.0.x) from the CVM.

- * Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

- * Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and cvms for Cluster 2.

- * Enable high-strength password policies for the hypervisor and cluster.

- * Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the desktop\Files\SSH folder.) Ensure the cluster meets these requirements. Do not reboot any cluster components.

Note: Please ensure you are modifying the correct components.

Antwort:

Begründung:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to apply the security requirements to Cluster 2.

1. Access Cluster 2 Prism Element

First, we must access the Prism Element (PE) interface for Cluster 2, as most security settings are cluster- specific.

- * From the Prism Central dashboard, navigate to Hardware > Clusters.

- * Find Cluster 2 in the list and click its name. This will open the Prism Element login page for that specific cluster in a new tab.

- * Log in to Cluster 2's Prism Element using the admin credentials.

2. Requirement: Update Node Root Password

This task syncs the root password for all AHV hypervisor nodes with the cluster's admin user password.

- * In the Cluster 2 PE interface, click the gear icon (Settings) in the top right corner.

- * Select Cluster Lockdown from the left-hand menu.

- * Click the Set Root Password on All Hosts button.

- * A dialog box will appear. Enter the current admin password (the one you just used to log in) into both the New Password and Confirm New Password fields.

- * Click Save. This will propagate the admin password to the root user on all nodes in Cluster 2.

3. Requirement: Add CVM SSH Key

This task adds the security team's public key to the admin user, which is required before we can disable password-based login.

- * On the desktop, navigate to the Files > SSH folder.

- * Open the id_rsa.pub file (or equivalent public key file) with Notepad.

- * Copy the entire string of text (e.g., ssh-rsa AAAA...).

- * In the Cluster 2 PE interface, go to Settings (gear icon) > User Management.

- * Select the admin user and click Modify User.

- * Paste the copied public key into the Public Keys text box.

- * Click Save.

4. Requirement: Apply SCMA Policies (All other requirements)

The remaining requirements are all applied via the command line on a CVM using Nutanix's Security Configuration Management Automation (SCMA).

- * Access the CVM:

- * Find a CVM IP for Cluster 2 by going to Hardware > CVMs in the PE interface.

- * Open an SSH client (like PuTTY) and connect to that CVM's IP address.

- * Log in with the username admin and the corresponding password.

- * Output Current Policy (Req 2):

- * Before making changes, run the following command to see the current policy:

```
ncli scma status
```

- * Copy the entire output from your SSH terminal.

- * Open Notepad on the desktop, paste the copied text, and Save the file to the desktop as output.txt.

- * Apply New Policies (Req 3, 4, 5):

- * Run the following commands one by one. The cluster will apply them immediately without a reboot.

- * Enable AIDE (Req 3):

```
ncli scma update aide-status=enabled aide-schedule=weekly
```

- * Enable High-Strength Passwords (Req 4):

```
ncli scma update password-policy=high
* Require SSH Keys for CVMs (Req 5):
ncli scma update ssh-login=keys-only
Verification
```

You can verify all changes by running the status command again. The output should now reflect the new, hardened security posture.

```
ncli scma status
```

```
* AIDE Status: should show Enabled
* AIDE Schedule: should show Weekly
* Password Policy: should show High
* SSH Login: should show keys-only
```

33. Frage

.....

PrüfungFrage ist eine Website, die Fragenkataloge zur NCM-MCI-6.10 -Zertifizierungsprüfung bietet. Seine Erfolgsquote beträgt 100%. Das ist der Grund dafür, warum viele Kandidaten PrüfungFrage glauben. PrüfungFrage kümmert sich immer um die Bedürfnisse der Kandidaten und versucht, ihre Bedürfnisse abzudecken. Mit PrüfungFrage werden Sie sicher eine glänzende Zukunft haben.

NCM-MCI-6.10 Antworten: <https://www.pruefungfrage.de/NCM-MCI-6.10-dumps-deutsch.html>

Innerhalb einem Jahr, sobald es irgendwelche Änderungen in den Studienmaterialien für NCM-MCI-6.10 Prüfung gibt, werden unsere Experten Ihnen sofort per E-Mail mitteilen und Ihnen entsprechende aktualisierte Version kostenlos zuschicken, Nutanix NCM-MCI-6.10 Fragen Antworten Benutzen Sie ruhig unsere Prüfungsfragen und Antworten, werden Sie sicher die Prüfung bestehen, Nutanix NCM-MCI-6.10 Fragen Antworten Gemäß der Rückmeldung unserer Kunden bestehen ca.

Sonne, Mond und Sterne waren ihr versunken, die Stimme der Mutter vergessen und NCM-MCI-6.10 Fragen Antworten der Name des Vaters, der Geschwister entsann sie sich nicht mehr, die sie liebgehabt hatte, und nicht mehr des Großvaters, auf dessen Schoß sie gesessen.

NCM-MCI-6.10 Prüfungsfragen Prüfungsvorbereitungen, NCM-MCI-6.10 Fragen und Antworten, Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI)

Du hast dich doch wohl nicht schon wieder mit diesem NCM-MCI-6.10 Philosophen getroffen, Innerhalb einem Jahr, sobald es irgendwelche Änderungen in den Studienmaterialien für NCM-MCI-6.10 Prüfung gibt, werden unsere Experten Ihnen sofort per E-Mail mitteilen und Ihnen entsprechende aktualisierte Version kostenlos zuschicken.

Benutzen Sie ruhig unsere Prüfungsfragen und Antworten, werden NCM-MCI-6.10 Fragen Antworten Sie sicher die Prüfung bestehen, Gemäß der Rückmeldung unserer Kunden bestehen ca, Während andere Kandidaten mehrere Woche oder sogar Monaten auf die Vorbereitung verwenden, braucht man mit unseren NCM-MCI-6.10 Studienmaterialien: Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) nur 20 bis 30 Stunden, um auf die Prüfung vorzubereiten.

Wenn Sie über ein Produkt mit umfassenden guten Dienstleistungen verfügen möchten, dann ist unsere NCM-MCI-6.10 Testguide-Materialien Ihre beste Wahl.

- NCM-MCI-6.10 Echte Fragen ☐ NCM-MCI-6.10 Zertifizierungsprüfung ☐ NCM-MCI-6.10 Fragen Beantworten ☐
☐ Sie müssen nur zu **【 www.pruefungfrage.de 】** gehen um nach kostenloser Download von ☒ NCM-MCI-6.10 ☒ ☐
☐ zu suchen ☐ NCM-MCI-6.10 Prüfungsfrage
- NCM-MCI-6.10 PrüfungGuide, Nutanix NCM-MCI-6.10 Zertifikat - Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) ☐ ➡ www.itzert.com ☐ ☐ ☐ ist die beste Webseite um den kostenlosen Download von ➡ NCM-MCI-6.10 ☐ zu erhalten ☐ NCM-MCI-6.10 Examsfragen
- NCM-MCI-6.10 Prüfungsfrage ☐ NCM-MCI-6.10 Fragen Beantworten ☐ NCM-MCI-6.10 Examsfragen ☐ Suchen
Sie auf der Webseite ☐ www.deutschpruefung.com ☐ nach ➡ NCM-MCI-6.10 ☐ ☐ ☐ und laden Sie es kostenlos herunter ☐ NCM-MCI-6.10 Tests
- NCM-MCI-6.10 Musterprüfungsfragen - NCM-MCI-6.10Zertifizierung - NCM-MCI-6.10Testfragen ☐ Erhalten Sie den
kostenlosen Download von [NCM-MCI-6.10] mühelos über ☀ www.itzert.com ☐ ☀ ☐ NCM-MCI-6.10
Schulungsangebot
- NCM-MCI-6.10 Musterprüfungsfragen - NCM-MCI-6.10Zertifizierung - NCM-MCI-6.10Testfragen ☐ Erhalten Sie den
kostenlosen Download von 《 NCM-MCI-6.10 》 mühelos über ☐ www.echtefrage.top ☐ ☐ NCM-MCI-6.10

Examsfragen

- NCM-MCI-6.10 Lerntipps □ NCM-MCI-6.10 Schulungsangebot □ NCM-MCI-6.10 German □ Öffnen Sie die Webseite ► www.itzert.com □ und suchen Sie nach kostenloser Download von ⇒ NCM-MCI-6.10 ⇐ □ NCM-MCI-6.10 Deutsch
- NCM-MCI-6.10 Schulungsangebot - NCM-MCI-6.10 Simulationsfragen - NCM-MCI-6.10 kostenlos downloaden □ Suchen Sie einfach auf 《 www.deutschpruefung.com 》 nach kostenloser Download von ➡ NCM-MCI-6.10 □ □ □ NCM-MCI-6.10 Deutsch
- NCM-MCI-6.10 Fragen Antworten □ NCM-MCI-6.10 Tests □ NCM-MCI-6.10 Examsfragen □ □ www.itzert.com □ ist die beste Webseite um den kostenlosen Download von ➡ NCM-MCI-6.10 □ zu erhalten □ NCM-MCI-6.10 PDF Testsoftware
- NCM-MCI-6.10 Fragen Beantworten □ NCM-MCI-6.10 Prüfungsfrage □ NCM-MCI-6.10 Fragen Antworten □ Suchen Sie jetzt auf 「 www.deutschpruefung.com 」 nach ➡ NCM-MCI-6.10 □ und laden Sie es kostenlos herunter □ □ NCM-MCI-6.10 Online Prüfung
- NCM-MCI-6.10 PDF Testsoftware □ NCM-MCI-6.10 Tests □ NCM-MCI-6.10 Fragen Antworten □ Öffnen Sie die Webseite 《 www.itzert.com 》 und suchen Sie nach kostenloser Download von ⇒ NCM-MCI-6.10 ⇐ □ NCM-MCI-6.10 Examsfragen
- NCM-MCI-6.10 Online Praxisprüfung □ NCM-MCI-6.10 Online Praxisprüfung □ NCM-MCI-6.10 Deutsch □ Suchen Sie jetzt auf □ www.itzert.com □ nach { NCM-MCI-6.10 } und laden Sie es kostenlos herunter □ NCM-MCI-6.10 Lerntipps
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, www.stes.tyc.edu.tw, myspace.com, learn.csisafety.com.au, Disposable vapes