

Valid AD0-E137 Test Online & Sure AD0-E137 Pass



P.S. Free 2026 Adobe AD0-E137 dumps are available on Google Drive shared by TrainingDumps: https://drive.google.com/open?id=13oYsyngZ5bH1AZjzBsiPZQ8e0aKxrU_u

We can claim that prepared with our AD0-E137 study materials for 20 to 30 hours, you can easily pass the AD0-E137 exam and get your expected score. Also we offer free demos of our AD0-E137 exam questions for you to check out the validity and precise of our AD0-E137 Training Materials. Just come and have a try! You will be surprised to find the high accuracy of our AD0-E137 training material. And as our high pass rate of AD0-E137 practice braindump is 99% to 100%, you will pass the exam easily.

Adobe AD0-E137 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">• AEM Development: This section of the exam measures the skills of Technical Consultants and covers implementing a single-page application (SPA) structure, building components using HTL, sling models, and services, writing unit tests and mapping mock data, integrating third-party APIs, developing OSGi services or servlets, and choosing appropriate JCR queries in context.
Topic 2	<ul style="list-style-type: none">• Configurations: This section of the exam measures skills of AEM Developers and covers how to select and configure dispatcher rules based on scenario, set up multi-tenant environments, integrate SAML and LDAP for authentication, configure replication agents, and manage editable templates or content fragment models.
Topic 3	<ul style="list-style-type: none">• Environment Maintenance: This section of the exam measures the skills of Implementation Specialists and covers managing AEM environment configurations, release management, synchronizing content and configurations across environments via package manager, and applying maintenance tools to support environments.
Topic 4	<ul style="list-style-type: none">• Build and Deployment: This section of the exam measures the skills of AEM Developers and covers front-end and back-end dependency management, creating a project via Maven archetype, crafting custom run modes, configuring workflows, and creating and managing custom Oak indexes.

>> Valid AD0-E137 Test Online <<

2026 Accurate Valid AD0-E137 Test Online | AD0-E137 100% Free Sure Pass

With the arrival of the flood of the information age of the 21st century, people are constantly improve their knowledge to adapt to the times. But this is still not enough. In the IT industry, Adobe's AD0-E137 exam certification is the essential certification of the IT industry. Because this exam is difficult, through it, you may be subject to international recognition and acceptance, and you will have

a bright future and holding high pay attention. TrainingDumps has the world's most reliable IT certification training materials, and with it you can achieve your wonderful plans. We guarantee you 100% certified. Candidates who participate in the Adobe AD0-E137 Certification Exam, what are you still hesitant? Just do it quickly!

Adobe Experience Manager Sites Developer Expert Sample Questions (Q26-Q31):

NEW QUESTION # 26

A client has a requirement to get the location of stores based on the zip code authored in the component dialog. Location needs to be pulled from an external API using OSGi services.

Which OSGi Service code snippet should be used to represent the requirement?

A)

```
@OSGiService(component = Service.class)
public class ServiceImpl implements Service {
    @Override
    public List<String> getStoresByZipCode(String zipCode) {
        List<String> storeLocations = new ArrayList<>();
        // Create an HTTP client
        try (CloseableHttpClient httpClient = HttpClients.createDefault()) {
            // Processing logic to get all the locations from external api
        } catch (IOException e) {
        }
        return storeLocations;
    }
}
```

B)

```
@Component(service = Service.class)
public class ServiceImpl implements Service {
    @Override
    public List<String> getStoresByZipCode(String zipCode) {
        List<String> storeLocations = new ArrayList<>();
        // Create an HTTP client
        try (CloseableHttpClient httpClient = HttpClients.createDefault()) {
            // Processing logic to get all the locations from external api
        } catch (IOException e) {
        }
        return storeLocations;
    }
}
```

C)

```
@Service(service = Component.class)
public class ServiceImpl implements Service {
    @Override
    public List<String> getStoresByZipCode(String zipCode) {
        List<String> storeLocations = new ArrayList<>();
        // Create an HTTP client
        try (CloseableHttpClient httpClient = HttpClients.createDefault()) {
            // Processing logic to get all the locations from external api
        } catch (IOException e) {
        }
        return storeLocations;
    }
}
```

- A. Option A
- B. Option D
- **C. Option B**
- D. Option C

Answer: C

NEW QUESTION # 27

A developer is working on an Adobe Experience Manager project that uses a multi-module maven build. A new module was just added to the project. When the following build command is executed, the new module is not installed:

```
mvn clean install -PautoInstallSinglePackage
```

What should the developer verify to ensure the package is being included as part of the installation process?

- A. Verify the module is included in the `embeddeds` section of the `filevault-package-maven-plugin` in the all module.
- B. Verify the module is included in the `Embed-Dependency` section of the `maven-bundle-plugin` in the all module.
- C. Verify the module is included in the `Embed-Dependency` section of the `maven-bundle-plugin` in the `ui.content` module.

Answer: A

NEW QUESTION # 28

A developer created a component with the following fields:

What is the correct HTL code and resultant valid URL path generated?

A)

HTL code:

```
<a href="{properties.pagePath}.html/{properties.additionalInfo}">{properties.label}</a> Page Path:  
/content/testsite/en/page1.html/product/test1
```

B)

HTL code:

```
<a href="{properties.pagePath}/{properties.additionalInfo}.html">{properties.label}</a> Page Path:  
/content/testsite/en/page1/product/test1.html
```

C)

HTL code:

```
<a href="{properties.additionalInfo}.html/{properties.pagePath}">{properties.label}</a> Page Path:  
/product/test1.html/content/testsite/en/page1
```

- A. Option A
- B. Option B
- C. Option C

Answer: B

NEW QUESTION # 29

An Adobe Experience Manager project requires to 'deny' all XML and JSON requests under the `/path2` and `/path3` context paths. Which configuration will work?

- A. `/0001 {/type "deny" extension "[XML|JSON]" /path["/path2|path3/*"]}`
- B. `/0001 {/type "deny" extension [XML|JSON]/path[/path2|path3/*]}`
- C. `/0001 {/type "deny" extension '(XML|JSON)' /path '(/path2|JSON/*)}`

Answer: B

NEW QUESTION # 30

A customer has the requirement to use SAML authentication on AEM using their SAML 2.0 compatible IDP.

Example:

AEM: `www.wknd.com/content/siteB/index.html`

IDP: `https://www.idpB.com`

How should an AEM Developer configure their SAML Authentication Handler?

- A. `com.adobe.granite.auth.saml.SamlAuthenticationHandler.path : /content/siteB`
`com.adobe.granite.auth.saml.SamlAuthenticationHandler.idpUrl : https://www.idpB.com`
- B. `com.adobe.granite.auth.saml.SamlAuthenticationHandler.userIntermediatePath :`
`/content/siteBcom.adobe.granite.auth.saml.SamlAuthenticationHandler.assertionConsumerServiceURL :`

