

Get Success In Cisco 300-430 Exam With ActualPDF Quickly



2025 Latest ActualPDF 300-430 PDF Dumps and 300-430 Exam Engine Free Share: <https://drive.google.com/open?id=1vQRUjEg-XmDVMLiFmQmTijY81V-V9gnc>

Our 300-430 learning question can provide you with a comprehensive service beyond your imagination. 300-430 exam guide has a first-class service team to provide you with 24-hour efficient online services. Our team includes industry experts & professional personnel and after-sales service personnel, etc. Industry experts hired by 300-430 Exam Guide helps you to formulate a perfect learning system, and to predict the direction of the exam, and make your learning easy and efficient. Our staff can help you solve the problems that 300-430 test prep has in the process of installation and download.

Everybody should recognize the valuable of our life; we can't waste our time, so you need a good way to help you get your goals straightly. Of course, our 300-430 latest exam torrents are your best choice. I promise you that you can learn from the 300-430 Exam Questions not only the knowledge of the certificate exam, but also the ways to answer questions quickly and accurately. Now, you can free download the demo of our 300-430 test torrent to have a check on our wonderful quality.

>> 300-430 Actualtest <<

100% Pass-Rate 300-430 Actualtest & Leader in Certification Exams Materials & Realistic Interactive 300-430 EBook

ActualPDF almost aimed to meet the needs of all candidates who want to pass the 300-430 exam. If someone who don't have enough time to prepare for their exam, our website provide they with test answers which only need 20-30 hours to grasp; If someone who worry about failed the 300-430 Exam, our website can guarantee that they can get full refund. In summary, the easiest

way to prepare for 300-430 certification exam is to complete 300-430 study material.

Cisco Implementing Cisco Enterprise Wireless Networks Sample Questions (Q259-Q264):

NEW QUESTION # 259

Which statement about the VideoStream/Multicast Direct feature is true?

- A. IP multicast traffic is reliable over WLAN by default as defined by the IEEE 802.11 wireless multicast delivery mechanism.
- B. It makes the delivery of the IP multicast stream less reliable over the air, but reliable over Ethernet.
- C. Each VideoStream client acknowledges receiving a video IP multicast stream.
- D. It converts the unicast frame to a multicast frame over the air.

Answer: C

Explanation:

Explanation/Reference: https://www.cisco.com/c/en/us/td/docs/wireless/controller/8-1/configuration-guide/b_cg81/multicast_broadcast_setup.html

NEW QUESTION # 260

Refer to the exhibit. An engineer is troubleshooting a client connectivity issue. The client is in the RUN state, and no traffic is passed after authenticating by using Cisco ISE. Which action resolves the problem?

```
'radiusTransportThread: May 20 13:04:02.658: structureSize.....577
'radiusTransportThread: May 20 13:04:02.658: resultCode.....0
'radiusTransportThread: May 20 13:04:02.658: protocolUsed.....0x00000001
'radiusTransportThread: May 20 13:04:02.658: proxyState.....00:0b:0a:0c:0d:0e-02:06
'radiusTransportThread: May 20 13:04:02.658: Packet contains 9 AVPs:
'radiusTransportThread: May 20 13:04:02.658: AVP[01] User-Name.....User1 (11 bytes)
'radiusTransportThread: May 20 13:04:02.658: AVP[02]
State.....ReauthSession:c0a30a0600000003573f5190 (38 bytes)
'radiusTransportThread: May 20 13:04:02.658: AVP[03]
Class.....CACs:c0a80a0600000003573f5190:ISE01/253088040/17 (50 bytes)
'radiusTransportThread: May 20 13:04:02.658: AVP[04] EAP-
Message.....0x038a0004 (59375620) (4 bytes)
'radiusTransportThread: May 20 13:04:02.658: AVP[05] Message-
Authenticator.....DATA (16 bytes)
'radiusTransportThread: May 20 13:04:02.658: AVP[06] Cisco / Url-
Redirect.....DATA (133 bytes)
'radiusTransportThread: May 20 13:04:02.658: AVP[07] Cisco / Url-Redirect-
ACL.....BLACKHOLE (9 bytes)
'radiusTransportThread: May 20 13:04:02.658: AVP[08] Microsoft / MPPE-Send-
Key.....DATA (32 bytes)
'radiusTransportThread: May 20 13:04:02.658: AVP[09] Microsoft / MPPE-Recv-
Key.....DATA (32 bytes)
'Dot1x_NW_MsgTask_2: May 20 13:04:02.658: 00:0b:0a:0c:0d:0e Applying new AAA override for
station 00:0b:0a:0c:0d:0e
'Dot1x_NW_MsgTask_2: May 20 13:04:02.658: 00:0b:0a:0c:0d:0e Override values for station
34:b1:0a:c2:3a:4a
source: 4, valid bits: 0x0
qosLevel: -1, dscp: 0xffffffff, dot1pTag: 0xffffffff, sessionTimeout: -1
'Dot1x_NW_MsgTask_2: May 20 13:04:02.658: 00:0b:0a:0c:0d:0e Override values (cont..)
dataAvgC: -1, rTAvGc: -1, dataBurstC: -1, rTimeBurstC: -1
```

- A. Enable rate-limiting to the client.
- B. Apply a lower WMM QoS.
- C. Disable the ACL that prevents traffic from being allowed.
- D. Configure a different client VLAN after authentication.

Answer: D

NEW QUESTION # 261

Refer to the exhibit.



An engineer must restrict some subnets to have access to the WLC. When the CPU ACL function is enabled. No ACLs in the drop-down list are seen. What is the cause of the problem?

- A. This configuration must be performed through the CLI and not through the web GUI
- B. No ACLs have been created under the Access Control List tab.
- C. When the ACL is created, it must be specified that it is a CPU ACL.
- **D. The ACL does not have a rule that is specified to the Management interface.**

Answer: D

NEW QUESTION # 262

For security purposes, an engineer enables CPU ACL and chooses an ACL on the Security > Access Control Lists > CPU Access Control Lists menu. Which kind of traffic does this change apply to, as soon as the change is made?

- A. wired traffic only
- **B. wireless traffic only**
- C. wireless and wired traffic
- D. VPN traffic

Answer: B

NEW QUESTION # 263

Refer to the exhibit.

```
(Cisco WLC) >show dhcp proxy  
  
DHCP ProxyBehaviour: enabled  
  
!  
interface Vlan63  
ip address 10.10.63.252/22  
description Dot1x_BYOD  
no shutdown  
!
```

A network administrator deploys the DHCP profiler service in two ISE servers: 10.3.10.101 and 10.3.10.102. All BYOD devices connecting to WLAN on VLAN63 have been incorrectly profiled and are assigned as unknown profiled endpoints. Which action efficiently rectifies the issue according to Cisco recommendations?

- A. Keep DHCP proxy enabled on the Cisco WLC and define helper-address under the VLAN interface to point to the two ISE servers.
- B. Disable DHCP proxy on the Cisco WLC.
- **C. Disable DHCP proxy on the Cisco WLC and run the ip helper-address command under the VLAN interface to point to DHCP and the two ISE servers.**
- D. Nothing needed to be added on the Cisco WLC or VLAN interface. The ISE configuration must be fixed.

Answer: C

NEW QUESTION # 264

.....

In order to facilitate the wide variety of users' needs the 300-430 study guide have developed three models with the highest application rate in the present - PDF, software and online. Online mode of another name is App of study materials, it is developed on the basis of a web browser, as long as the user terminals on the browser, can realize the application which has applied by the 300-430 simulating materials of this learning model, users only need to open the App link, you can quickly open the learning content in real time in the ways of the 300-430 study materials.

