

1z0-1104-25시험대비덤프공부최신업데이트버전덤프



Pass4Test 1z0-1104-25 최신 PDF 버전 시험 문제집을 무료로 Google Drive에서 다운로드하세요:
<https://drive.google.com/open?id=1M1OP4ApVk0Qxc4eYdrrsT2vgDdTSqElv>

경쟁이 치열한 IT업계에서 굳굳한 자신만의 자리를 찾으려면 국제적으로 인정받는 IT자격증 취득은 너무나도 필요합니다. Oracle인증 1z0-1104-25시험은 IT인사들중에서 뜨거운 인기를 누리고 있습니다. Pass4Test는 IT인증시험에 대비한 시험전 공부자료를 제공해드리는 전문적인 사이트입니다. 한방에 쉽게Oracle인증 1z0-1104-25시험에서 고득점으로 패스하고 싶다면Pass4Test의Oracle인증 1z0-1104-25덤프를 선택하세요.저렴한 가격에 비해 너무나도 높은 시험적중율과 시험패스율, 언제나 여러분을 위해 최선을 다하는Pass4Test가 되겠습니다.

Pass4Test의 Oracle인증 1z0-1104-25시험덤프는 실제시험의 기출문제와 예상문제를 묶어둔 공부자료로서 시험문제 커버율이 상당히 높습니다.IT업계에 계속 종사하려는 IT인사들은 부단히 유력한 자격증을 취득하고 자신의 자리를 보존해야 합니다. Pass4Test의 Oracle인증 1z0-1104-25시험덤프로 어려운 Oracle인증 1z0-1104-25시험을 쉽게 패스해보세요. IT자격증 취득이 여느때보다 여느일보다 쉬워져 자격증을 많이 따는 꿈을 실현해드립니다.

>> 1z0-1104-25시험대비 덤프공부 <<

1z0-1104-25유효한 인증공부자료, 1z0-1104-25유효한 시험자료

Oracle 1z0-1104-25인증덤프는 실제 1z0-1104-25시험의 가장 최근 시험의 기출문제를 기준으로 하여 만들어진 최고 품질을 자랑하는 최고적중율의 시험대비자료입니다. 저희 1z0-1104-25덤프로 1z0-1104-25시험에 도전해보지 않으실래요? 1z0-1104-25시험에서 불합격 받을시 덤프비용은 환불해드리기에 부담없이 구매하셔도 됩니다.환불의 유

일한 기준은 불합격 성적표이고 환불유효기간은 구매일로부터 60일까지입니다.

Oracle 1z0-1104-25 시험요강:

주제	소개
주제 1	Protecting Data: This section of the exam measures the skills of Cloud Security Professionals and highlights data security practices in OCI. It tests knowledge of using the Key Management Service for encryption keys, managing secrets in the OCI Vault, and applying features of OCI Data Safe to ensure sensitive data remains protected.
주제 2	Implementing Identity and Access Management (IAM): This section of the exam measures skills of OCI Administrators and focuses on identity and access controls. It covers IAM domains, users, groups, and compartments, as well as the use of IAM policies to manage access to resources. Candidates are also tested on configuring dynamic groups, network sources, and tag-based access control, along with managing MFA, sign-on policies, and activity monitoring.
주제 3	OCI Security Introduction: This section of the exam measures the skills of Cloud Security Professionals and covers the basics of security in Oracle Cloud Infrastructure. It introduces the shared security responsibility model, the core principles of security design, and the use of foundational security services to secure deployments on OCI.
주제 4	Detecting, Remediating, and Monitoring OCI Resources: This section of the exam measures the skills of OCI Administrators and emphasizes monitoring and maintaining security posture across cloud resources. It focuses on the use of Cloud Guard, security zones, and the Security Advisor. Candidates also need to understand how to identify rogue users with threat intelligence, as well as use monitoring, logging, and event services for continuous visibility into performance and security.
주제 5	Protecting Infrastructure - Network and Applications: This section of the exam measures the skills of Cloud Security Professionals and covers methods for securing networks and applications on OCI. Topics include network security groups, firewalls, and security lists, while also focusing on the use of load balancers for availability. The section further addresses the configuration of OCI certificates and web application firewalls to strengthen infrastructure security.

최신 Oracle Cloud Infrastructure 1z0-1104-25 무료 샘플문제 (Q38-Q43):

질문 # 38

"Your company is building a highly available and secure web application on OCI. Because of increasing malicious web-based attacks, the security team has mandated that web servers should not be exposed directly to the Internet. How should you architect the solution while ensuring fault tolerance and security?"

- A. Deploy at least three web servers in different fault domains within a private subnet. Place a public load balancer in a public subnet and configure a back-end set for all web servers. Deploy Web Application Firewall (WAF) and set the load balancer public IP address as the origin.
- B. Deploy at least three web servers in different fault domains within a public subnet, each with a public IP address. Deploy Web Application Firewall (WAF), and configure an origin for each public IP.
- C. Deploy at least three web servers in different fault domains within a public subnet. Use OCI Traffic Management service for DNS-based load balancing."
- D. Deploy at least three web servers in different fault domains within a private subnet. Place a public load balancer in a public subnet, but skip WAF configuration.

정답: A

질문 # 39

Task 3: Create a Master Encryption Key

Note: OCI Vault to store the key required by this task is created in the root compartment as PBI_Vault_SP Create an RSA Master Encryption Key (MEK), where:

Key name: PBT-CERT-MEK-01-<username>

For example, if your username is 99008677-lab.user01, then the MEK name should be PBT-CERT-MEK-0199008677labuser01

Ensure you eliminate special characters from the user name.

Key shape: 4096 bits

Enter the OCID of the Master Encryption Key created in the provided text box:

정답 :

설명:

See the solution below in Explanation.

Explanation:

Task 3: Create a Master Encryption Key

Step 1: Access the OCI Vault

- * Log in to the OCI Console.

- * Navigate to Identity & Security > Vault.

- * Select the root compartment.

- * Locate and click on the vault named PBI_Vault_SP.

Step 2: Create the Master Encryption Key

- * In the PBI_Vault_SP vault details page, under Resources, click Keys.

- * Click Create Key.

- * Enter the following details:

- * Name: Replace <username> with your username (e.g., if your username is 99008677-lab.user01, remove special characters like - and . to get 99008677labuser01, then use PBT-CERT-MEK-0199008677labuser01).

- * Key Shape: Select RSA with 4096 bits.

- * Protection Mode: Select HSM (Hardware Security Module) if available, or Software if HSM is not required (based on vault capabilities).

- * Compartment: Ensure it's set to the root compartment (where PBI_Vault_SP resides).

- * Leave other settings (e.g., key usage) as default unless specified.

- * Click Create Key and wait for the key to be generated.

Step 3: Retrieve and Enter the OCID

- * After the key is created, go to the Keys section under PBI_Vault_SP.

- * Click on the key named PBT-CERT-MEK-01-<username> (e.g., PBT-CERT-MEK-0199008677labuser01).

- * Copy the OCID (a long string starting with ocid1.key., unique to your tenancy) from the key details page.

- * Enter the copied OCID exactly as it appears into the provided text box.

질문 # 40

An E-commerce company running on Oracle Cloud Infrastructure (OCI) wants to prevent accidental misconfigurations that could expose sensitive data. They need an OCI service that can enforce predefined security rules when creating or modifying cloud resources.

Which OCI service should they use?

- A. OCI Certificates
- B. OCI Web Application Firewall (WAF)
- C. OCI Security Zone
- D. OCI Identity and Access Management (IAM)

정답: C

질문 # 41

"A business has a hybrid cloud infrastructure with Oracle Linux instances running in OCI and on-premises.

They want to reduce the amount of bandwidth used when patching systems.

Which component of OS Management Hub can help to reduce the bandwidth usage for patching?

- A. Management stations
- B. Dynamic groups
- C. Profiles"

- D. Management agents

정답: C

질문 # 42

Task 4: Create a Certificate Authority (CA)

Create a certificate authority, where:

CA name: PBT-CERT-CA-01-<username>

For example, if your username is 99008677-lab.user01, then the certificate authority name should be PBT- CERT-CA-0199008677labuser01 Ensure you eliminate special characters from the user name.

Common name: PBT-CERT-OCICA-01

Master Encryption Key: PBT-CERT-MEK-01 (created in the previous task)

정답:

설명:

See the solution below in Explanation.

Task 4: Create a Certificate Authority (CA)

Step 1: Access the OCI Vault

* Log in to the OCI Console.

* Navigate to Identity & Security>Vault.

* Select the root compartment.

* Locate and click on the vault named PBI_Vault_SP.

Step 2: Create the Certificate Authority

* In the PBI_Vault_SP vault details page, under Resources, click Certificate Authorities.

* Click Create Certificate Authority.

* Enter the following details:

* Name: Replace <username> with your username (e.g., if your username is 99008677-lab.user01, remove special characters like - and . to get 99008677labuser01, then use PBT-CERT-CA-0199008677labuser01).

* Common Name: Enter PBT-CERT-OCICA-01.

* Master Encryption Key: Select the PBT-CERT-MEK-01<username> key created in Task 3 (e.g., PBT-CERT-MEK-0199008677labuser01).

* Subject: Leave as default or adjust (e.g., Organization, Country) if required by your setup.

* Validity Period: Set as needed (e.g., 10 years), or use the default.

* Compartment: Ensure it's set to the root compartment.

* Click Create Certificate Authority and wait for the CA to be provisioned.

Step 3: Verify the Certificate Authority

* After creation, go to the Certificate Authorities section under PBI_Vault_SP.

* Confirm the CA PBT-CERT-CA-01<username> (e.g., PBT-CERT-CA-0199008677labuser01) is listed and its status is active.

질문 # 43

.....

만약 아직도 우리를 선택할지에 대하여 망설이고 있다면. 우선은 우리 사이트에서 Pass4Test가 제공하는 무료인 일부 문제와 답을 다운하여 체험해보시고 결정을 내리시길 바랍니다. 그러면 우리의 덤프에 믿음; 같 것이고, 우리 또한 우리의 문제와 답들은 무조건 100% 통과 율로 아주 고득점으로 Oracle 인증 1z0-1104-25험을 패스하실 수 있습니다,

1z0-1104-25유효한 인증 공부자료 : <https://www.pass4test.net/1z0-1104-25.html>

- 완벽한 1z0-1104-25시험대비 덤프공부 시험공부자료 ➡ □ 시험 자료를 무료로 다운로드하려면 ➡ www.pass4test.net □을 통해 ➤ 1z0-1104-25 □를 검색하십시오 1z0-1104-25인기자격증 덤프공부자료
- 1z0-1104-25시험기출문제 □ 1z0-1104-25퍼펙트 덤프데모문제 □ 1z0-1104-25 100% 시험패스 덤프자료 □ □ 【 www.idumpskr.com 】에서 검색만 하면 { 1z0-1104-25 }를 무료로 다운로드할 수 있습니다 1z0-1104-25최신 인증시험자료
- 1z0-1104-25최신시험후기 □ 1z0-1104-25최신 업데이트버전 덤프공부자료 □ 1z0-1104-25질문과 답 □ ➡ www.pass4test.net □□□에서 ☀ 1z0-1104-25 □☀□를 검색하고 무료로 다운로드하세요 1z0-1104-25시험대비 덤프데모문제 다운

- 참고: Pass4Test에서 Google Drive로 공유하는 무료 2025 Oracle 1z0-1104-25 시험 문제집이 있습니다:
<https://drive.google.com/open?id=1M1OP4ApVk0Qxc4eYdrrsT2vgDdTSqE1v>

참고: Pass4Test에서 Google Drive로 공유하는 무료 2025 Oracle 1z0-1104-25 시험 문제집이 있습니다:
<https://drive.google.com/open?id=1M1OP4ApVk0Qxc4eYdrrsT2vgDdTSqE1v>