

Latest updated NSE5_FSW_AD-7.6 Exam Questions Fee - Marvelous NSE5_FSW_AD-7.6 Exam Tool Guarantee Purchasing Safety



Passitcertify updated study material for NSE5_FMG-5.4
NSE Exam Questions: Secret to Success

Passitcertify offers study material for NSE5_FMG-5.4 Exam Dumps in two formats,

- PDF: In PDF you will find actual exam questions for Fortinet NSE5_FMG-5.4 exam. All the material is designed by experts and ensure your success. You will get exam related question to uproot them, which otherwise you will face. The PDF for Fortinet Network Security Expert NSE5_FMG-5.4 exam can easily be downloaded and read. The study material for NSE5_FMG-5.4 exam is conveniently portable.
- Practice Exam Software: Our Practice Exams' platform offers you a practical examination scenario for Fortinet NSE5_FMG-5.4 Exam. It's an integrated platform which allows you to select questions, time slot and provides you an opportunity to gauge your own understanding about FortiAnalyzer.

<https://www.passitcertify.com/fortinet/nse5-fmg-5.4-questions.html>

Passitcertify

If you think it is an adventure for purchasing our Fortinet NSE5_FSW_AD-7.6 braindump, life is also a great adventure. Before many successful people obtained achievements, they had a adventure experience. Moreover, the candidates that using our Fortinet NSE5_FSW_AD-7.6 Test Questions and test answers can easily verify their quality. ActualTorrent Fortinet NSE5_FSW_AD-7.6 certification training ensured their success.

Achieving the Fortinet NSE 5 - FortiSwitch 7.6 Administrator (NSE5_FSW_AD-7.6) certification can significantly impact your career progression and earning potential. This certification showcases your expertise and knowledge to employers, making you a valuable asset in the Fortinet NSE5_FSW_AD-7.6 industry. With the rapidly evolving nature of the Fortinet world, staying up-to-date with the latest technologies and trends is crucial. The NSE5_FSW_AD-7.6 Certification Exam enables you to learn these changes and ensures you remain current in your field.

>> NSE5_FSW_AD-7.6 Exam Questions Fee <<

NSE5_FSW_AD-7.6 Exam Topics | Practice NSE5_FSW_AD-7.6 Engine

Authentic Solutions Of The Fortinet NSE5_FSW_AD-7.6 Exam Questions. Consider sitting for an Fortinet NSE 5 - FortiSwitch 7.6 Administrator and discovering that the practice materials you've been using are incorrect and useless. The technical staff at ActualTorrent has gone through the Fortinet certification process and knows the need to be realistic and exact. Hundreds of professionals worldwide examine and test every Fortinet NSE5_FSW_AD-7.6 Practice Exam regularly.

Fortinet NSE 5 - FortiSwitch 7.6 Administrator Sample Questions (Q30-Q35):

NEW QUESTION # 30

How are the 'by VLAN redirect MAC address quarantine' mode and the 'by redirect MAC address quarantine' mode on FortiGate similar?

- A. Both modes move quarantined devices to the quarantine VLAN.
- B. Both modes require firewall policies to block inter-VLAN traffic.
- C. Both modes add quarantined device MAC addresses to the blocked firewall address group.
- D. Both modes block intra-VLAN traffic by FortiGate automatically.

Answer: A

Explanation:

The 'by VLAN redirect MAC address quarantine' mode and the 'by redirect MAC address quarantine' mode on FortiGate share specific similarities:

* Quarantine VLAN Assignment (A):

* Common Feature: Both modes utilize a designated quarantine VLAN to isolate quarantined devices. This helps in mitigating the risk of spreading potential security threats within the network.

* Operational Impact: Moving devices to a specific quarantine VLAN restricts their network access, effectively isolating them until further action or remediation is taken.

NEW QUESTION # 31

Which is a requirement to enable SNMP v2c on a managed FortiSwitch?

- A. Configure SNMP agent and communities.
- B. Enable an SNMP v3 to handle traps messages with SNMP hosts.
- C. Create an SNMP user to use for authentication and encryption.
- D. Specify an SNMP host to send traps to.

Answer: A

Explanation:

To enable SNMP v2c on a managed FortiSwitch, the essential requirement involves configuring the SNMP agent and community strings:

* Configure SNMP Agent and Communities (D):

* SNMP Agent: Activating the SNMP agent on FortiSwitch allows it to respond to SNMP requests.

* Community Strings: SNMP v2c uses community strings for authentication. These strings function as passwords to grant read-only or read-write access to the SNMP data.

* Understanding Other Options:

* Create an SNMP user (A) is necessary for SNMP v3, not v2c, as it involves user-based authentication and encryption.

* Specify an SNMP host (B) is typically a part of SNMP configuration but not a requirement just to enable SNMP.

* Enable SNMP v3 (C) is not related to enabling SNMP v2c.

References: For detailed instructions on configuring SNMP on FortiSwitch, you can refer to the SNMP configuration section in the FortiSwitch administration guide available on Fortinet Product Documentation

NEW QUESTION # 32

Refer to the exhibit.

Commands

```
config switch-controller lldp-profile
    edit "LLDP-PROFILE"
        set med-tlvs network-policy
        set auto-isl disable
        config med-network-policy
            edit "voice"
            next
            edit "voice-signaling"
            next
            edit "guest-voice"
            next
            edit "guest-voice-signaling"
            next
            edit "softphone-voice"
            next
            edit "video-conferencing"
            next
            edit "streaming-video"
            next
            edit "video-signaling"
        next
    end
    config med-location-service
        edit "coordinates"
        next
        edit "address-civic"
        next
        edit "elin-number"
    next
end
next
```

The profile shown in the exhibit is assigned to a group of managed FortiSwitch ports, and these ports are connected to endpoints which are powered by PoE.

Which configuration action can you perform on the LLDP profile to cause these endpoints to exchange PoE information and negotiate power with the managed FortiSwitch?

- A. Assign a new LLDP profile to handle different LLDP-MED TLVs.
- **B. Add power management as part of LLDP-MED TLVs to advertise.**
- C. Create new a LLDP-MED application type to define the PoE parameters.
- D. Define an LLDP-MED location ID to use standard protocols for power.

Answer: B

Explanation:

To cause endpoints to exchange PoE information and negotiate power with the managed FortiSwitch via LLDP, you should configure the LLDP profile to include power management in the advertised LLDP-MED TLVs. Here are the steps:

* Access the LLDP Profile Configuration: Start by entering the LLDP profile configuration mode with the command:

```
config switch-controller lldp-profile
edit "LLDP-PROFILE"
```

* Enable MED-TLVs: Ensure that MED-TLVs (Media Endpoint Discovery TLVs) are enabled. These TLVs are used for extended discovery relating to network policies, including PoE, and are essential for PoE negotiation. They include power management which is crucial for the negotiation of PoE parameters between devices. The command to ensure network policies are set might look like:

```
set med-tlvs network-policy
```

* Add Power Management TLV: Specifically add or ensure the power management TLV is part of the configuration. This will advertise the PoE capabilities and requirements, enabling dynamic power allocation between the FortiSwitch and the connected devices (like VoIP phones or wireless access points). This can typically be done within the network-policy settings:

```
config med-network-policy
edit <policy_index>
set poe-capability
next
end
```

* Save and Apply Changes: Exit the configuration blocks properly ensuring changes are saved:

End

* Verify Configuration: It's always good practice to verify that your configurations have been applied correctly. Use the appropriate show or get commands to review the LLDP profile settings.

By adding the power management as part of LLDP-MED TLVs, the FortiSwitch will be able to communicate its power requirements and capabilities to the endpoints, thereby facilitating a dynamic power negotiation that is crucial for efficient PoE utilization.

References: For more detailed information and additional configurations, you can refer to the FortiSwitch Managed Switches documentation available on Fortinet's official documentation site: [Fortinet Product Documentation](#)

NEW QUESTION # 33

On supported FortiSwitch models, which access control list (ACL) stage is recommended for applying actions before the switch performs any layer 2 or layer 3 processing? (Choose one answer)

- A. Egress
- B. Prelookup
- C. Forwarding
- D. Ingress

Answer: B

Explanation:

According to the FortiSwitch OS 7.6 Administration Guide and the NSE 5 FortiSwitch 7.6 Administrator Study Guide, FortiSwitch supports a multi-stage ACL pipeline that allows for granular traffic control at different points in a packet's journey through the switch. The documentation identifies three primary stages for ACL application: Prelookup, Ingress, and Egress.

* Prelookup (Option D): This is the earliest stage in the switching pipeline. The documentation explicitly states that Prelookup ACLs are processed before any Layer 2 or Layer 3 lookups are performed by the switch hardware. This stage is highly recommended for high-performance security actions, such as dropping unwanted traffic immediately upon arrival, because it prevents the switch from wasting internal resources (CPU and ASIC lookup cycles) on frames that are destined to be discarded anyway.

* Ingress (Option A): This stage occurs after the switch has completed its Layer 2 (MAC table) and Layer 3 (routing table) lookups but before the packet is queued for the egress port. While powerful, actions here occur after initial processing has already taken place.

* Egress (Option C): This stage is processed just before the frame leaves the switch through the destination port. It is typically used for final modifications or filtering based on the outgoing interface context.

Therefore, to achieve the goal of applying actions before any Layer 2 or Layer 3 processing occurs, the Prelookup stage is the technically correct and recommended choice in FortiSwitch OS 7.6. Forwarding (Option B) is a general functional stage of a switch but is not a specific ACL stage type in the FortiSwitch configuration hierarchy.

NEW QUESTION # 34

Which statement about the configuration of VLANs on a managed FortiSwitch port is true?

- A. The native VLAN is implicitly part of the allowed VLAN on the port.
- B. Untagged VLANs must be part of the allowed VLANs: ingress and egress.
- C. FortiSwitch VLAN interfaces are created only when FortiSwitch is managed by Forti-Gate.
- D. Allowed VLANs expand the collision domain to the port.

Answer: A

Explanation:

The native VLAN is implicitly part of the allowed VLAN on the port (C): On a managed FortiSwitch port, the native VLAN, which is the VLAN assigned to untagged traffic, is implicitly included in the list of allowed VLANs. This means it does not need to be explicitly specified when configuring VLAN settings on the port.

This configuration simplifies VLAN management and ensures that untagged traffic is handled correctly without additional configuration steps.

NEW QUESTION # 35

People always want to prove that they are competent and skillful in some certain area. The ways to prove their competences are varied but the most direct and convenient method is to attend the certification exam and get some certificate. The NSE5_FSW_AD-7.6 exam questions have simplified the sophisticated notions. The software boosts varied self-learning and self-assessment functions to check the learning results. The software of our NSE5_FSW_AD-7.6 Test Torrent provides the statistics report function and help the students find the weak links and deal with them.

NSE5_FSW_AD-7.6 Exam Topics: https://www.actualtorrent.com/NSE5_FSW_AD-7.6-questions-answers.html

Most IT workers are desire to work in the NSE5_FSW_AD-7.6, but the high quality and high profession of NSE5_FSW_AD-7.6 valid exam lower the pass rate, Our NSE5_FSW_AD-7.6 exam questions have a 99% pass rate, Many candidates can't successfully pass their real NSE5_FSW_AD-7.6 exams for the reason that they are too nervous to performance rightly as they do the practices, Fortinet NSE5_FSW_AD-7.6 Exam Questions Fee they are a committed team of individuals that make sure that the customers get the latest and most up to date exam material.

The latest certification training materials for Fortinet Practice NSE5_FSW_AD-7.6 Engine practice test are concluded by our certified trainers with a highest standard of accuracy and profession.

Working with Creative Cloud Libraries, Most IT workers are desire to work in the NSE5_FSW_AD-7.6, but the high quality and high profession of NSE5_FSW_AD-7.6 valid exam lower the pass rate.

Maximize Your Chances of Getting Fortinet NSE5_FSW_Ad-7.6 Exam Questions

Our NSE5_FSW_AD-7.6 exam questions have a 99% pass rate. Many candidates can't successfully pass their real NSE5_FSW_AD-7.6 exams for the reason that they are too nervous to performance rightly as they do the practices.

they are a committed team of individuals that make NSE5_FSW_AD-7.6 sure that the customers get the latest and most up to date exam material, Time is the sole criterion for testing truth, similarly, passing rates are the only standard to test whether our NSE5_FSW_AD-7.6 study materials are useful.

