


Certification FCSS_SDW_AR-7.6 Test Answers - Exam FCSS_SDW_AR-7.6 Study Solutions



It is our company that can provide you with special and individual service which includes our FCSS_SDW_AR-7.6 preparation quiz and good after-sale services. Our experts will check whether there is an update on the question bank every day, so you needn't worry about the accuracy of study materials. If there is an update system, we will send them to the customer automatically. As is known to all, our FCSS_SDW_AR-7.6 simulating materials are high pass-rate in this field, that's why we are so famous. If you are still hesitating, our FCSS_SDW_AR-7.6 exam questions should be wise choice for you.

In actuality, the test center around the material is organized flawlessly for self-review considering the way that the competitors who are working in Fortinet working conditions don't get the sufficient opportunity to go to classes for FCSS - SD-WAN 7.6 Architect certification. Thusly, they need to go for self-study and get the right test material to fire scrutinizing up for the FCSS - SD-WAN 7.6 Architect (FCSS_SDW_AR-7.6) exam. By utilizing Fortinet FCSS_SDW_AR-7.6 dumps, they shouldn't stress over any additional assistance with that.

[**>> Certification FCSS_SDW_AR-7.6 Test Answers <<**](#)

Exam FCSS_SDW_AR-7.6 Study Solutions - Valid FCSS_SDW_AR-7.6 Exam Forum

There are more opportunities for possessing with a certification, and our FCSS_SDW_AR-7.6 study materials are the greatest resource to get a leg up on your competition, and stage yourself for promotion. When it comes to our time-tested FCSS_SDW_AR-7.6 study materials, for one thing, we have a professional team contains a lot of experts who have devoted themselves to the research and development of our FCSS_SDW_AR-7.6 Study Materials, thus we feel confident enough under the intensely competitive market. For another thing, conforming to the real exam our FCSS_SDW_AR-7.6 study materials have the ability to catch the core knowledge.

Fortinet FCSS - SD-WAN 7.6 Architect Sample Questions (Q16-Q21):

NEW QUESTION # 16

Refer to the exhibit.

Diagnose output

```
fgt_A # diagnose sys sdwan service4

Service(1): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(8), TOS(0x0/0x0), Protocol(0): src(l->65535):dst(l->65535), Mode(sla), sla=compare-order
Members(3):
 1: Seq_num(4 HUB1-VPN1 HUB1), alive, sla(0x1), gid(0), cfg_order(0), local cost(0), selected
 2: Seq_num(6 HUB1-VPN3 HUB1), alive, sla(0x1), gid(0), cfg_order(1), local cost(0), selected
 3: Seq_num(5 HUB1-VPN2 HUB1), alive, sla(0x0), gid(0), cfg_order(2), local cost(0), selected
Src address(1):
 10.0.1.0-10.0.1.255

Dst address(1):
 10.0.0.0-10.255.255.255

fgt_A # diagnose sys sdwan member | grep HUB1
Member(4): transport-group: 0, interface: HUB1-VPN1, flags=0xd may_child, gateway: 100.64.1.1,
peer: 192.168.1.29, source 192.168.1.1, priority: 15 1024, weight: 0
Member(5): transport-group: 0, interface: HUB1-VPN2, flags=0xd may_child, gateway: 100.64.1.9,
peer: 192.168.1.61, source 192.168.1.33, priority: 10 1024, weight: 0
Member(6): transport-group: 0, interface: HUB1-VPN3, flags=0xd may_child, gateway: 172.16.1.5,
peer: 192.168.1.93, source 192.168.1.65, priority: 1 1024, weight: 0

fgt_A # get router info routing-table all | grep HUB1
S 10.0.0.0/8 [10/0] via HUB1-VPN3 tunnel 172.16.1.5, [1/0]
B 10.0.3.0/24 [200/0] via 192.168.1.2 [3] (recursive is directly connected, HUB1-VPN1), 04:11:41, [1/0]
  [200/0] via 192.168.1.34 [3] (recursive is directly connected, HUB1-VPN2), 04:11:41, [1/0]
B 10.1.0.0/24 [200/0] via 192.168.1.29 (recursive via HUB1-VPN1 tunnel 100.64.1.1), 04:11:42, [1/0]
  [200/0] via 192.168.1.61 (recursive via HUB1-VPN2 tunnel 100.64.1.9), 04:11:42, [1/0]
  [200/0] via 192.168.1.93 (recursive via HUB1-VPN3 tunnel 172.16.1.5), 04:11:42, [1/0]
```



An administrator is troubleshooting SD-WAN on FortiGate. A device behind branch1_fgt generates traffic to the 10.0.0.0/8 network.

The administrator expects the traffic to match SD-WAN rule ID 1 and be routed over HUB1-VPN1. However, the traffic is routed over HUB1-VPN3.

Based on the output shown in the exhibit, which two reasons, individually or together, could explain the observed behavior? (Choose two.)

- A. HUB1-VPN3 has a higher member configuration priority than HUB1-VPN1.
- B. HUB1-VPN1 does not have a valid route to the destination**
- C. The traffic matches a regular policy route configured with HUB1-VPN3 as the outgoing device
- D. HUB1-VPN3 has a lower route priority value (higher priority) than HUB1-VPN1.**

Answer: B,D

NEW QUESTION # 17

Exhibit.

Serial Number	name	branch_id	admin_gw	sdwan_port1_gw	sdwan_port2_gw	lan_interface_ip	latitude	longitude
FGVM01TM22000077	branch1_fgt	1	172.16.0.2	192.2.0.2	192.2.0.10	10.0.1.254	37.37610911	-122.0260914
FGVM01TM22000078	branch2_fgt	2	172.16.0.10	203.0.11.2	203.0.11.10	10.0.2.254	25.77404351	-80.20508525
FGT40FTK20000624	shop1_fgt	11		198.0.1.1		10.10.1.254		
FGT40FTK20000326	shop2_fgt	12	172.16.0.10	100.64.33.2	100.64.33.10	10.10.2.254	48.88941	-9.85125
FGVM02TM24010735						10.0.3.254	45.32482	75.83359

For your ZTP deployment, you review the CSV file shown in exhibit and note that it is missing important information. Which two elements must you change before you can import it into FortiManager? (Choose two.)

- A. You must associate a device blueprint with each device**
- B. You must define a name for each device**
- C. You must define a value for each device and each metadata variable that defines an IP address.
- D. You must define a value for each device and each user-defined metadata variable.

Answer: A,B

NEW QUESTION # 18

Refer to the exhibits.

You use FortiManager to configure SD-WAN on three branch devices.

SD-WAN template zones and rules configuration

SD-WAN Zones							
Create New		Edit	Delete	Where Used	<input type="text"/> Search		
<input type="checkbox"/>	ID	Interface	Gateway	Cost	Priority	Status	Installation Target
<input type="checkbox"/>	virtual-wan-link					Enable	
<input type="checkbox"/>	underlay					Enable	
<input type="checkbox"/>	1	<input checked="" type="checkbox"/> port1	\$sdwan_port1_gw	0	1	Enable	
<input type="checkbox"/>	2	<input checked="" type="checkbox"/> port2	0.0.0.0	0	1	Enable	
<input type="checkbox"/>	WAN3					Enable	
<input type="checkbox"/>	3	<input checked="" type="checkbox"/> port4	\$sdwan_port4_gw	0	1	Enable	1 Device in Total branch1_fgt {root}
<input type="checkbox"/>	HUB1					Enable	
<input type="checkbox"/>	4	<input checked="" type="checkbox"/> HUB1-VPN1	0.0.0.0	0	1	Enable	
<input type="checkbox"/>	5	<input checked="" type="checkbox"/> HUB1-VPN2	0.0.0.0	0	1	Enable	
<input type="checkbox"/>	6	<input checked="" type="checkbox"/> HUB1-VPN3	0.0.0.0	0	1	Enable	

SD-WAN Rules							
Create New		Edit	Delete	More	<input type="text"/> Search		
<input type="checkbox"/>	1	Critical-DIA	<input checked="" type="checkbox"/> LAN-r	<input checked="" type="checkbox"/> Salesforce	<input checked="" type="checkbox"/> port1	<input checked="" type="checkbox"/> port2	any Enable
<input type="checkbox"/>	2	Non-Critical-DIA	<input checked="" type="checkbox"/> LAN-r	<input checked="" type="checkbox"/> Facebook	<input checked="" type="checkbox"/> port2		any Enable
<input type="checkbox"/>	3	Corp	<input checked="" type="checkbox"/> LAN-r	<input checked="" type="checkbox"/> Corp-net	<input checked="" type="checkbox"/> HUB1-VPN1	<input checked="" type="checkbox"/> HUB1-VPN2	any Enable
<input type="checkbox"/>	sd-wan	All	All	Source IP	All		any

FortiManager error message

Install Wizard - Validate Devices (3/4)				
<div style="background-color: #ff8080; padding: 5px; border-radius: 5px;">⚠ Task finished with errors.</div>				
<div style="background-color: #ff8080; padding: 5px; border-radius: 5px;">Installation Preparation Total: 4/4, Success: 3, Warning: 0, Error: 1 Show Details</div>				
<div style="background-color: #ff8080; padding: 5px; border-radius: 5px;">✓ Ready to Install Only successfully validated device may be installed. Please confirm and click "Install" button to continue.</div>				
Install Preview	Device Name	Status	Action	
<input checked="" type="checkbox"/>	Device Name	Status	Action	⚙
<input type="checkbox"/>	branch1_fgt	✖ Copy Failed	Log	
<input checked="" type="checkbox"/>	branch2_fgt	✔ Connection Up		
<input checked="" type="checkbox"/>	branch3_fgt	✔ Connection Up		

View Install Log

```

Copy device global objects

Copy objects for vdom root

Commit failed:
error -999 -- (from Template Group Corp-SOT_Branch) (in Template branches)
invalid ip - prop[gateway]: ip4class(${sdwan_port1_gw}) invalid ip addr

```

When you install the device settings, FortiManager prompts you with the error "Copy Failed" for the device branch1_fgt. When you click the log button, FortiManager displays the message shown in the exhibit.

There are two different ways to resolve this issue. Based on the exhibits, which methods could you use? (Choose two.)

- A. Specify the gateway of the SD-WAN member port1 with an IP address or use the default value.
- B. Update the management IP address of branch1_fgt.
- C. Do not define installation targets for SD-WAN members.
- D. Review the per-device mapping configuration for metadata variables

Answer: A,D

Explanation:

Specify the gateway of the SD-WAN member port1 with an IP address or use the default value → The error log shows invalid ip - prop[gateway]: ip4class(\${sdwan_port1_gw}) invalid ip addr, meaning the variable \${sdwan_port1_gw} does not have a valid mapping. Assigning a valid IP address or default value for the gateway resolves this error.

Review the per-device mapping configuration for metadata variables → The issue is tied to how the metadata variable \${sdwan_port1_gw} is mapped for branch1_fgt. If this device does not have the variable properly defined in per-device mapping, the configuration will fail. Correcting the mapping ensures that the install works.

NEW QUESTION # 19

(Refer to the exhibits.

Extract from Branch-A configuration

```

config system sdwan
  set status enable
  config zone
    edit "virtual-wan-link"
    next
    edit "overlay"
      set advpn-select enable
      set advpn-health-check "HUB1_HC"
    next
  end
  config members
    edit 1
      set interface "T1"
      set zone "overlay"
      set source 10.200.99.1
      set transport-group 1
    next
    edit 2
      set interface "T2"
      set zone "overlay"
      set source 10.200.99.1
      set transport-group 1
    next
    edit 3
      set interface "T3"
      set zone "overlay"
      set source 10.200.99.1
      set transport-group 2
    next
  end

```

Extract from Branch-B configuration

```

config system sdwan
  set status enable
  config zone
    edit "virtual-wan-link"
    next
    edit "overlay"
      set advpn-select enable
      set advpn-health-check "HUB1_HC"
    next
  end
  config members
    edit 1
      set interface "TA"
      set zone "overlay"
      set source 10.200.99.1
      set transport-group 1
    next
    edit 2
      set interface "TB"
      set zone "overlay"
      set source 10.200.99.1
      set transport-group 2
    next
    edit 3
      set interface "TC"
      set zone "overlay"
      set source 10.200.99.1
      set transport-group 3
    next
  end

```

The SD-WAN zones and members configuration of two branch devices are shown. The two branch devices are part of the same hub-and-spoke topology and connect to the same hub. The devices are configured to allow Auto-Discovery VPN (ADVPN). The configuration on the hub allows the initial communication between the two spokes.

When traffic flows require it, between which interfaces can the devices establish shortcuts? Choose one answer.)

- A. Between T3 on Branch-A and TC on Branch-B
- **B. Between T2 on Branch-A and TA on Branch-B**
- C. Any interface in the overlay zones
- D. Interface connected to HUB only

Answer: B

Explanation:

From the exhibit, both branches have an SD-WAN zone named overlay with set advpn-select enable, and each SD-WAN member in that zone is assigned a transport-group value.

Branch-A members:

T1 → transport-group 1

T2 → transport-group 1

T3 → transport-group 2

Branch-B members:

TA → transport-group 1

TB → transport-group 2

TC → transport-group 3

In FCSS SD-WAN 7.6 ADVPN design, transport-group is used to constrain which underlays are allowed to form ADVPN shortcuts with each other. A spoke can establish an ADVPN shortcut only between interfaces that belong to the same transport-group on both sides. This prevents building shortcuts across dissimilar transports.

Evaluating the options:

Option D (T2 on Branch-A with transport-group 1 and TA on Branch-B with transport-group 1) is a valid shortcut pairing.

Option C is not valid because T3 is transport-group 2 while TC is transport-group 3, so they are not permitted to form a shortcut.

Option A is incorrect because not all overlay-zone interfaces are eligible; eligibility is restricted by transport-group matching.

Option B is incorrect because ADVPN shortcuts are spoke-to-spoke tunnels (facilitated by the hub), not limited to "interfaces connected to hub only." Therefore, the valid shortcut pairing listed is between T2 on Branch-A and TA on Branch-B, which corresponds to Option D.

NEW QUESTION # 20

(In the context of SD-WAN, the terms underlay and overlay are commonly used to categorize links.

Which two statements about underlay and overlay links are correct? Choose two answers.)

- A. Only wired connections can be used as underlay links.
- B. FortiLink interface is considered an underlay link.
- **C. Overlay links provide routing flexibility.**
- D. A VLAN is a type of overlay link.
- **E. Wireless connections can be used to build overlay links.**

Answer: C,E

Explanation:

In Fortinet SD-WAN architecture, underlay and overlay have distinct meanings:

Underlay links are the physical or logical transport networks that provide basic IP connectivity (for example, broadband, MPLS, LTE/5G).

Overlay links are virtual tunnels (such as IPsec VPNs) built on top of the underlay, providing abstraction, routing control, and segmentation.

Option B is correct.

Overlay links (for example, IPsec tunnels used in SD-WAN and ADVPN) decouple routing from the physical transport. This allows dynamic path selection, segmentation, and flexible routing policies independent of the underlay. Providing routing flexibility is a core purpose of overlays in SD-WAN.

Option D is correct.

Wireless connections such as LTE or 5G can be used as underlay transports, and overlay tunnels can be built over them. Fortinet SD-WAN fully supports building IPsec overlays on wireless underlays, making wireless links valid for overlay construction.

Why the other options are incorrect:

Option A is incorrect because a VLAN is a Layer 2 segmentation mechanism, not an SD-WAN overlay link.

Option C is incorrect because FortiLink is used for internal management and switch/AP connectivity, not as a WAN underlay for SD-WAN.

Option E is incorrect because underlay links can be wired or wireless; they are not limited to wired connections.

Therefore, the two correct statements are B and D.

NEW QUESTION # 21

.....

In the era of informational globalization, the world has witnessed climax of science and technology development, and has enjoyed the prosperity of various scientific blooms. In 21st century, every country had entered the period of talent competition, therefore, we must begin to extend our FCSS_SDW_AR-7.6 personal skills, only by this can we become the pioneer among our competitors. At the same time, our competitors are trying to capture every opportunity and get a satisfying job. In this case, we need a professional FCSS_SDW_AR-7.6 Certification, which will help us stand out of the crowd and knock out the door of great company.

Exam FCSS_SDW_AR-7.6 Study Solutions: https://www.actual4dump.com/Fortinet/FCSS_SDW_AR-7.6-actualtests-dumps.html

You can make most of your spare time to do the Exam FCSS_SDW_AR-7.6 Study Solutions - FCSS - SD-WAN 7.6 Architect latest dumps like in real test, Fortinet Certification FCSS_SDW_AR-7.6 Test Answers Each servicer has through strictly training and pay high attention to your feelings, Before you buy our FCSS_SDW_AR-7.6 exam training material, you can download the FCSS_SDW_AR-7.6 free demo for reference, We can make sure that it will be very easy for you to pass your FCSS_SDW_AR-7.6 exam and get the related certification in the shortest time that beyond your imagination.

Configuring Web Apps, The nurse is aware that the doctor has ordered FCSS_SDW_AR-7.6 continuous observation because: bullet.jpg |, You can make most of your spare time to do the FCSS - SD-WAN 7.6 Architect latest dumps like in real test.

FCSS_SDW_AR-7.6 Dumps Materials & FCSS_SDW_AR-7.6 Exam Braindumps & FCSS_SDW_AR-7.6 Real Questions

Each servicer has through strictly training and pay high attention to your feelings, Before you buy our FCSS_SDW_AR-7.6 Exam Training material, you can download the FCSS_SDW_AR-7.6 free demo for reference.

We can make sure that it will be very easy for you to pass your FCSS_SDW_AR-7.6 exam and get the related certification in the shortest time that beyond your imagination.

Free demos and up to 1 year of free updates are also available at Actual4dump.

- 2026 100% Free FCSS_SDW_AR-7.6 -Excellent 100% Free Certification Test Answers | Exam FCSS - SD-WAN 7.6 Architect Study Solutions □ Search for ► FCSS_SDW_AR-7.6 ▲ and download it for free immediately on 「 www.pass4test.com 】 □ Study FCSS_SDW_AR-7.6 Dumps
- FCSS_SDW_AR-7.6 Exams □ FCSS_SDW_AR-7.6 Certification Exam Dumps □ Reliable FCSS_SDW_AR-7.6 Test Online □ Simply search for ► FCSS_SDW_AR-7.6 □ for free download on ► www.pdfvce.com □ □ □ □ PDF FCSS_SDW_AR-7.6 VCE
- New FCSS_SDW_AR-7.6 Test Question ↔ Latest FCSS_SDW_AR-7.6 Study Notes □ FCSS_SDW_AR-7.6 PDF Guide □ Copy URL ▷ www.prepawaypdf.com ▲ open and search for ♦ FCSS_SDW_AR-7.6 □ ♦ □ to download for free □ New FCSS_SDW_AR-7.6 Study Notes
- Latest FCSS_SDW_AR-7.6 Exam Experience ♦ Latest FCSS_SDW_AR-7.6 Exam Registration □ FCSS_SDW_AR-7.6 PDF Guide □ Download □ FCSS_SDW_AR-7.6 □ for free by simply searching on { www.pdfvce.com } □ PDF FCSS_SDW_AR-7.6 VCE
- Latest FCSS_SDW_AR-7.6 Exam Registration □ Valid FCSS_SDW_AR-7.6 Test Question □ Valid FCSS_SDW_AR-7.6 Real Test □ Search for □ FCSS_SDW_AR-7.6 □ and download exam materials for free through ► www.pdf4dumps.com ▲ FCSS_SDW_AR-7.6 PDF Guide
- FCSS_SDW_AR-7.6 PDF Guide □ Examinations FCSS_SDW_AR-7.6 Actual Questions □ Reliable FCSS_SDW_AR-7.6 Test Online □ Open 【 www.pdfvce.com 】 enter ▷ FCSS_SDW_AR-7.6 ▲ and obtain a free download □ Valid FCSS_SDW_AR-7.6 Test Question
- PDF FCSS_SDW_AR-7.6 VCE □ Reliable FCSS_SDW_AR-7.6 Test Online □ PDF FCSS_SDW_AR-7.6 VCE ♦ Download ► FCSS_SDW_AR-7.6 □ □ □ for free by simply searching on □ www.prep4away.com □ □ Latest FCSS_SDW_AR-7.6 Exam Experience
- 2026 Certification FCSS_SDW_AR-7.6 Test Answers | Valid FCSS - SD-WAN 7.6 Architect 100% Free Exam Study Solutions □ Enter ▷ www.pdfvce.com ▲ and search for ► FCSS_SDW_AR-7.6 □ to download for free □ New FCSS_SDW_AR-7.6 Test Question
- Certification FCSS_SDW_AR-7.6 Test Answers | Latest Fortinet Exam FCSS_SDW_AR-7.6 Study Solutions: FCSS - SD-WAN 7.6 Architect □ Search for ► FCSS_SDW_AR-7.6 □ and download it for free immediately on [www.prep4sures.top] □ Latest FCSS_SDW_AR-7.6 Exam Registration
- Latest FCSS_SDW_AR-7.6 Exam Questions Vce □ Examinations FCSS_SDW_AR-7.6 Actual Questions □ New

FCSS_SDW_AR-7.6 Test Question □ Search for ➤ FCSS_SDW_AR-7.6 □ and download exam materials for free through ➡ www.pdfvce.com ⇄ □ Exam Topics FCSS_SDW_AR-7.6 Pdf