

# 2026 Valid Certification FCSS\_SDW\_AR-7.4 Questions | FCSS\_SDW\_AR-7.4 100% Free Latest Test Preparation



2026 Latest TestBraindump FCSS\_SDW\_AR-7.4 PDF Dumps and FCSS\_SDW\_AR-7.4 Exam Engine Free Share:  
[https://drive.google.com/open?id=1rLFG9zAUm5AerhtQBi\\_YQGrh-kiHuvmh](https://drive.google.com/open?id=1rLFG9zAUm5AerhtQBi_YQGrh-kiHuvmh)

We are amenable to offer help by introducing our FCSS\_SDW\_AR-7.4 real exam materials and they can help you pass the FCSS - SD-WAN 7.4 Architect practice exam efficiently. All knowledge is based on the real exam by the help of experts. By compiling the most important points of questions into our FCSS\_SDW\_AR-7.4 guide prep our experts also amplify some difficult and important points. Being devoted to this area for over ten years, our experts keep the excellency of our FCSS - SD-WAN 7.4 Architect exam question like always. They are distinguished experts in this area who can beef up your personal capacity. By cutting through the clutter of tremendous knowledge, they picked up the essence into our FCSS\_SDW\_AR-7.4 Guide prep.

## Fortinet FCSS\_SDW\_AR-7.4 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"><li>• <b>Rules and Routing:</b> Targeted at network engineers, this section assesses the ability to configure SD-WAN rules and routing policies. Candidates will be tested on managing traffic flow and prioritization across the SD-WAN infrastructure.</li></ul>
Topic 2	<ul style="list-style-type: none"><li>• <b>Centralized Management:</b> This domain evaluates network administrators' competence in deploying and managing SD-WAN configurations centrally using FortiManager. It includes tasks such as implementing branch configurations and utilizing overlay templates to streamline network management.</li></ul>
Topic 3	<ul style="list-style-type: none"><li>• <b>SD-WAN Troubleshooting:</b> This part assesses the troubleshooting skills of network support specialists. Candidates should be able to diagnose and resolve issues related to SD-WAN rules, session behaviors, routing inconsistencies, and ADVPN connectivity problems to maintain seamless network operations.</li></ul>
Topic 4	<ul style="list-style-type: none"><li>• <b>SD-WAN Configuration:</b> This section of the exam measures the skills of network engineers and covers configuring a basic SD-WAN setup. Candidates are expected to demonstrate their ability to define SD-WAN members and zones effectively, ensuring foundational network segmentation and management.</li></ul>

>> Certification FCSS\_SDW\_AR-7.4 Questions <<

## 100% Pass Quiz Reliable Fortinet - FCSS\_SDW\_AR-7.4 - Certification FCSS - SD-WAN 7.4 Architect Questions

TestBraindump also presents desktop-based Fortinet FCSS\_SDW\_AR-7.4 practice test software which is usable without any

internet connection after installation and only required license verification. FCSS - SD-WAN 7.4 Architect (FCSS\_SDW\_AR-7.4) practice test software is very helpful for all those who desire to practice in an actual FCSS - SD-WAN 7.4 Architect (FCSS\_SDW\_AR-7.4) exam-like environment. FCSS - SD-WAN 7.4 Architect (FCSS\_SDW\_AR-7.4) practice test software contains many Fortinet FCSS\_SDW\_AR-7.4 practice exam designs just like the real FCSS - SD-WAN 7.4 Architect (FCSS\_SDW\_AR-7.4) exam.

## **Fortinet FCSS - SD-WAN 7.4 Architect Sample Questions (Q43-Q48):**

### **NEW QUESTION # 43**

Which statement describes FortiGate behavior when you reference a zone in a static route?

- A. FortiGate routes the traffic through the best performing member of the zone.
- B. FortiGate installs ECMP static routes for the first two members of the zone.
- **C. FortiGate installs a static route for each member in the zone.**
- D. FortiGate ignores the static routes defined through members referenced in the zone.

**Answer: C**

### **NEW QUESTION # 44**

Within the context of SD-WAN, what does SIA correspond to?


- A. Software Internet Access
- B. Local Breakout
- C. Secure Internet Authorization
- **D. Remote Breakout**

**Answer: D**

Explanation:

## SD-WAN Use Cases—SIA

- Internet traffic steered across overlay links to:
  - Centralize inspection on the hub
  - Improve performance if DIA performance is poor
  - Provide internet access if DIA is unavailable
- Typical operation:
  - Internet traffic is steered to MPLS
  - Hub performs thorough inspection



Secure internet access (SIA), also known as remote breakout, is another use case for SD-WAN. Internet traffic from the spokes is backhauled through the WAN using overlay links. When the traffic arrives at the hub, it breaks out to the internet.

The most common reason to use SIA is to centralize security inspection and internet access on the hub. For example, you can have a central high-end FortiGate device that inspects all the internet traffic that leaves the organization and that conforms with the company policy, instead of having each low-end spoke FortiGate device to inspect traffic, thus reducing costs and administrative overhead.

Another reason to use SIA is for DIA backup. For example, you could configure FortiGate to steer internet traffic through an MPLS link if the performance measured for internet applications on internet links is worse than on MPLS links, or simply if the internet link becomes unavailable.

### NEW QUESTION # 45

Refer to the exhibit.

## Diagnose output

```
fgt_1 # diagnose sys adwan service4

Service(1): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(1), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(priority),
link-cost-factor(latency), link-cost-threshold(10), health-check(Corp_HC)
Members(2):
  1: Seq_num(2 port2 underlay), alive, latency: 0.906, selected
  2: Seq_num(1 port1 underlay), alive, latency: 1.079, selected
Application Control(2): Microsoft.Portal(41469,0) Business(0,29)
Src address(1):
  10.0.1.0-10.0.1.255

Service(2): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(1), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(manual)
Members(1):
  1: Seq_num(2 port2 underlay), alive, selected
Application Control(2): Social.Media(0,23) General.Interest(0,12)
Src address(1):
  10.0.1.0-10.0.1.255

Service(1): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(1), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(priority),
link-cost-factor(latency), link-cost-threshold(10), health-check(Corp_HC)
Members(2):
  1: Seq_num(2 port2 underlay), alive, latency: 0.906, selected
  2: Seq_num(1 port1 underlay), alive, latency: 1.079, selected
Application Control(2): Microsoft.Portal(41469,0) Business(0,29)
Src address(1):
  10.0.1.0-10.0.1.255

Service(2): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(1), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(manual)
Members(1):
  1: Seq_num(2 port2 underlay), alive, selected
Application Control(2): Social.Media(0,23) General.Interest(0,12)
Src address(1):
  10.0.1.0-10.0.1.255

Service(3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(1), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(sla
hash-mode-round-robin)
Members(3):
  1: Seq_num(4 HQ_T1 overlay), alive, sla(0x3), gid(0), cfg_order(0),
local cost(0), selected
  2: Seq_num(5 HQ_T2 overlay), alive, sla(0x3), gid(0), cfg_order(1),
local cost(0), selected
  3: Seq_num(6 HQ_T3 overlay), alive, sla(0x3), gid(0), cfg_order(2),
local cost(0), selected
Src address(1):
  10.0.1.0-10.0.1.255

Dst address(1):
  0.0.0.0-255.255.255.255
```

The exhibit shows output of the command `diagnose sys adwan aervice4` collected on a FortiGate device. The administrator wants to know through which interface FortiGate will steer traffic from local users on subnet 10.0.1.0/255.255.255.192 and with a destination of the social media application Facebook. Based on the exhibits, which two statements are correct? (Choose two.)

- A. When FortiGate cannot recognize the application of the flow, it steers the traffic through the preferred member of rule 3, HQ\_T1.
- B. When FortiGate cannot recognize the application of the flow, it load balances the traffic through the tunnels HQ\_T1, HQ\_T2, HQ\_T3.
- C. FortiGate steers traffic for social media applications according to the service rule 2 and steers traffic through port2.
- D. There is no service defined for the Facebook application, so FortiGate applies service rule 3 and directs the traffic to headquarters.

**Answer: B,C**

Explanation:

Application-based SD-WAN rules enable intelligent traffic steering. The guide specifies:

"If a flow is identified as belonging to a defined application category (such as social media), FortiGate will match it to the

corresponding service rule (rule 2) and route it through the specified interface, such as port2. However, if the application is not recognized during the session setup, the system defaults to load balancing the traffic using the available tunnels according to the policy for unclassified traffic, ensuring continuous connectivity while waiting for application classification." This guarantees both performance and resilience.

#### NEW QUESTION # 46

Refer to the exhibit.



The administrator analyzed the traffic between a branch FortiGate and the server located in the data center, and noticed the behavior shown in the diagram.

When the LAN clients located behind FGT1 establish a session to a server behind DC-1, the administrator observes that, on DC-1, the reply traffic is routed over T2, even though T1 is the preferred member in the matching SD-WAN rule.


What can the administrator do to instruct DC-1 to route the reply traffic through the member with the best performance?

- A. Enable auxiliary-session under config system settings.
- B. Enable reply-session under config system sdwan.
- C. FortiGate route lookup for reply traffic only considers routes over the original ingress interface.
- D. Enable snat-route-change under config system global.

Answer: A

#### NEW QUESTION # 47

Exhibit.



Two hub-and-spoke groups are connected through redundant site-to-site IPsec VPNs between Hub 1 and Hub 2. Which two configuration settings are required for the spoke A1 to establish an ADVPN shortcut with the spoke B2? (Choose two.)

- A. On hubs, auto-discovery-forwarder must be enabled on the IPsec VPNs to spokes.
- B. On hubs, auto-discovery-forwarder must be enabled on the IPsec VPNs to hubs.
- C. On hubs, auto-discovery-sender must be enabled on the IPsec VPNs to spokes.
- D. On hubs, auto-discovery-receiver must be enabled on the IPsec VPNs to spokes.

