

1z0-1104-25最新受験攻略 & 1z0-1104-25シュミレーション問題集



さらに、Jpexam 1z0-1104-25ダンプの一部が現在無料で提供されています: <https://drive.google.com/open?id=1pJnzCfb6-A5EwDSzSqA2olzdB1KSoNv>

このほど、卒業生であれば、社会人であれば、ずっと「就職難」問題が存在し、毎年、「就職氷河期」といった言葉が聞こえてくる。ブームになるIT技術業界でも、多くの人はこういう悩みがあるんですから、Oracleの1z0-1104-25の能力を把握できるのは欠かさせない技能であると考えられます。もし我々社のJpexamの1z0-1104-25問題集を手に入れて、速くこの能力をゲットできます。それで、「就職難」の場合には、他の人々と比べて、あなたはずっと優位に立つことができます。

すべての人に1z0-1104-25試験問題を試す機会を提供するために、当社の専門家がすべての人向けの1z0-1104-25準備ガイドの試用版を設計しました。当社の製品を購入することを希望する場合。1z0-1104-25テストプラクティスファイルを購入する前に、当社の試用版を試すことができます。試用版はデモを提供します。さらに重要なことは、当社のデモはすべての人にとって無料です。無料デモで、当社の1z0-1104-25準備資料を深く理解できます。

>> 1z0-1104-25最新受験攻略 <<

Oracle 1z0-1104-25 Exam | 1z0-1104-25最新受験攻略 - 返金保証 1z0-1104-25シュミレーション問題集

Oracle 1z0-1104-25試験を目前に控えて、不安なのですか。我々社のOracle 1z0-1104-25問題集のソフト版を購入するに値するかまだ疑問がありますか。こうしたら、我々Jpexamの1z0-1104-25問題集デモを無料でダウンロードして行動してみよう。我々提供する1z0-1104-25試験資料はあなたの需要を満足できると知られています。我々にとって、Oracle 1z0-1104-25試験に参加する圧力を減らして備考効率を高めるのは大変名誉のことです。

Oracle Cloud Infrastructure 2025 Security Professional 認定 1z0-1104-25 試験問題 (Q14-Q19):

質問 # 14


Challenge 2 - Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the

Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 2: Create a Security Zone

Create a security Zone named IAD_SAP-PBT-CSZ-01 in your assigned compartment and associate it with the Custom Security Zone Recipe (IAD-SAP-PBT-CSP-01) created in the previous task.

Enter the OCID of the created Security zone in the box below.

Security Zone name: IAD-SP-PBT-CSZ-01
Associated Recipe: IAD-SP-PBT-CSP-01
Compartment: 98815992-C01
Purpose: Allow compute in Public Subnet

ORACLE

正解:

解説:

See the solution below in Explanation.

Explanation:

To create a Security Zone named IAD_SAP-PBT-CSZ-01 in your assigned compartment and associate it with the Custom Security Zone Recipe IAD-SP-PBT-CSP-01 created in the previous task, follow these steps based on the Oracle Cloud Infrastructure (OCI) Security Zones documentation.

Step-by-Step Solution for Task 2: Create a Security Zone

* Log in to the OCI Console:

- * Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).
- * Ensure you have access to the assigned compartment.
- * Navigate to Security Zones:
- * From the OCI Console, click the navigation menu (hamburger icon) on the top left.
- * Under Governance and Administration, select Security Zones.
- * Create a New Security Zone:
- * In the Security Zones dashboard, click the Create Security Zone button.
- * Configure the Security Zone Details:
- * Name: Enter IAD_SAP-PBT-CSZ-01.
- * Compartment: Select the assigned compartment provided.
- * Description: (Optional) Add a description, e.g., "Security Zone for public subnet compute instances."
- * Associate the Custom Security Zone Recipe:
- * In the Recipe section, select the custom recipe IAD-SP-PBT-CSP-01 created in Task 1 from the dropdown list.
- * Ensure the recipe is correctly associated to enforce the policy allowing compute instances in the public subnet.
- * Define the Security Zone Scope:
- * Under Resources to Protect, select the compartment or specific resources (e.g., the VCN with CIDR 10.0.0.0/16 and public subnet 10.0.10.0/24) to apply the security zone.
- * Check the box to include all resources in the selected compartment if applicable.
- * Create the Security Zone:
- * Click Create to finalize the security zone creation.
- * Once created, note the OCID of the security zone from the security zone details page. The OCID will be a unique identifier starting with ocid1.securityzone.
- * Verify the Security Zone:
- * Go to the Security Zones tab and locate IAD_SAP-PBT-CSZ-01.
- * Confirm the associated recipe (IAD-SP-PBT-CSP-01) and the applied policies.

OCID of the Created Security Zone

- * The exact OCID will be generated upon creation (e.g., ocid1.securityzone.oc1..<unique_string>).

Please enter the OCID displayed in the OCI Console after completing Step 7.

質問 # 15

When trying to encrypt plaintext using Command Line Interface (CLI), the developer gets a Service Error. This is the command the developer tried to run:



What is the reason for this error?

- A. The developer forgot to specify the region.
- B. The plaintext needs to be in JSON form.
- C. The user should pass the key version OCID instead of the key OCID.
- D. The developer has the wrong endpoint.

正解: C


質問 # 16

Challenge 2 - Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 1: Create a Custom Security Zone Recipe

Create a Custom Security Zone Recipe named IAD-SP-PBT-CSP-01 that allows the provisioning of compute instances in the public subnet.

Enter the OCID of the created custom security zone recipe in the text box below.

正解:

解説:

See the solution below in Explanation.

Explanation:

To create a Custom Security Zone Recipe named IAD-SP-PBT-CSP-01 that allows the provisioning of compute instances in a public subnet, we will follow the steps outlined in the Oracle Cloud Infrastructure (OCI) Security Zones documentation. These steps are based on verified procedures from the OCI Security Zone Guide and related resources.

Step-by-Step Solution for Task 1: Create a Custom Security Zone Recipe

* Log in to the OCI Console:

* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

* Ensure you have access to the assigned compartment provided in the tenancy.

* Navigate to Security Zones:

* From the OCI Console, go to the navigation menu (hamburger icon) on the top left.

* Under Governance and Administration, select Security Zones.

* Create a New Security Zone Recipe:

- * In the Security Zones dashboard, click on the Recipe tab.
- * Click the Create Recipe button.
- * Configure the Recipe Details:
 - * Name: Enter IAD-SP-PBT-CSP-01.
 - * Description: (Optional) Add a description, e.g., "Custom recipe to allow compute instances in public subnet."
 - * Leave the Compartment as the assigned compartment provided.
 - * Define the Security Zone Policy:
 - * In the policy editor, start with a base policy. Since the Maximum Security Zone recipe restricts public subnet usage, you need to customize it.
 - * Add the following policy statement to allow compute instances in a public subnet:
 Allow service compute to use virtual-network-family in compartment <compartment-name> where ALL { target.resource.type = 'Instance', target.vcn.cidr_block = '10.0.0.0/16', target.subnet.cidr_block = '10.0.10.0/24' }
 - * Replace <compartment-name> with the name of your assigned compartment.
 - * This policy allows the Compute service to provision instances in the public subnet (10.0.10.0/24) within the VCN (10.0.0.0/16).
 - * Adjust Restrictions:
 - * Ensure the recipe does not inherit the Maximum Security Zone recipe's default restrictions that block public subnet usage. Explicitly allow the public subnet by including the subnet CIDR block (10.0.10.0/24) in the policy.
 - * Remove or modify any conflicting default rules that prohibit public subnet usage (e.g., rules blocking internet access or public IP assignment).
 - * Save the Recipe:
 - * Click Create to save the custom security zone recipe.
 - * Once created, note the OCID of the recipe from the recipe details page. The OCID will be a unique identifier starting with ocid1.securityzonerecipe.
 - * Verify the Recipe:
 - * Go to the Recipe tab and locate IAD-SP-PBT-CSP-01.
 - * Ensure the policy reflects the allowance for compute instances in the public subnet by reviewing the policy statement. OCID of the Created Custom Security Zone Recipe
 - * The exact OCID will be generated upon creation (e.g., ocid1.securityzonerecipe.oc1..unique_string).

Please enter the OCID displayed in the OCI Console after completing Step 7.

Notes

 - * Ensure IAM policies are correctly configured to grant you permissions to create and manage security zone recipes in the compartment.
 - * The policy assumes the public subnet CIDR (10.0.10.0/24) matches the diagram. Adjust if the actual subnet CIDR differs.
 - * Test the recipe by associating it with a security zone and attempting to launch a compute instance to confirm compliance.

質問 # 17

You are a security architect at your organization and have noticed an increase in cyberattacks on your applications, including Cross-Site Scripting (XSS) and SQL Injection. To mitigate these threats, you decide to use OCI Web Application Firewall (WAF). Which type of OCI WAF rule should you configure to protect against these attacks?

- A. Encryption rule
- **B. Protection rule**
- C. Access control rule
- D. Rate Limiting rule

正解: B

質問 # 18

According to the Oracle Cloud Infrastructure (OCI) Shared Responsibility Model, which statement accurately reflects OCI's responsibility for security?

- A. OCI has no security responsibilities; customers need to secure their resources.
- **B. OCI is responsible for securing the underlying infrastructure but not customer data.**
- C. Customers are responsible for securing both infrastructure and data.
- D. OCI provides security only for free-tier services; customers secure everything else.

正解: B

質問 #19

.....

認めなければならないことは、あなたが所有する認定資格がますます増えていることです。これが、1z0-1104-25認定を取得することの重要性を認識する必要がある理由です。私たちの将来の雇用のためのより資格のある認定は、彼らの能力を証明するのに十分な資格認定を持っているだけで、社会的競争でライバルに勝つことができると思なされる効果があります。したがって、1z0-1104-25ガイド急流は、ユーザーがより速く、より効率的に参加するために必要な資格のある1z0-1104-25試験に合格するのに役立ちます。

1z0-1104-25 シミュレーション問題集: https://www.jpexam.com/1z0-1104-25_exam.html

それはきっと君のOracleの1z0-1104-25試験に合格することの良い参考資料です、これにより、1z0-1104-25試験に合格するための知識を深め、自己啓発を強化できます、Oracle 1z0-1104-25最新受験攻略 あなたが素晴らしい成績をとれることは間違いありません、みんなはソフト版とオンラインで1z0-1104-25問題を繰り返して操作することができます、Oracle 1z0-1104-25「Oracle Cloud Infrastructure 2025 Security Professional」認定試験の問題集を購入したすべてのお客様に一年間の無料更新サービスを提供します、また、Webサイトの1z0-1104-25学習ガイドのページにアクセスして、1z0-1104-25試験問題を理解することができます、我々社のOracle 1z0-1104-25試験練習問題はあなたに試験うま合格できるのを支援します。

課の人間には、みんなそんな態度だったのかもしれない、バンボーイの容姿レベルは高水準を維持してるからね、それはきっと君のOracleの1z0-1104-25試験に合格することの良い参考資料です、これにより、1z0-1104-25試験に合格するための知識を深め、自己啓発を強化できます。

Oracle 1z0-1104-25 はこれで決まり

あなたが素晴らしい成績をとれることは間違いありません、みんなはソフト版とオンラインで1z0-1104-25問題を繰り返して操作することができます、Oracle 1z0-1104-25「Oracle Cloud Infrastructure 2025 Security Professional」認定試験の問題集を購入したすべてのお客様に一年間の無料更新サービスを提供します。

- Oracle 1z0-1104-25最新受験攻略: Oracle Cloud Infrastructure 2025 Security Professional - www.it-passports.com 信頼できるプロバイダ □ 今すぐ“www.it-passports.com”で▷ 1z0-1104-25 ◁を検索し、無料でダウンロードしてください1z0-1104-25日本語対策問題集
- 1z0-1104-25テストサンプル問題 □ 1z0-1104-25合格記 □ 1z0-1104-25受験記対策 □ サイト「www.goshiken.com」で□ 1z0-1104-25 □問題集をダウンロード1z0-1104-25テストサンプル問題
- 最新の1z0-1104-25最新受験攻略試験ツールの保証購入の安全性1z0-1104-25シミュレーション問題集 □ 時間限定無料で使える✓ 1z0-1104-25 □✓□の試験問題は□ www.shikenpass.com □サイトで検索1z0-1104-25関連資料
- 認定する-ハイパスレートの1z0-1104-25最新受験攻略試験-試験の準備方法1z0-1104-25シミュレーション問題集 □ “www.goshiken.com”から簡単に□ 1z0-1104-25 □を無料でダウンロードできます1z0-1104-25コンポーネント
- 1z0-1104-25資格トレーニング ⇨ 1z0-1104-25関連資料 □ 1z0-1104-25コンポーネント □ (www.shikenpass.com) にて限定無料の「 1z0-1104-25 」問題集をダウンロードせよ 1z0-1104-25日本語認定
- 1z0-1104-25関連資料 □ 1z0-1104-25日本語対策問題集 ♡ 1z0-1104-25日本語認定 □ ⇒ www.goshiken.com ⇐ には無料の□ 1z0-1104-25 □問題集があります1z0-1104-25試験勉強過去問
- 真実的な1z0-1104-25最新受験攻略 - 合格スムーズ1z0-1104-25シミュレーション問題集 | 有難い1z0-1104-25最新資料 □ ウェブサイト【 jp.fast2test.com 】を開き、“1z0-1104-25”を検索して無料でダウンロードしてください1z0-1104-25試験過去問
- 1z0-1104-25テスト内容 □ 1z0-1104-25コンポーネント □ 1z0-1104-25日本語認定 □ ➡ www.goshiken.com □□□を開いて□ 1z0-1104-25 □を検索し、試験資料を無料でダウンロードしてください1z0-1104-25ファンデーション
- 正確の1z0-1104-25 | 素晴らしい1z0-1104-25最新受験攻略試験 | 試験の準備方法Oracle Cloud Infrastructure 2025 Security Professionalシミュレーション問題集 □ ウェブサイト□ www.passtest.jp □を開き、➡ 1z0-1104-25 □を検索して無料でダウンロードしてください1z0-1104-25資格講座
- 便利-素晴らしい1z0-1104-25最新受験攻略試験-試験の準備方法1z0-1104-25シミュレーション問題集 □ □ www.goshiken.com □にて限定無料の「 1z0-1104-25 」問題集をダウンロードせよ 1z0-1104-25関連資料
- 早速ダウンロード 1z0-1104-25最新受験攻略 - 資格試験のリーダー - 信頼できる 1z0-1104-25シミュレーション問題集 □ サイト「 www.xhs1991.com 」で▷ 1z0-1104-25 ◁問題集をダウンロード1z0-1104-25無料過去問
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, tacservices.co.ke, ncon.edu.sa, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, mpgimer.edu.in, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

ちなみに、Jpexam 1z0-1104-25の一部をクラウドストレージからダウンロードできます：<https://drive.google.com/open?id=1pJnzCfb6-A5EwDSzSqA2olzdB1KSoNv>