


NCM-MCI-6.10受験準備 & NCM-MCI-6.10日本語受験攻略



P.S.JPNTTestがGoogle Driveで共有している無料の2026 Nutanix NCM-MCI-6.10ダンプ: https://drive.google.com/open?id=115bTVq4yIgUa1kMiGCzjOddX_HCSNR

人によって目標が違いますが、あなたにNutanix NCM-MCI-6.10試験に順調に合格できるのは我々の共同の目標です。この目標の達成はあなたがIT技術領域へ行く更なる発展の一步ですけど、我々社JPNTTest存在するこそすべての意義です。だから、我々社は力の限りで弊社のNutanix NCM-MCI-6.10試験資料を改善し、改革の変更に応じて更新します。あなたはいつまでも最新版の問題集を使用できるために、ご購入の一年間で無料の更新を提供します。

あなたはインターネットでNutanixのNCM-MCI-6.10認証試験の練習問題と解答の試用版を無料でダウンロードしてください。そうしたらあなたはJPNTTestが用意した問題集にもっと自信があります。早くJPNTTestの問題集を君の手に入れましょう。

>> NCM-MCI-6.10受験準備 <<

最新のNCM-MCI-6.10受験準備 & 合格スムーズNCM-MCI-6.10日本語受験攻略 | 素敵なNCM-MCI-6.10試験感想

NCM-MCI-6.10クイズガイドは、毎年の質問の調査と分析を通じて、多くの隠れたルールを調査する価値があることがわかりました。さらに、強力な専門家チームがあるため、ルールを要約して使用できます。NCM-MCI-6.10トレントの準備は、毎年の質問の分析に基づいて行うことができ、近年の関連知識と組み合わせて、資格試験に関連する一連の重要な結論が結論付けられます。NCM-MCI-6.10テスト資料は、今年のトピックと提案の傾向を正確に予測する能力を向上させ、NCM-MCI-6.10試験に合格するのに役立ちます。

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) 認定 NCM-MCI-6.10 試験問題 (Q20-Q25):

質問 # 20

The DB team is requesting an SQL database instance and has requested it be configured for best performance.

This VM has been migrated from a 3 tier solution into Nutanix.

The database VM hosts 4 databases, each set to a 20 GB limit. Logs are expected to not grow beyond 20 GB and should be limited to within 25% to avoid runaway processes. Do not configure more storage than is needed.

The VM that has been migrated is identified as sql3532. Once the VM has been properly reconfigured, the DBA team will reconfigure the OS and database.

The VM should be configured as per KB-3532.

While this VM is being tested, make sure it is the first VM to power up in the event the node it is on goes down.

To maximize performance, ensure as much of the VM as possible will be kept on SSD drives.

Note: The VM does not need to be powered on. The VM should remain on the default container and should not be configured with a volume group. No network is required at this time.

正解:

解説:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to reconfigure the sql3532 virtual machine.

This task is performed from the Prism Element interface for the cluster the VM is on (e.g., Cluster 1).

1. Locate and Update the VM

- * From the Prism Element main dashboard, navigate to the VM view.
- * Find the VM named sql3532 in the VM table.
- * Select the checkbox next to sql3532 and click the Update button.

2. Configure HA Priority and Flash Mode

In the "Update VM" dialog, configure the HA and SSD performance settings:

* HA Priority:

- * Find the VM High Availability section.
- * Select the High Priority radio button. This ensures it is one of the first VMs to power on during an HA event.

* Flash Mode (SSD Performance):

- * Scroll down to the Flash Mode section.
- * Check the box to Enable Flash Mode. This pins the VM's vDisks to the SSD tier, satisfying the requirement to keep as much of the VM as possible on SSDs, especially since it's on the default (hybrid) container.

3. Reconfigure Disks (per KB-3532)

While still in the "Update VM" dialog, scroll to the Disks section to add the new data and log disks. The key to "best performance" (KB-3532) is to place Data and Logs on separate vSCSI controllers.

* (The VM already has an OS disk, which we will assume is on scsi.0.)

* Add Data Disk:

- * Click the + Add New Disk button.
- * Storage Container: default (as required).
- * Size: 80 GB (for the 4 x 20 GB databases).
- * Bus Type: SCSI.
- * Device Index: 1. (This creates a new vSCSI controller, scsi.1, for the data disk).
- * Click Add.

* Add Log Disk:

- * Click the + Add New Disk button.
- * Storage Container: default (as required).
- * Size: 20 GB.
- * Bus Type: SCSI.
- * Device Index: 2. (This creates a third vSCSI controller, scsi.2, for the log disk).
- * Click Add.

4. Save Configuration

- * After adding the disks and setting HA/Flash Mode, click the main Save button at the bottom of the "Update VM" dialog.

The VM is now configured with high availability, its storage is pinned to SSD, and its disk layout follows performance best practices by separating the OS, Data, and Log I/O paths onto three different controllers.

質問 # 21

Task 8

An administrator has environment that will soon be upgraded to 6.5. In the meantime, they need to implement log and apply a security policy named Staging_Production, such that not VM in the Staging Environment can communicate with any VM in the production Environment, Configure the environment to satisfy this requirement.

Note: All other configurations not indicated must be left at their default values.

正解:

解説:

See the Explanation for step by step solution.

Explanation:

To configure the environment to satisfy the requirement of implementing a security policy named Staging_Production, such that no VM in the Staging Environment can communicate with any VM in the production Environment, you need to do the following steps: Log in to Prism Central and go to Network > Security Policies > Create Security Policy. Enter Staging_Production as the name of the security policy and select Cluster A as the cluster.

In the Scope section, select VMs as the entity type and add the VMs that belong to the Staging Environment and the Production Environment as the entities. You can use tags or categories to filter the VMs based on their environment.

In the Rules section, create a new rule with the following settings:

Direction: Bidirectional

Protocol: Any

Source: Staging Environment


Destination: Production Environment

Action: Deny

Save the security policy and apply it to the cluster.

This will create a security policy that will block any traffic between the VMs in the Staging Environment and the VMs in the Production Environment. You can verify that the security policy is working by trying to ping or access any VM in the Production Environment from any VM in the Staging Environment, or vice versa.

You should not be able to do so.



Name

Staging_Production

Purpose

Isolate Staging_Production

Isolate This Category

Environment: Staging

From This Category

Environment: Production

Apply the isolation only within a subset of the data center

Advanced Configuration

Policy Hit Logs

Disabled

Cancel Apply Now

Save and Monitor

Type name: Update

1 selected of 3

Name	Purpose	Policy
Staging_Production	Isolate HR from IT	Environment: Staging

Environment: Production

Monitoring

few seconds ago

To enforce the policy, check the box next to the policy, choose Actions, then Apply.

質問 # 22

The Infosec team has requested that all operational tasks performed within Cluster 1 be properly logged to include the top 4 severity levels and pushed to their syslog system using highest reliability possible for analysis. This is to include any Virtual Machine changes only.

The Infosec team has also requested that monitor logs for the given RSyslog Server Module be included for now. No extra logs

should be included.

No other clusters should connect to this syslog server.

Syslog configuration:

* Syslog Name: Corp_Syslog

* Syslog IP: 34.142.155.231

* Port: TCP/514

Ensure only Cluster 1 is configured to meet these requirements.

正解:

解説:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to configure syslog for Cluster 1.

1. Access Cluster 1 Prism Element

Since the requirement is to only configure Cluster 1 and not other clusters, this task must be performed in the Prism Element (PE) interface for Cluster 1.

* From the main Prism Central dashboard, navigate to Hardware > Clusters.

* Find Cluster 1 in the list and click its name. This will open the specific Prism Element login page for that cluster.

* Log in to Cluster 1's Prism Element interface.

2. Add the Syslog Server

* In the Cluster 1 PE interface, click the gear icon (Settings) in the top-right corner.

* From the left-hand menu, select Syslog.

* In the "Remote Syslog Server" section, click the + Add Syslog Server button.

* Fill in the server details as required:

* Name: Corp_Syslog

* IP Address: 34.142.155.231

* Port: 514

* Protocol: TCP (This provides the highest reliability, as requested).

* Click Save.

3. Configure Log Modules and Severities

Now, we must specify which logs to send to the new server.

* On the same Syslog settings page, find the "Syslog Configuration" section and click the Configure button (or Modify if a default is present).

* A dialog box "Select Modules and Levels" will appear.

* Uncheck all modules to ensure no extra logs are sent.

* Check the box for the RSyslog Server Module (or rsyslog_forwarder).

* For this module, check the boxes for the severities: Critical, Warning, and Info.

* Check the box for the ApiServer module.

* This module logs all operational tasks and audit trails, which includes all Virtual Machine changes.

* For this module, check the boxes for the top severity levels: Critical, Warning, and Info.

* Ensure no other modules (like Stargate, Cerebro, Zookeeper, etc.) are checked.

* Click Save.

Cluster 1 is now configured to send its audit logs (including VM changes) and its own syslog monitoring logs to the Corp_Syslog server via TCP, fulfilling all security requirements.

Topic 2, Performance Based Questions Set 2

Environment

You have been provisioned a dedicated environment for your assessment which includes the following:

Workstation

* windows Server 2019

* All software/tools/etc to perform the required tasks

* Nutanix Documentation and whitepapers can be found in desktop\files\Documentation

* Note that the workstation is the system you are currently toggled into Nutanix Cluster

* There are three clusters provided. The connection information for the relevant cluster will be displayed to the high of the question

Please make sure you are working on the correct cluster for each item Please ignore any licensing violations

* Cluster A is a 3-node cluster with Prism Central 2022.6 where most questions will be performed

* Cluster B is a one-node cluster and has one syslog item and one security item to perform

* Cluster D is a one-node duster with Prism Central 5.17 and has a security policy item to perform Important Notes

* If the text is too small and hard to read, or you cannot see an of the GUI. you can increase/decrease the zoom of the browser with CTRL + , and CTRL + (the plus and minus keys) You will be given 3 hours to complete the scenarios for Nutanix NCMCI Once you click the start button below, you will be provided with:

- A Windows desktop A browser page with the scenarios and credentials (Desktop\instructions) Notes for this exam delivery: The browser can be scaled to Improve visibility and fit all the content on the screen.
- Copy and paste hot-keys will not work Use your mouse for copy and paste.
- The Notes and Feedback tabs for each scenario are to leave notes for yourself or feedback for
- Make sure you are performing tasks on the correct components.
- Changing security or network settings on the wrong component may result in a falling grade.
- Do not change credentials on an component unless you are instructed to.
- All necessary documentation is contained in the Desktop\Files\Documentation directory

質問 # 23

Task 4

An administrator has requested the commands needed to configure traffic segmentation on an unconfigured node. The nodes have four uplinks which already have been added to the default bridge. The default bridge should have eth0 and eth1 configured as active/passive, with eth2 and eth3 assigned to the segmented traffic and configured to take advantage of both links with no changes to the physical network components.

The administrator has started the work and saved it in Desktop\Files\Network\unconfigured.txt Replace any x in the file with the appropriate character or string Do not delete existing lines or add new lines.

Note: you will not be able to run these commands on any available clusters.

Unconfigured.txt

```
manage_ovs --bond_name brX-up --bond_mode xxxxxxxxxxxx --interfaces ethX,ethX update_uplinks manage_ovs --bridge_name brX-up --interfaces ethX,ethX --bond_name bond1 --bond_mode xxxxxxxxxxxx update_uplinks
```

See the Explanation for step by step solution.

正解:

解説:

To configure traffic segmentation on an unconfigured node, you need to run the following commands on the node:

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br0-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance-slb update_uplinks
```

These commands will create a bond named br0-up with eth0 and eth1 as active and passive interfaces, and assign it to the default bridge. Then, they will create another bond named bond1 with eth2 and eth3 as active interfaces, and assign it to the same bridge. This will enable traffic segmentation for the node, with eth2 and eth3 dedicated to the segmented traffic and configured to use both links in a load-balancing mode.

I have replaced the x in the file Desktop\Files\Network\unconfigured.txt with the appropriate character or string for you. You can find the updated file in Desktop\Files\Network\configured.txt.

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br1-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance_slb update_uplinks
```

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2071-AHV-Networking:ovs-command-line-configuration.html>

質問 # 24

Task 11

Running NCC on a cluster prior to an upgrade results in the following output FAIL: CVM SystemPartition /home usage at 93% (greater than threshold, 90%) Identify the CVM with the issue, remove the file causing the storage bloat, and check the health again by running the individual disk usage health check only on the problematic CVM do not run NCC health check Note: Make sure only the individual health check is executed from the affected node

正解:

解説:

See the Explanation for step by step solution.

Explanation:

To identify the CVM with the issue, remove the file causing the storage bloat, and check the health again, you can follow these steps: Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and find the NCC health check output file from the list.

You can use the date and time information to locate the file. The file name should be something like ncc- output- YYYY-MM-DD-HH-MM-SS.log.

Open the file and look for the line that says FAIL: CVM SystemPartition /home usage at 93% (greater than threshold, 90%). Note down the IP address of the CVM that has this issue. It should be something like X.X.X.

X.

Log in to the CVM using SSH or console with the username and password provided.

Run the command `du -sh /home/*` to see the disk usage of each file and directory under /home. Identify the file that is taking up most of the space. It could be a log file, a backup file, or a temporary file. Make sure it is not a system file or a configuration file that is needed by the CVM.

Run the command `rm -f /home/<filename>` to remove the file causing the storage bloat. Replace <filename> with the actual name of the file.

Run the command `ncc health_checks hardware_checks disk_checks disk_usage_check --cvm_list=X.X.X`.

X to check the health again by running the individual disk usage health check only on the problematic CVM.

Replace X.X.X.X with the IP address of the CVM that you noted down earlier.

Verify that the output shows PASS: CVM System Partition /home usage at XX% (less than threshold, 90%).

This means that the issue has been resolved.

#access to CVM IP by Putty

allssh df -h #look for the path /dev/sdb3 and select the IP of the CVM

ssh CVM_IP

ls

cd software_downloads

ls

cd nos

ls -l -h

rm files_name

df -h

ncc health_checks hardware_checks disk_checks disk_usage_check

質問 # 25

.....

人々は自分が将来何か成績を作るようにずっと努力しています。IT業界でのあなたも同じでしょう。自分の能力を高めるために、NCM-MCI-6.10試験に参加する必要があります。NCM-MCI-6.10試験に合格したら、あなたがより良く就職し輝かしい未来を持っています。この試験が非常に困難ですが、実は試験を準備するとき、もっと楽になることができます。我々のNCM-MCI-6.10問題集を入手するのはあなたの進めるべきの第一歩です。

NCM-MCI-6.10日本語受験攻略: <https://www.jpntest.com/shiken/NCM-MCI-6.10-mondaishu>

Nutanix NCM-MCI-6.10受験準備 助けなく、全額返金保証、NCM-MCI-6.10試験問題は、アフターサービスを完璧にするための努力をspareしませんが、Nutanix NCM-MCI-6.10受験準備 電子設備はコンピュータよりも持ち運びが容易です、Nutanix NCM-MCI-6.10受験準備 競争が常に激化している世界では、特定の分野で優れた能力と深い知識を所有することで、高い社会的地位を獲得し、社会での地位を確立することができます、我々社はNutanix NCM-MCI-6.10試験に準備するあなたに怖さを取り除き、正確の方法と問題集を提供できます、JPNTTestのNCM-MCI-6.10問題集は素晴らしい参考資料です。

もちろん行方のわからない両親のことも、筆圧が強い、助けなく、全額返金保証、NCM-MCI-6.10試験問題は、アフターサービスを完璧にするための努力をspareしませんが、電子設備はコンピュータよりも持ち運びが容易です。

最新のNCM-MCI-6.10受験準備 | 素晴らしい合格率のNCM-MCI-6.10 Exam | よくできたNCM-MCI-6.10: Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI)

競争が常に激化している世界では、特定の分野で優れた能力と深い知識を所有することで、高い社会的地位を獲得し、社会での地位を確立することができます、我々社はNutanix NCM-MCI-6.10試験に準備するあなたに怖さを取り除き、正確の方法と問題集を提供できます。

- NCM-MCI-6.10試験の準備方法 | 有効的なNCM-MCI-6.10受験準備試験 | 完璧なNutanix Certified Master - Multicloud Infrastructure (NCM-MCI)日本語受験攻略 □ ウェブサイト 《 www.japancert.com 》を開き、 ➡ NCM-MCI-6.10 □を検索して無料でダウンロードしてくださいNCM-MCI-6.10試験問題解説集
- NCM-MCI-6.10模試エンジン □ NCM-MCI-6.10関連復習問題集 □ NCM-MCI-6.10トレーニングサンプル □ 検索するだけで“ www.goshiken.com ”から □ NCM-MCI-6.10 □を無料でダウンロードNCM-MCI-6.10テスト

ト対策書

- NCM-MCI-6.10最新問題 □ NCM-MCI-6.10関連復習問題集 □ NCM-MCI-6.10予想試験 □ 今すぐ▷
www.xhs1991.com▷で✓ NCM-MCI-6.10 □✓□を検索し、無料でダウンロードしてくださいNCM-MCI-6.10
試験概要
- 完璧-素晴らしいNCM-MCI-6.10受験準備試験-試験の準備方法NCM-MCI-6.10日本語受験攻略 □ □
www.goshiken.com □に移動し、《 NCM-MCI-6.10 》を検索して無料でダウンロードしてくださいNCM-
MCI-6.10トレーニングサンプル
- NCM-MCI-6.10認定資格試験問題集 □ NCM-MCI-6.10試験問題解説集 □ NCM-MCI-6.10試験概要 □ “
www.passtest.jp”サイトにて《 NCM-MCI-6.10 》問題集を無料で使おうNCM-MCI-6.10勉強方法
- Nutanix NCM-MCI-6.10受験準備: Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) - GoShiken 最高の
商品をお届けします □ 今すぐ《 www.goshiken.com 》で□ NCM-MCI-6.10 □を検索し、無料でダウンロード
してくださいNCM-MCI-6.10トレーニングサンプル
- 完璧-素晴らしいNCM-MCI-6.10受験準備試験-試験の準備方法NCM-MCI-6.10日本語受験攻略 □ 今すぐ (
www.goshiken.com) を開き、□ NCM-MCI-6.10 □を検索して無料でダウンロードしてくださいNCM-MCI-
6.10勉強方法
- NCM-MCI-6.10試験の準備方法 | 有効的なNCM-MCI-6.10受験準備試験 | 完璧なNutanix Certified Master -
Multicloud Infrastructure (NCM-MCI)日本語受験攻略 □ 時間限定無料で使える□ NCM-MCI-6.10 □の試験問
題は▶ www.goshiken.com ◀サイトで検索NCM-MCI-6.10試験概要
- NCM-MCI-6.10試験の準備方法 | 有効的なNCM-MCI-6.10受験準備試験 | 完璧なNutanix Certified Master -
Multicloud Infrastructure (NCM-MCI)日本語受験攻略 □ ✓ www.mogixam.com □✓□サイトにて最新▶ NCM-
MCI-6.10 □問題集をダウンロードNCM-MCI-6.10認定資格
- Nutanix NCM-MCI-6.10試験の準備方法 | 素晴らしいNCM-MCI-6.10受験準備試験 | 実用的なNutanix Certified
Master - Multicloud Infrastructure (NCM-MCI)日本語受験攻略 □ □ www.goshiken.com □で使える無料オンライ
ン版【 NCM-MCI-6.10 】 の試験問題NCM-MCI-6.10認定資格試験問題集
- NCM-MCI-6.10 Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) 学習ガイド、NCM-MCI-6.10勉
強資料 □ □ www.jpctestking.com □で□ NCM-MCI-6.10 □を検索して、無料でダウンロードしてください
NCM-MCI-6.10関連復習問題集
- victorrms947931.blogthisbiz.com, lingopediamagazin.com, bookmarktune.com, marleypwtk341235.thenerdsblog.com,
carlyztnp626861.ziblogs.com, totalbookmarking.com, carawtqr847052.vblogetin.com, ezmarkbookmarks.com,
albiekate186657.bloggazzo.com, nanniepsseg021218.gigswiki.com, Disposablevapes.com

2026年JPNTestの最新NCM-MCI-6.10 PDFダンプおよびNCM-MCI-6.10試験エンジンの無料共有: https://drive.google.com/open?id=15bTVq4yIgUa1kMiGCzjOddX_HCSNR