

EX380 Simulationsfragen - EX380 Vorbereitungsfragen



Wissen Sie RedHat EX380 Dumps von ZertPruefung? Warum sind diese Dumps von den Benutzern gut bewertet? Wollen Sie diese Dumps probieren? Klicken Sie bitte ZertPruefung Website und die Demo herunterladen. Und jedr Fragenkatalog hat eine kostenlose Demo. Wenn Sie es gut finden, können Sie diese Dumps sofort kaufen. Nach dem Kauf können Sie auch einen einjährigen kostenlosen Aktualisierungsservice bekommen. Innerhalb eines Jahres können Sie die neuesten RedHat EX380 Prüfungsunterlagen besitzen. Damit können Sie RedHat EX380 Zertifizierungsprüfung sehr leicht bestehen und dieses Zertifikat bekommen.

RedHat EX380 Exam Syllabus Topics:

Section	Weight	Objectives
Topic 1: Configure authentication and authorization	15%	- Integrate with external identity providers - Configure RBAC (Role-Based Access Control) - Manage users and groups - Create and manage service accounts
Topic 2: Manage OpenShift Container Platform through CLI and Web UI	15%	- Navigate and operate through the web console - Install and configure OpenShift cluster using CLI tools - Use oc and kubectl commands for cluster management
Topic 3: Monitor and troubleshoot cluster	15%	- Troubleshoot common issues - Analyze logs and events - Monitor cluster health and metrics
Topic 4: Implement CI/CD pipelines	10%	- Integrate with external CI/CD tools - Configure OpenShift pipelines (Tekton) - Automate application deployments
Topic 5: Manage storage for applications	10%	- Create and use persistent volume claims - Configure persistent storage - Manage storage classes
Topic 6: Implement and manage networking	15%	- Configure Ingress and Egress policies - Manage network policies - Troubleshoot network connectivity issues
Topic 7: Deploy and manage applications	20%	- Configure application scaling and replication - Implement multi-container pods - Create and manage deployments - Use ConfigMaps and Secrets

>> EX380 Simulationsfragen <<

EX380 Pass4sure Dumps & EX380 Sichere Praxis Dumps

Mit der RedHat EX380 Zertifizierungsprüfung werden Sie sicher bessere Berufsaussichten haben. Die RedHat EX380 Zertifizierungsprüfung kann nicht nur Ihre Fertigkeiten, sondern auch Ihre Zertifikate und Fachkenntnisse beweisen. Die den Schulungsunterlagen zur RedHat EX380 Zertifizierungsprüfung von ZertPruefung sind eine von der Praxis bewährte Software. Mit

ihr können Sie eine bessere Theorie bekommen. Vorm Kauf können Sie eine kostenlose Probeversion bekommen. So kennen Sie die Qualität unserer Prüfungsmaterialien. ZertPruefung ist Ihnen die beste Wahl.

RedHat Red Hat Certified Specialist in OpenShift Automation and Integration EX380 Prüfungsfragen mit Lösungen (Q38-Q43):

38. Frage

Spread replicas using podAntiAffinity

Task Information : Configure payments/api to prefer scheduling pods on different nodes.

Antwort:

Begründung:

See the solution below in Explanation:

Explanation:

```
* Patch deployment with preferred podAntiAffinity
* oc -n payments patch deploy api --type=merge -p '{
* "spec":{"template":{"spec":{"affinity":{"
* "podAntiAffinity":{"
* "preferredDuringSchedulingIgnoredDuringExecution":[{"
* "weight":100,
* "podAffinityTerm":{"
* "labelSelector":{"matchLabels":{"app":"api"}}},
* "topologyKey":"kubernetes.io/hostname"
* }
* }]}
* }
* } } } }
* }'
```

* Encourages spread across nodes to reduce single-node impact.

* Verify spread

* oc -n payments get pods -o wide

39. Frage

Kubeconfig Management - Set Context in Kubeconfig

Antwort:

Begründung:

See the solution below in Explanation:

Explanation:

Step 1: Verify the cluster name, namespace, and user name that should be referenced.

The lab uses cluster api-ocp4-example-com:6443, namespace audit-ns, and user audit-sa.

Step 2: Run the command:

```
oc config set-context audit --cluster api-ocp4-example-com:6443 --namespace audit-ns --user audit-sa -- kubeconfig audit.config
```

Step 3: Confirm context creation.

The lab output shows:

Context "audit" created.

Detailed explanation:

A kubeconfig context ties together three things: a cluster endpoint, a user identity, and optionally a default namespace. This Task creates a context named audit in the file audit.config. Contexts are useful because they simplify repeated administration by letting the user switch between prepared working environments instead of re-entering cluster and namespace details each time. The namespace portion is especially helpful for project- scoped operations, because commands run under that context default to the chosen namespace. Accuracy matters here: if the user name in the context does not match the credentials entry or the cluster name does not exist in the kubeconfig, the context will not function as intended.

40. Frage

Add a second Identity Provider (HTPasswd) alongside LDAP

Task Information : Configure multiple identity providers by adding an HTTPasswd IDP without removing the existing LDAP IDP.

Antwort:

Begründung:

See the solution below in Explanation:

Explanation:

- * Create a local httpasswd file with a test user
 - * `htpasswd -c -B -b /tmp/htpass.txt testuser RedHat123!`
 - * `-c` creates a new file (use only once).
 - * `-B` uses bcrypt hashing (recommended).
 - * `-b` supplies password non-interactively (good for labs).
 - * Create the HTTPasswd secret in openshift-config
 - * `oc -n openshift-config create secret generic htpass-secret --from-file=htpasswd=/tmp/htpass.txt`
 - * OAuth reads the httpasswd key from this secret.
 - * Edit OAuth and add the HTTPasswd provider (keep LDAP intact)
 - * `oc edit oauth cluster`
- Add another entry under `spec.identityProviders`:
- `name: local-htpasswd`
 - `mappingMethod: claim`
 - `type: HTTPasswd`
 - `htpasswd:`
 - `fileData:`
 - `name: htpass-secret`
- * This adds a second login option while preserving LDAP.
 - * Restart OAuth pods
 - * `oc -n openshift-authentication delete pod -l app=oauth-openshift`
 - * Ensures the updated list of identity providers is loaded.
 - * Verify login works for httpasswd user
 - * Log in via console using testuser.
 - * Confirm the user is created:
 - * `oc get user testuser`

41. Frage

Configure BackupStorageLocation and VolumeSnapshotLocation

Task Information : Configure OADP/Velero storage locations and confirm they show as Available.

Antwort:

Begründung:

See the solution below in Explanation:

Explanation:

- * Create a secret for cloud credentials (S3-compatible example)
 - * `oc -n openshift-adp create secret generic cloud-credentials \`
 - * `--from-file=cloud=/path/to/credentials`
 - * Velero uses this secret to authenticate to object storage.
 - * Create/Update the DataProtectionApplication (DPA)
 - * Apply a DPA CR that defines:
 - * `backupLocations` (bucket, endpoint URL, region, etc.)
 - * `snapshotLocations` (if using snapshots)
 - * Verify BackupStorageLocation and SnapshotLocation
 - * `velero backup-location get`
 - * `velero snapshot-location get`
 - * Status should be Available, meaning storage config is valid.
-

42. Frage

Identity Management - Create CA ConfigMap

Antwort:

Begründung:

See the solution below in Explanation:

Explanation:

Step 1: Ensure the certificate file `rhds_ca.crt` is available in your current working directory or use the correct path.

The Task requires creating a configmap from this CA certificate file.

Step 2: Run the command:

`oc create configmap rhds-ca-config-map --from-file ca.crt=rhds_ca.crt -n openshift-config` Step 3: Confirm the configmap is created.

The lab output shows:

`configmap/rhds-ca-config-map created`

Detailed explanation:

This creates a configmap named `rhds-ca-config-map` in the `openshift-config` namespace and maps the local file `rhds_ca.crt` to the key name `ca.crt` inside the configmap. This is important in external identity integration because OpenShift may need to trust a custom certificate authority when communicating with LDAP or another secured external service. By placing the certificate in a configmap, the authentication operator or related cluster configuration can reference it cleanly. The key name matters because many OpenShift resources expect a CA bundle key with a specific filename-like convention. If the file path is wrong, the command fails immediately. If the configmap name or key mapping is wrong, the authentication provider referencing it may not trust the external endpoint.

43. Frage

.....

Nur kontinuierlich zu verbessern kann man immer an der führenden Stelle stehen. Und es ist auch unsere Firmenphilosophie. Deshalb prüfen wir regelmäßig nach, ob die RedHat EX380 Prüfung aktualisiert hat. Wenn sie aktualisiert hat, informieren wir unsere Kunden sofort darüber. Dadurch lassen Sie die neueste Informationen über RedHat EX380 Prüfung erfahren. Aller Kundendienst der Aktualisierung nach der Kauf der RedHat EX380 Software ist kostenlos innerhalb einem Jahr.

EX380 Vorbereitungsfragen: https://www.zertpruefung.ch/EX380_exam.html

- Echte und neueste EX380 Fragen und Antworten der RedHat EX380 Zertifizierungsprüfung ↑ URL kopieren ► www.pass4test.de ◀ Öffnen und suchen Sie □ EX380 □ Kostenloser Download □ EX380 Online Prüfung
- EX380 Prüfungsvorbereitung □ EX380 Fragenpool □ EX380 Ausbildungsressourcen □ URL kopieren ✓ www.itzert.com □ ✓ □ Öffnen und suchen Sie ✨ EX380 □ ✨ □ Kostenloser Download □ EX380 PDF Testsoftware
- EX380 Exam Fragen □ EX380 PDF Demo □ □ EX380 Examengine □ Suchen Sie einfach auf 「 www.examfragen.de 」 nach kostenloser Download von 「 EX380 」 □ EX380 Fragen Und Antworten
- EX380 Dumps und Test Überprüfungen sind die beste Wahl für Ihre RedHat EX380 Testvorbereitung □ Öffnen Sie { www.itzert.com } geben Sie ➡ EX380 □ ein und erhalten Sie den kostenlosen Download □ EX380 Prüfungsunterlagen
- EX380 Ressourcen Prüfung - EX380 Prüfungsguide - EX380 Beste Fragen □ Öffnen Sie ➡ www.itzert.com □ geben Sie ➤ EX380 □ ein und erhalten Sie den kostenlosen Download □ EX380 Online Prüfung
- Hilfreiche Prüfungsunterlagen verwirklicht Ihren Wunsch nach der Zertifikat der Red Hat Certified Specialist in OpenShift Automation and Integration □ ► www.itzert.com ◀ ist die beste Webseite um den kostenlosen Download von □ EX380 □ zu erhalten ◀ EX380 Echte Fragen
- EX380 Ausbildungsressourcen ✓ EX380 Fragen&Antworten □ EX380 PDF Demo □ URL kopieren 【 www.echtefrage.top 】 Öffnen und suchen Sie ➤ EX380 □ Kostenloser Download □ EX380 Online Prüfung
- EX380 Schulungsangebot □ EX380 PDF Demo □ EX380 Echte Fragen □ Öffnen Sie die Webseite ✓ www.itzert.com □ ✓ □ und suchen Sie nach kostenloser Download von ➡ EX380 □ □ EX380 Vorbereitung
- EX380 Ausbildungsressourcen □ EX380 Tests □ EX380 Online Prüfung □ Öffnen Sie die Webseite ➡ www.itzert.com □ und suchen Sie nach kostenloser Download von ⇒ EX380 ⇐ □ EX380 PDF Testsoftware
- EX380 Prüfungsvorbereitung □ EX380 Prüfungsvorbereitung □ EX380 Schulungsangebot □ Öffnen Sie ➡ www.itzert.com □ geben Sie ► EX380 ◀ ein und erhalten Sie den kostenlosen Download □ EX380 PDF Demo
- EX380 Fragen&Antworten □ EX380 Examengine □ EX380 Exam Fragen ✨ Suchen Sie auf der Webseite ✨ www.echtefrage.top □ ✨ □ nach [EX380] und laden Sie es kostenlos herunter □ EX380 Prüfungsaufgaben
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes