


在Fast2test中選擇1z1-809考試資料可以輕鬆放心通過Java SE 8 Programmer II考試



Fast2test是可以帶你通往成功之路的網站。Fast2test可以為你提供使你快速通過Oracle 1z1-809 認證考試的詳細培訓資料，能使你短時間內多掌握認證考試的相關知識，並且一次性的通過Oracle 1z1-809 認證考試。

Oracle 1z0-809 認證考試是為了想要擴大其 Java 編程知識和技能的 Java 程序員而設計的。此考試是 Java SE 8 認證路徑中的第二級認證，適用於已通過 1z0-808 考試的個人。1z0-809 考試聚焦於更高級的主題，例如集合、泛型、流、並發和 JDBC。

>> 1z1-809考試資料 <<

最真實的1z1-809認證考試的參考資料

如果你正在尋找一個好的通過Oracle的1z1-809考試認證的學習網站，Fast2test是最好的選擇，Fast2test能給你帶來的將是掌握IT行業的尖端技能以及輕鬆通過Oracle的1z1-809考試認證，大家都知道這門考試是艱難的，想要通過它也不是機會渺小，但你可以適當的選擇適合自己的學習工具，選擇Fast2test Oracle的1z1-809考試試題及答案，這個培訓資料不僅完整而且真實覆蓋面廣，它的測試題仿真度很高，這是通過眾多考試實踐得到的結果，如果你要通過Oracle的1z1-809考試，就選擇Fast2test，絕對沒錯。

最新的 Java SE 1z1-809 免費考試真題 (Q141-Q146):

問題 #141

Given the code fragments:

```
public static Optional<String> getCountry(String loc) {  
    Optional<String> couName = Optional.empty();  
    if ("Paris".equals(loc))  
        couName = Optional.of("France");  
    else if ("Mumbai".equals(loc))  
        couName = Optional.of("India");  
    return couName;  
}
```

and

```
Optional<String> city1 = getCountry("Paris");
Optional<String> city2 = getCountry("Las Vegas");
System.out.println(city1.orElse("Not Found"));
if (city2.isPresent())
    city2.ifPresent(x -> System.out.println(x));
else
    System.out.println(city2.orElse("Not Found"));
```

What is the result?

- A. FranceNot Found
- B. Optional [France]Optional [NotFound]
- C. FranceOptional[NotFound]
- D. Optional[France]Not Found

答案: A

問題 #142

Given:

```
class Product {
    String name;
    int qty;
    public String toString(){
        return name;
    }
    public Product(String name, int qty) {
        this.name = name;
        this.qty = qty;
    }
    static class ProductFilter {
        public boolean isAvailable(Product p) {    // line n1
            return p.qty >= 10;
        }
    }
}
```

and the code fragment:

```
List<Product> products = Arrays.asList(
    new Product("MotherBoard", 5),
    new Product("Speaker", 20));
products.stream()
    .filter(Product.ProductFilter::isAvailable) // line n2
    .forEach(p -> System.out.println(p));
```

Which modification enables the code fragment to print Speaker?

- A. Replace line n2 with: `filter (p -> Product: :ProductFilter: isAvailable ())`
- B. Implement Predicate in the Product.ProductFilter class and replace line n2 with `.filter (p -> p.ProductFilter.test (p))`
- C. Replace line n2 with: `filter (p -> p.ProductFilter: isAvailable (p))`
- D. Replace line n1 with: `public static boolean isAvailable (Product p) {`

答案: D

問題 #143

Given the code fragment:

```
public void recDelete (String dirName) throws IOException {
    File [] listOfFiles = new File (dirName) .listFiles();
    if (listOfFiles != null && listOfFiles.length > 0) {
        for (File aFile : listOfFiles) {
            if (aFile.isDirectory ()) {
```

```

recDelete (aFile.getAbsolutePath ());
} else {
if (aFile.getName ().endsWith (".class"))
aFile.delete ();
}
}
}
}
}
}

```

Assume that Projects contains subdirectories that contain .class files and is passed as an argument to the recDelete () method when it is invoked.

What is the result?

- A. The method deletes the .class files of the Projects directory only.
- **B. The method deletes all the .class files in the Projects directory and its subdirectories.**
- C. The method throws an IOException.
- D. The method executes and does not make any changes to the Projects directory.

答案： B

問題 #144

Given the code fragments:

```

class MyThread implements Runnable {
private static AtomicInteger count = new AtomicInteger (0);
public void run () {
int x = count.incrementAndGet();
System.out.print (x+" ");
}
}

```

and

```

Thread thread1 = new Thread(new MyThread());
Thread thread2 = new Thread(new MyThread());
Thread thread3 = new Thread(new MyThread());
Thread [] ta = {thread1, thread2, thread3};
for (int x= 0; x < 3; x++) {
ta[x].start();
}

```

Which statement is true?

- **A. The program prints 1 2 3.**
- B. A compilation error occurs.
- C. The program prints 1 2 3 and the order is unpredictable.
- D. The program prints 1 1 1.

答案： A

問題 #145

Given the code fragment:

```

Deque<String> queue = new ArrayDeque<> ();
queue.add ("Susan");
queue.add ("Allen");
queue.add ("David");
System.out.println(queue.pop());
System.out.println(queue.remove());
System.out.println(queue);

```

What is the result?

- A. SusanSusan[Susan, Allen]
- **B. SusanAllen[David]**

- C. DavidAllen[Susan]
- D. SusanAllen[Susan, David]
- E. DavidDavid[Susan, Allen]

答案：B

解題說明：

```

1 import java.util.ArrayDeque;
2
3 public class Program {
4     public static void main(String[] args) {
5
6         ArrayDeque<String> queue = new ArrayDeque<>();
7         queue.add("Susan");
8         queue.add("Allen");
9         queue.add("David");
10        System.out.println(queue.pop());
11        System.out.println(queue.remove());
12        System.out.println(queue);
13    }
14 }
15
16

```

CommandLine Arguments ...

Stdin Inputs...

Execute Save

Result...

CPU Time: 0.16 sec(s), Memory: 29452 kilobyte(s)

```

Susan
Allen
[David]

```

ORACLE

問題 #146

.....

Fast2test的1z1-809資料不僅能讓你通過考試，還可以讓你學到關於1z1-809考試的很多知識。Fast2test的考古題把你應該要掌握的技能全都包含在試題中，這樣你就可以很好地提高自己的能力，並且在工作中更好地應用它們。Fast2test的1z1-809考古題絕對是你準備考試並提高自己技能的最好的選擇。你要相信Fast2test可以給你一個美好的未來。

1z1-809題庫最新資訊：<https://tw.fast2test.com/1z1-809-premium-file.html>

Fast2test 1z1-809題庫最新資訊是唯一在互聯網為你提供的高品質的 1z1-809題庫最新資訊 - Java SE 8 Programmer II 考古題的網站，題庫的覆蓋率在96%以上，在考試認證廠商對考題做出變化而及時更新題庫，Fast2test專業提供 Java SE 1z1-809最新題庫學習資料，基本覆蓋1z1-809考試知識點，Oracle 1z1-809考試資料 在現在的競爭激烈的IT行業中，想要穩固自己的地位，就得向專業人士證明自己的知識和技術水準，我們提供的練習題幾乎與真題是一樣的，有了我們為你提供的精確的 Oracle 1z1-809 考題資料，可以幫助你100%高分通過你的一次參加的 1z1-809 認證考試，做題、弄懂題。

劉以苟與胡醫生率先趕了過來，宋青小注意到眼鏡男並沒有隨同，不過，本大人相信妳，Fast2test 1z1-809是唯一在互聯網為你提供的高品質的 Java SE 8 Programmer II 考古題的網站，題庫的覆蓋率在96%以上，在考試認證廠商對考題做出變化而及時更新題庫。

使用1z1-809考試資料 - 擺脫Java SE 8 Programmer II考試苦惱

Fast2test專業提供Java SE 1z1-809最新題庫學習資料，基本覆蓋1z1-809考試知識點，在現在的競爭激烈的IT行業中，想要穩固自己的地位，就得向專業人士證明自己的知識和技術水準，我們提供的練習題幾乎與真題是一樣的，有了我們為你提供的精確的 Oracle 1z1-809 考題資料，可以幫助你100%高分通過你的一次參加的 1z1-809 認證

做題、弄懂題。

- [illegible]