

# Best Fortinet FCSS\_SDW\_AR-7.4 Valuable Feedback Professionally Researched by Fortinet Certified Trainers



P.S. Free & New FCSS\_SDW\_AR-7.4 dumps are available on Google Drive shared by Test4Sure:  
<https://drive.google.com/open?id=1LBCtvwBRGj-VNFOuCa-4yrBYickQcIvK>

The Test4Sure is committed to acing the FCSS - SD-WAN 7.4 Architect (FCSS\_SDW\_AR-7.4) exam questions preparation quickly, simply, and smartly. To achieve this objective Test4Sure is offering valid, updated, and real FCSS - SD-WAN 7.4 Architect (FCSS\_SDW\_AR-7.4) exam dumps in three high-in-demand formats. These FCSS - SD-WAN 7.4 Architect (FCSS\_SDW\_AR-7.4) exam questions formats are PDF dumps files, desktop practice test software, and web-based practice test software. All these three FCSS - SD-WAN 7.4 Architect (FCSS\_SDW\_AR-7.4) exam dumps formats contain the real and FCSS - SD-WAN 7.4 Architect (FCSS\_SDW\_AR-7.4) certification exam trainers.

We know that the standard for most workers become higher and higher; so we also set higher goal on our FCSS\_SDW\_AR-7.4 guide questions. Different from other practice materials in the market our training materials put customers' interests in front of other points, committing us to the advanced learning materials all along. Until now, we have simplified the most complicated FCSS\_SDW\_AR-7.4 Guide questions and designed a straightforward operation system, with the natural and seamless user interfaces of FCSS\_SDW\_AR-7.4 exam question grown to be more fluent, we assure that our practice materials provide you a total ease of use.

>> FCSS\_SDW\_AR-7.4 Valuable Feedback <<

## Free FCSS\_SDW\_AR-7.4 Exam Questions, FCSS\_SDW\_AR-7.4 Pass4sure Exam Prep

If you buy our FCSS\_SDW\_AR-7.4 preparation questions, we can promise that you can use our study materials for study in anytime and anywhere. Because our study system can support you study when you are in an offline state. In addition, Our FCSS\_SDW\_AR-7.4 training quiz will be very useful for you to improve your learning efficiency, because you can make full use of your all spare time to do test. It will bring a lot of benefits for you beyond your imagination if you buy our FCSS\_SDW\_AR-7.4 Study Materials.

## Fortinet FCSS\_SDW\_AR-7.4 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"><li>Configure Performances SLAs: Designed for network administrators, this part focuses on setting up performance Service Level Agreements (SLAs) within SD-WAN environments. Candidates must show proficiency in defining criteria to monitor and maintain network performance and reliability.</li></ul>

Topic 2	<ul style="list-style-type: none"> <li>SD-WAN Troubleshooting: This part assesses the troubleshooting skills of network support specialists. Candidates should be able to diagnose and resolve issues related to SD-WAN rules, session behaviors, routing inconsistencies, and ADVPN connectivity problems to maintain seamless network operations.</li> </ul>
Topic 3	<ul style="list-style-type: none"> <li>Rules and Routing: Targeted at network engineers, this section assesses the ability to configure SD-WAN rules and routing policies. Candidates will be tested on managing traffic flow and prioritization across the SD-WAN infrastructure.</li> </ul>

## Fortinet FCSS - SD-WAN 7.4 Architect Sample Questions (Q17-Q22):

### NEW QUESTION # 17

You have configured the performance SLA with the probe mode as Prefer Passive.

What are two observable impacts of this configuration? (Choose two.)

- A. During passive monitoring, the SLA performance rule cannot detect dead members.
- B. FortiGate passively monitors the member if TCP traffic is passing through the member.**
- C. After FortiGate switches to active mode, the SLA performance rule falls back to passive monitoring after 3 minutes.
- D. FortiGate passively monitors the member if ICMP traffic is passing through the member.**
- E. FortiGate can offload the traffic that is subject to passive monitoring to hardware.

**Answer: B,D**

Explanation:

FortiGate passively monitors the member if TCP traffic is passing through the member → With Prefer Passive mode, FortiGate inspects existing traffic (like TCP flows) to measure performance metrics without generating its own probes.

FortiGate passively monitors the member if ICMP traffic is passing through the member → Similarly, when ICMP flows exist, FortiGate uses them for SLA checks.

### NEW QUESTION # 18

Refer to the exhibit. Which SD-WAN rule and interface uses FortiGate to steer the traffic from the LAN subnet 10.0.1.0/24 to the corporate server 10.2.5.254?

## SD-WAN configuration on FortiGate

```
branch1_fgt # get router info routing-table all
...
S*      0.0.0.0/0 [1/0] via 192.2.0.2, port1, [1/0]
          [1/0] via 192.2.0.10, port2, [10/0]
C      10.0.1.0/24 is directly connected, port5
B      10.1.0.0/24 [200/0] via 192.168.1.61 (recursive is directly connected, HUB1-VPN1), 1d03h58m, [1/0]
          [200/0] via 192.168.1.125 (recursive is directly connected, HUB1-VPN2), 1d03h58m, [1/0]
          [200/0] via 192.168.1.189 (recursive is directly connected, HUB1-VPN3), 1d03h58m, [1/0]
C      10.200.99.1/32 is directly connected, Branch-Lo
B      10.2.0.0/16 [200/0] via 192.168.1.61 (recursive is directly connected, HUB1-VPN1), 00:03:01, [1/0]
          [200/0] via 192.168.1.125 (recursive is directly connected, HUB1-VPN2), 00:00:51, [1/0]
          [200/0] via 192.168.1.189 (recursive is directly connected, HUB1-VPN3), 00:00:51, [1/0]
B      10.2.5.0/24 [200/0] via 192.168.1.61 (recursive is directly connected, HUB1-VPN3), 00:00:01, [1/0]
...
...

branch1_fgt # diag sys sdwan service4

Service(3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
  Tie break: fib
  Shortcut priority: 2
  Gen(3), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(sla), sla-compare-order
  Members(3):
    1: Seq_num(5 HUB1-VPN2 HUB1), alive, sla(0x1), gid(0), cfg_order(1), local cost(0), selected
    2: Seq_num(6 HUB1-VPN3 HUB1), alive, sla(0x1), gid(0), cfg_order(2), local cost(0), selected
    3: Seq_num(4 HUB1-VPN1 HUB1), alive, sla(0x0), gid(0), cfg_order(0), local cost(0), selected
  Src address(1):
    10.0.1.0-10.0.1.255

  Dst address(1):
    10.0.0.0-10.2.255.255

Service(4): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
  Tie break: cfg
  Shortcut priority: 2
  Gen(2), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(sla), sla-compare-order
  Members(2):
    1: Seq_num(2 port2 underlay), alive, sla(0x3), gid(0), cfg_order(1), local cost(0), selected
    2: Seq_num(1 port1 underlay), alive, sla(0x1), gid(0), cfg_order(0), local cost(0), selected
  Src address(1):
    10.0.1.0-10.0.1.255

  Dst address(1):
    10.2.0.0-10.2.255.255
```



- A. SD-WAN service rule 4 and port1 or port2.
- B. SD-WAN service rule 3 and interface HUB1-VPN3.
- C. SD-WAN service rule 3 and interface HUB1-VPN2.
- D. SD-WAN service rule 4 and interface port2.

**Answer: B**

## NEW QUESTION # 19

The FortiGate devices are managed by ForiManager, and are configured for direct internet access (DIA). You confirm that DIA is working as expected for each branch, and check the SD-WAN zone configuration and firewall policies shown in the exhibits.

## SD-WAN zones

### SD-WAN Zones

<a href="#">Create New</a> <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Where Used</a> <input type="text" value="Search..."/>						
<input type="checkbox"/>	ID	Interface	Gateway	Cost	Priority	Status
<input type="checkbox"/>	virtual-wan-link					
<input type="checkbox"/>	underlay					
<input type="checkbox"/>	1	port1	\$(sdwan_port1_gw)	0	1	<input checked="" type="checkbox"/> Enable
<input type="checkbox"/>	2	port2	\$(sdwan_port2_gw)	0	1	<input checked="" type="checkbox"/> Enable

### Firewall Policy

ID	Name	From	To	Source	Destination	Service	Action	Schedule
1	DIA	<input type="checkbox"/> LAN	<input type="checkbox"/> underlay	<input checked="" type="checkbox"/> LAN-net	<input type="checkbox"/> all	<input type="checkbox"/> All	<input checked="" type="checkbox"/> Accept	<input checked="" type="checkbox"/> always

## Edit SD-WAN Overlay Template – Summary (5/5)

Secondary HUB  dc1\_fgt(192.168.0.41)  
Branch 1  branches

### Underlay Assignment ▾

Standalone HUB Underlays Underlay 1: port1  
Underlay 2: port2  
Underlay 3: port4

Branch Underlays Underlay 1: port1  
Underlay 2: port2  
Underlay 3: port4

### Network Advertisement ▾

Standalone HUB Connected  
Interface 1: port5

Branch Connected  
Interface 1: port5

### SD-WAN Template Options ▾

Add Overlay Objects to SD-WAN Template	<input checked="" type="checkbox"/> branches
Add Overlay Interfaces and Zones	<input type="checkbox"/>
Add Health Check Servers for Each HUB as Performance SLA	<input type="checkbox"/>
Normalize Interfaces	<input type="checkbox"/>
Add Health Check Firewall Policy to Hub Policy Package	<input checked="" type="checkbox"/> dc_pp
Add Health Check Firewall Policy to Branch Policy Package	<input checked="" type="checkbox"/> branches_pp

Then, you use the SD-WAN overlay template to configure the IPsec overlay tunnels. You create the associated SD-WAN rules to connect existing branches to the company hub device and apply the changes on the branches. After those changes, users complain that they lost internet access. DIA is no longer working. Based on the exhibit, which statement best describes the possible root cause of this issue?

- A. The SD-WAN overlay template didn't configure a firewall policy to allow traffic through the overlay.
- B. The SD-WAN overlay template updates the SD-WAN template and the rules.
- C. The SD-WAN overlay template defines a zone for each underlay interface and moves the interfaces into those zones.**
- D. The SD-WAN overlay template redefines the interface gateway addresses if they are defined with metadata variables.

**Answer: C**

Explanation:

The SD-WAN overlay template defines a zone for each underlay interface and moves the interfaces into those zones. This statement

perfectly describes the likely sequence of events. The template, when applied, re- organizes the interfaces and zones, causing the existing firewall policy that relies on the old zone configuration to fail. This is the most plausible root cause.

## NEW QUESTION # 20

Refer to the exhibit, which shows the SD-WAN rule status and configuration.

### SD-WAN rule status and configuration

```
branch1_fgt # diagnose sys sdwan service4 3

Service(3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
    Tie break: cfg
    Shortcut priority:2
    Gen(43), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(priority),
    link-cost-factor(packet loss), link-cost-threshold(10), heath-check(HUB1_HC)
    Members(3):
        1: Seq_num(4 HUB1-VPN1 HUB1), alive, latency: 96.349, selected
        2: Seq_num(5 HUB1-VPN2 HUB1), alive, latency: 141.278, selected
        3: Seq_num(6 HUB1-VPN3 HUB1), alive, latency: 190.984, selected
    Src address(1):
        10.0.1.0-10.0.1.255

    Dst address(1):
        10.0.0.0-10.255.255.255

branch1_fgt (service) # show
config service
    edit 3
        set name "Corp"
        set mode priority
        set dst "Corp-net"
        set src "LAN-net"
        set health-check "HUB1_HC"
        set link-cost-factor packet-loss
        set link-cost-threshold 0
        set priority-members 4 5 6
    next
```



Based on the exhibit, which change in the measured latency will first make HUB1-VPN3 the new preferred member?

- A. When HUB1-VPN3 has a latency of 90 ms
- B. When HUB1-VPN3 has a latency of 80 ms
- C. When HUB1-VPN1 has a latency of 200 ms
- D. When HUB1-VPN3 has a lower latency than HUB1-VPN1 and HUB1-VPN2

**Answer: C**

Explanation:

The rule is in priority mode with HUB1-VPN1 (seq 4) as the first preferred member, HUB1-VPN2 second, and HUB1-VPN3 third. Latency itself does not cause HUB1-VPN3 to become preferred unless a higher- priority member fails SLA. If HUB1-VPN1's latency exceeds the SLA threshold (here simulated by latency reaching 200 ms), FortiGate stops using it and moves down the priority list. That is when HUB1-VPN3 could become the active path.

## NEW QUESTION # 21

Refer to the exhibits. The administrator configured a device blueprint and CLI scripts as shown in the exhibits, to prepare for onboarding FortiGate devices in the company's stores. Later, a technician prepares a FortiGate 51G with a basic configuration and connects it to the network.

The basic configuration contains the port1 configuration and the minimal configuration required to allow the device to connect to FortiManager.

After the device first connects to FortiManager, FortiManager updates the device configuration.

Based on the exhibits, which actions does FortiManager perform?

## Device blueprint

**Edit Device Blueprint - Stores**

Name	Stores
Device Model	FortiGate-51G
Automatically Link to Real Device	<input checked="" type="checkbox"/>
Enforce Firmware Version	<input type="checkbox"/>
Enforce Device Configuration <small>i</small>	<input checked="" type="checkbox"/>
Add to Device Group	<input type="checkbox"/>
Add to Folder	<input type="checkbox"/>
Fabric Authorization Template	<input type="checkbox"/>
Pre-Run CLI Template	<input checked="" type="checkbox"/> 5G-links
Assign Policy Package	<input checked="" type="checkbox"/> default <small>x</small> <small>▼</small>
Provisioning Templates	<input checked="" type="checkbox"/> corp_st <small>x</small> <input checked="" type="checkbox"/> LAN-interface <small>+</small>
HA	<input type="checkbox"/>

## CLI script LAN-interface

- A. FortiManager updates the configuration of port1, port2, and port5. The three ports might get new IP addresses.
- B. FortiManager does not update the port1 configuration because FortiManager does not change the configuration of interfaces with fgfm access.
- C. FortiManager updates the device configuration according to the selected templates. It applies the corp\_st template first.
- D. FortiManager updates access rights only for port1. FortiManager cannot update the IP address because it was already set manually.

### Answer: A

Explanation:

Enforce Device Configuration is enabled and the blueprint applies the provisioning CLI templates.

The LAN-interface script sets port1 and port2 to DHCP and assigns a static IP to port5 (using the branch\_id variable). Therefore, when FortiManager pushes the blueprint, it updates the configurations of port1, port2, and port5 - and their IP addresses may change accordingly.

## NEW QUESTION # 22

.....

Our FCSS\_SDW\_AR-7.4 simulating exam is made by our responsible company which means you can gain many other benefits as well. On condition that you fail the exam after using our FCSS\_SDW\_AR-7.4 study prep unfortunately, we will switch other versions for you or give back full of your refund. If you are interested to our FCSS\_SDW\_AR-7.4 simulating exam, just place your order now. And you will receive it only in a few minutes.

**Free FCSS\_SDW\_AR-7.4 Exam Questions:** [https://www.test4sure.com/FCSS\\_SDW\\_AR-7.4-pass4sure-vce.html](https://www.test4sure.com/FCSS_SDW_AR-7.4-pass4sure-vce.html)

- Free PDF Quiz Fortinet - FCSS\_SDW\_AR-7.4 - Authoritative FCSS - SD-WAN 7.4 Architect Valuable Feedback □ Copy URL ▷ [www.dumpsquestion.com](http://www.dumpsquestion.com) ▲ open and search for [ FCSS\_SDW\_AR-7.4 ] to download for free □ Exam

## Dumps FCSS\_SDW\_AR-7.4 Demo

- Get Free Of Cost Updates the FCSS\_SDW\_AR-7.4 PDF Dumps □ Immediately open □ [www.pdfvce.com](http://www.pdfvce.com) □ and search for ➡ FCSS\_SDW\_AR-7.4 □ to obtain a free download □ FCSS\_SDW\_AR-7.4 Actual Exam Dumps
- Trustable FCSS\_SDW\_AR-7.4 learning materials - FCSS\_SDW\_AR-7.4 preparation exam - [www.examcollectionpass.com](http://www.examcollectionpass.com) □ Download ▷ FCSS\_SDW\_AR-7.4 ↳ for free by simply searching on { [www.examcollectionpass.com](http://www.examcollectionpass.com) } □ FCSS\_SDW\_AR-7.4 Reliable Test Prep
- FCSS\_SDW\_AR-7.4 Accurate Prep Material □ Reliable FCSS\_SDW\_AR-7.4 Test Tutorial □ FCSS\_SDW\_AR-7.4 Download Demo □ Open website ▷ [www.pdfvce.com](http://www.pdfvce.com) ↳ and search for ➡ FCSS\_SDW\_AR-7.4 □ for free download □ FCSS\_SDW\_AR-7.4 Exam Actual Questions
- Efficient FCSS\_SDW\_AR-7.4 Valuable Feedback Covers the Entire Syllabus of FCSS\_SDW\_AR-7.4 □ Download 《 FCSS\_SDW\_AR-7.4 》 for free by simply searching on ▶ [www.exams4collection.com](http://www.exams4collection.com) ◀ □ FCSS\_SDW\_AR-7.4 Accurate Prep Material
- Reliable FCSS\_SDW\_AR-7.4 Test Tutorial □ Exam Dumps FCSS\_SDW\_AR-7.4 Demo □ FCSS\_SDW\_AR-7.4 Valid Test Practice □ { [www.pdfvce.com](http://www.pdfvce.com) } is best website to obtain ▶ FCSS\_SDW\_AR-7.4 ◀ for free download □ □ FCSS\_SDW\_AR-7.4 Accurate Prep Material
- FCSS\_SDW\_AR-7.4 Exam Actual Questions □ Exam Dumps FCSS\_SDW\_AR-7.4 Demo □ Reliable FCSS\_SDW\_AR-7.4 Test Tutorial ▪ Enter ▶ [www.testsimulate.com](http://www.testsimulate.com) ◀ and search for 「 FCSS\_SDW\_AR-7.4 」 to download for free □ FCSS\_SDW\_AR-7.4 Exam Certification Cost
- Reliable FCSS\_SDW\_AR-7.4 Test Tutorial □ Reliable FCSS\_SDW\_AR-7.4 Test Tutorial □ Question FCSS\_SDW\_AR-7.4 Explanations □ Immediately open □ [www.pdfvce.com](http://www.pdfvce.com) □ and search for □ FCSS\_SDW\_AR-7.4 □ to obtain a free download □ FCSS\_SDW\_AR-7.4 Exam Questions Answers
- Latest FCSS\_SDW\_AR-7.4 Exam Preparation □ FCSS\_SDW\_AR-7.4 Exam Actual Questions □ FCSS\_SDW\_AR-7.4 Download Demo □ Immediately open ➡ [www.examcollectionpass.com](http://www.examcollectionpass.com) □ □ □ and search for “FCSS\_SDW\_AR-7.4” to obtain a free download □ Reliable FCSS\_SDW\_AR-7.4 Test Tutorial
- Pass FCSS\_SDW\_AR-7.4 Exam with Newest FCSS\_SDW\_AR-7.4 Valuable Feedback by Pdfvce □ Immediately open [ [www.pdfvce.com](http://www.pdfvce.com) ] and search for ➡ FCSS\_SDW\_AR-7.4 □ □ □ to obtain a free download □ Mock FCSS\_SDW\_AR-7.4 Exams
- FCSS\_SDW\_AR-7.4 Testing Center □ FCSS\_SDW\_AR-7.4 Exam Certification Cost □ FCSS\_SDW\_AR-7.4 Exam Actual Questions □ Simply search for ➡ FCSS\_SDW\_AR-7.4 □ for free download on ▷ [www.prep4away.com](http://www.prep4away.com) ↳ □ □ FCSS\_SDW\_AR-7.4 Valid Test Practice
- [lms.ait.edu.za](http://lms.ait.edu.za), [lineage95003.官網.com](http://lineage95003.官網.com), [tedcole945.elbloglibre.com](http://tedcole945.elbloglibre.com), [japatribe.com](http://japatribe.com), [ncon.edu.sa](http://ncon.edu.sa), [lbkdp.proficientspark.com](http://lbkdp.proficientspark.com), [mikemil988.angelinsblog.com](http://mikemil988.angelinsblog.com), [ncon.edu.sa](http://ncon.edu.sa), [daotao.wisebusiness.edu.vn](http://daotao.wisebusiness.edu.vn), [tedcole945.p2blogs.com](http://tedcole945.p2blogs.com), Disposable vapes

DOWNLOAD the newest Test4Sure FCSS\_SDW\_AR-7.4 PDF dumps from Cloud Storage for free:

<https://drive.google.com/open?id=1LBCtvwBRGj-VNFOuCa-4yrBYickQcIvK>