


Cisco 350-901ブロンズ教材 & 350-901 PDF問題サンプル



P.S. It-PassportsがGoogle Driveで共有している無料かつ新しい350-901ダンプ: https://drive.google.com/open?id=1m_4UekuMmD6mmsznKepKTSb5SUhFW26z

急速に発展している世界のすべての人にとって、良い仕事をするのがますます重要になっていることは私たちに知られています。350-901認定を取得することがますます困難になっていることがわかっています。仕事、賃金、および350-901認定が心配な場合、これを変更する場合は、350-901試験トレントで高品質の問題を解決するのを手伝います。無料でダウンロードできます。350-901ガイドトレントのウェブ上のデモ。350-901試験の質問に後悔しないことをお約束します。

シスコ350-901試験は、ソフトウェア開発と設計、API、シスコプラットフォーム、自動化など、さまざまなトピックをカバーしています。この試験は、シスコプラットフォームを使用してアプリケーションを開発する専門知識を身につけたいソフトウェア開発者、ネットワークエンジニア、その他のITプロフェッショナルを対象としています。試験の形式は、複数選択問題で、合格スコアは1000点満点中825点以上が必要です。

シスコ350-901試験は、シスコのコアプラットフォームとAPIを使用してアプリケーションを開発することに優れたITプロフェッショナルを認定するための重要な資格です。この試験に合格すると、候補者はシスコテクノロジーを使用してアプリケーションを設計、開発、テストする能力を証明することができます。この認定は、競争力のある就職市場で候補者を際立たせ、収益性を向上させることができます。

>> Cisco 350-901ブロンズ教材 <<

350-901 PDF問題サンプル & 350-901日本語版試験勉強法

Cisco 350-901認定資格試験の難しさなので、我々サイト350-901であなたに相当する認定資格試験問題集を見つけるし、本当の試験での試験問題の難しさを克服することができます。当社はCisco 350-901認定試験の最新要求にいつもでも関心を寄せて、最新かつ質高い模擬試験問題集を準備します。また、購入する前に、無料のPDF版デモをダウンロードして信頼性を確認することができます。

Cisco Developing Applications using Cisco Core Platforms and APIs

(DEVCOR) 認定 350-901 試験問題 (Q429-Q434):

質問 # 429

Refer to the exhibit.

```
import request, time
bearer = "BEARER_TOKEN_HERE"
url = 'https://api.ciscopark.com/v1/rooms'
headers = {'content-type': 'application/yang-data+json',
           'accept': 'application/yang-data+json',
           'Authorization': "Bearer "+bearer}


while True:
    response = requests.get(url, headers=headers, verify=False)
    status = <item 1>
    if(status == 200):
        print("Success")
        break
    elif(status == <item 2>):
        sleep_time = int(<item 3>)
        print('Too Many requests. Sleeping for ', sleep_time, '<item 4>')
        time.sleep(sleep_time)
    else:
        print("Error code" + str(status) + "detected.")
        break
```

A developer is creating a Python script to use the Webex Teams REST API to list joined spaces, retry after the server-specified amount of time if a "Too many requests" response is received, and print any other error that is received. Drag and drop the code snippets from the left onto the item numbers on the right that match the missing sections in the exhibit to complete the script. Not all code snippets are used.

405	<item 1>
429	<item 2>
minutes	<item 3>
seconds	<item 4>
response.headers['Retry-After']	
response.header	
response.status_code	
response.status	

正解:

解説:



質問 # 430

A developer designs and builds an API to interact with a large database that is hosted in the public cloud. The developer is concerned about database performance because the database is shared between production and non-production systems. Which approach provides protection to the database from excessive load?

- A. Rate limit requests to the API.
- B. Take the API offline if database utilization exceeds a predefined threshold.
- C. Host the API on a public cloud platform to take advantage of auto-scaling.
- D. Ensure that only valid users can access the API.

正解: A

解説:

Rate limiting controls the number of requests sent to the API within a given time frame, preventing excessive load on the database. This ensures that production and non-production systems do not overwhelm the database, maintaining performance and availability.

質問 # 431

Refer to the exhibit. An engineer needs to implement REST API error handling when a timeout or rate limit scenario is present. Which code snippet must be placed into the blank in the code to complete the API request?

```
response = requests.post(url)
```

```
backoff = 5
time.sleep(int(backoff))
response = requests.post(url)
while response.status_code != 200 and backoff < 80:
    backoff *= 2
    time.sleep(int(backoff))
    response = requests.post(url)
else:
    continue
```

- A.

```
if response.status_code == 429:
    wait = response.headers.get('Retry-After', 99)
    print(f'-> got {response.status_code} from {url}. retrying after {wait}s')
    time.sleep(int(wait))
    response = requests.post(url)
elif response.status_code == 401:
```
- B.

```

if response.status_code == 401:
    wait = response.headers.get('Retry-After', 99)
    print(f'-> got {response.status_code} from {url}. retrying after {wait}s')
    time.sleep(int(wait))
    response = requests.post(url)
elif response.status_code == 408:

```

• C.

```

if response.status_code == 429:
    wait = response.headers.get('Retry-After', 99)
    print(f'-> got {response.status_code} from {url}. retrying after {wait}s')
    time.sleep(int(wait))
    response = requests.post(url)
elif response.status_code == 408:

```

• D.

```

if response.status_code == 408:
    wait = response.headers.get('Retry-After', 99)
    print(f'-> got {response.status_code} from {url}. retrying after {wait}s')
    time.sleep(int(wait))
    response = requests.post(url)
elif response.status_code == 429:

```

正解: C

解説:

429 produces "retry-after" which is used in the code.

408 does not produce "retry-after" so you need to define a backoff-time yourself.

質問 #432

Drag and drop the code snippets from the bottom onto the boxes where the code is missing to create a Cisco Webex meeting by using the Webex API. Not all options are used.

```

import requests, json

token = 'eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXZWQ'

headers = {
    'Authorization': f'Bearer {token}',
    'Content-Type': 'application/json'
}

payload = {
    "title": "DevNet Webex Discussion",
    "password": "AGrtg123",
    "start": "2020-11-10T17:00:00Z",
    "end": "2020-11-10T17:00:00Z",
    "enableAutoRecordMeeting": False,
    "allowAnyUserToBeCoHost": False
}

response = requests.request(" ",
                             "https://webexapis.com/v1/meetings",
                             headers=headers, data=json.dumps(payload))
print(response.text.encode('utf8'))

```

GET

TITLE

POST

PUT

PATCH

DELETE

正解:

解説:

```

import requests, json

token = 'eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXZWQ'

headers = {
    'Authorization': f'Bearer {token}',
    'Content-Type': 'application/json'
}

payload = {
    "title": "DevNet Webex Discussion",
    "password": "AGstg123",
    "start": "2020-11-10T17:00:00Z",
    "end": "2020-11-10T17:00:00Z",
    "enableAutoRecordMeeting": False,
    "allowAnyUserToJoinMeeting": False
}

response = requests.request("PUT",
    f'{BASE_URL}/v1/meetings',
    headers=headers, data=json.dumps(payload))
print(response.text.encode('utf8'))

```

NAME	TITLE
POST	PUT
/v1/meetings	/v1/meetings

質問 #433

On which system must the messaging standards be defined to allow communication between all the components for a custom dashboard?)

- A. back end
- B. web application
- C. front end
- D. management server

正解: A

質問 #434

.....

350-901学習ガイドは、世界で非常に効率的なツールです。私たちに知られているように、私たちの現代世界では、誰もがより速く、より良く、よりスマートに物事を行うことを求めているので、生産性ハックが信じられないほど人気があるのも不思議ではありません。そのため、学習ツールの重要性を認識する必要があります。お客様の学習効率を高めるために、当社の350-901トレーニング資料は、当社の多くの専門家によって設計されました。350-901学習教材は、すべての人々が学習効率を向上させるのに非常に役立ちます。

350-901 PDF問題 サンプル: <https://www.it-passports.com/350-901.html>

- 試験の準備方法-信頼的な350-901ブロンズ教材試験-便利な350-901 PDF問題サンプル □ { www.xhs1991.com } に移動し、▷ 350-901 ◁ を検索して無料でダウンロードしてください350-901最速合格
- 350-901試験の準備方法 | 素敵な350-901ブロンズ教材試験 | 実際のDeveloping Applications using Cisco Core Platforms and APIs (DEVCOR) PDF問題サンプル □ ウェブサイト ➡ www.goshiken.com □ を開き、➡ 350-901 □ □ □ を検索して無料でダウンロードしてください350-901無料ダウンロード
- 高品質な350-901ブロンズ教材 - 資格試験におけるリーダーオファー - 信頼できるCisco Developing Applications using Cisco Core Platforms and APIs (DEVCOR) □ ⇒ www.it-passports.com ⇒ サイトにて最新[350-901]問題集をダウンロード350-901最新問題
- 350-901ブロンズ教材を検索して,Developing Applications using Cisco Core Platforms and APIs (DEVCOR)の半分をパスします □ ウェブサイト ▶ www.goshiken.com ◀ を開き、✓ 350-901 □ ✓ □ を検索して無料でダウンロードしてください350-901無料過去問
- 350-901実際試験 □ 350-901受験記対策 □ 350-901実際試験 □ 時間限定無料で使える《 350-901 》の試験問題は { www.topexam.jp } サイトで検索350-901資格トレーニング
- 350-901全真問題集 □ 350-901無料過去問 □ 350-901試験関連情報 □ (www.goshiken.com) サイトにて ➡ 350-901 □ □ □ 問題集を無料で使おう350-901関連復習問題集
- 350-901認定資格 □ 350-901トレーニング資料 □ 350-901試験関連情報 □ ウェブサイト ▶ www.mogixam.com □ を開き、➡ 350-901 □ を検索して無料でダウンロードしてください350-901無料ダウ

ンロード

- [illegible]

2026年It-Passportsの最新350-901 PDFダンプおよび350-901試験エンジンの無料共有: https://drive.google.com/open?id=1m_4UekuMmD6mmsznKepKTSb5SUhFW26z