

HPE7-A03模擬解説集、HPE7-A03資格関連題



P.S.CertJukenがGoogle Driveで共有している無料の2026 HP HPE7-A03ダンプ： https://drive.google.com/open?id=1kiedtImR_Pi4kZi1AEW-8BPazdazAWFr

私たちCertJukenの将来の雇用のためのより資格のある認定は、その能力を証明するのに十分な資格HPE7-A03認定を取得するためにのみ考慮される効果があり、社会的競争でライバルを乗り越えることができます。多くの受験者はHPE7-A03試験の難しさに負けていますが、HPE7-A03試験の資料を知っていれば、難易度を簡単に克服できます。HPE7-A03試験問題を購入する場合は、Webで製品の機能を確認するか、HPE7-A03試験問題の無料デモをお試しください。

HP HPE7-A03 認定試験の出題範囲：

トピック	出題範囲
トピック 1	<ul style="list-style-type: none">Propose the Solution: The focal point of this topic is creating the design documentation and the final design. Moreover, the topic also focuses on presenting the solution.
トピック 2	<ul style="list-style-type: none">Discover Requirements: This topic defines the goals and identifies the current environment and the objectives. Lastly, it also focuses on collecting information.
トピック 3	<ul style="list-style-type: none">Architect the Solution: It measures your knowledge about identifying the solution options, designing high-level topologies, selecting the correct products, and determining the suitable overlay and underlay design. Additionally, the topic discusses how to verify that the design meets the original requirements.
トピック 4	<ul style="list-style-type: none">Analyze Requirements: It focuses on determining possible high-level solutions. The topic also discusses mapping the needs into technical solutions and evaluating the proposed solution against project objectives and dependencies. Moreover, it also focuses on documenting assumptions.

>> HPE7-A03模擬解説集 <<

最新HPE7-A03 | 一番優秀なHPE7-A03模擬解説集試験 | 試験の準備方法Aruba Certified Campus Access Architect Exam資格関連題

この分野には多くの専門家や教授がいます。すべての人々の要求を満たすために、当社のこれらの優秀な専門家および教授は昼夜を問わず働いています。彼らはすべての人々のために当社から最高のHPE7-A03認定トレーニング教材を設計するために最善を尽くしました。学習資料により、すべての人がより効率的な方法でHPE7-A03試験の準備をすることができます。HPE7-A03学習教材がすべての人々に適し、学生、労働者、主婦などすべての人々の要求を満たすことを保証できます。

HP Aruba Certified Campus Access Architect Exam 認定 HPE7-A03 試験問

題 (Q87-Q92):

質問 # 87

A German cruise line company needs to refresh its current fleet. They will refresh the 'insides' of the ship to be cost-effective and increase their sustainability. They will replace the complete WLAN/LAN hardware of the ship. In this refresh, the company will not refresh its current security requirements, The CIO also wants to limit the number of unused ports in the switches, future expansion will always mean a refresh of hardware. They start with the smallest ship (Ship One) with a maximum of 350 guests.

Ship One has a LAN infrastructure consisting of two core switches, eight redundant distribution switches, and two hundred access switches (175 cabins and 25 technical rooms).

The Core switches are located in the MDF of the ship, the distribution switches are located in the IDFs (eight in total) of the ship. Each cabin and technical room gets one single access switch.

The structured cabling of the ship will not be refreshed. Each IDF is connected to the MDF by SMF pairs. Each cabin is connected by a single MMF pair to the IDF. Each technical room is connected by a single MMF pair to the IDF.

For each cabin/technical room the customer is looking to replace their current fan-less 2530/2540 without changing the requirements, except they need to upgrade the uplink to distribution switch to 10GbE to handle the increased network traffic.

The WLAN infrastructure will be 1:1 refreshed without new cabling or new AP locations. Their WLAN infrastructure is based on the 200 series indoor and outdoor APs running InstantOS (total of 195 APs), the customer has no change in WLAN requirements.

Your team member (out on parental leave) has started with the proposed solution listed below.

Core switch: one VSX stack of two 8325-48Y8C switches

Distribution switch: one VSF stack of two 6300F 24-port SFP+ and 4-port SFP56 switches per IDF Cabin switch: one 6200F 12G Class4 PoE 2G/2SFP+ per cabin Technical room switch: one 6200F 12G Class4 PoE 2G/2SFP+ per technical room

Indoor Cabin APs: AP-505H (88 total) Indoor standard APs: AP-535 (82 total) Outdoor APs: AP-565 (25 total) What possible issue with the core switch selection do you see in regards to the customer's requirements?

- A. The core switch will not support the 10GbE downlinks to the cabins and technical rooms.
- B. The core switch will not support the 25GbE downlinks to the distribution switches.
- C. The core switch will not have enough ports for VSX links.
- D. The core switch will have a lot of unused ports.

正解: D

質問 # 88

ACME retail has 38 locations spread out across five US states and two provinces in Canada.

They are looking to grow 20% over the next two years. They have an HQ with a staff of 200 employees. The organization has eight Regional Managers and two VPs who work from home and the road. Stores typically have 17 employees on average per location.

The two warehouses have a remote loading system and 20 employees each to load the trucks and fulfill the online orders. The warehouse has 40-foot ceilings and large metal racks to store inventory. The main location is 240K sq ft (22300 sq m) and the Canadian warehouse is 130K sq ft (12100 sq m). The forklifts on the loading docks are equipped with a wireless tablet on board.

A typical store is reportedly about 60,000 sq ft (5575 sq m) and smaller stores are planned at

25,000 sq ft (2320 sq m). The locations need to expand the abilities to vendors that need to add setup displays or interactive kiosks

in the stores. The current infrastructure was installed in 2015 and used wireless N technology in a coverage model. The wiring is Cat5, and they are unsure of the fiber connections. The inventory is all placed on the floor when it is delivered to the local store.

Inventory control is handled through Zebra barcode scanners, and they have had a lot of issues in getting signals throughout the stores and this makes monthly inventory difficult. The organization has a small help desk to troubleshoot issues that happen at the retail locations and PC support for the office. The company is looking to upgrade away from the current PBX system later this year.

With the need to grow and cut costs, they are interested in moving the data to the cloud but need to get almost real-time inventory control for the online service to function.

The network has all been wired over the last ten years, but with the new systems being all wireless, they have seen the trend to offer wireless to all the vendors for their needs but also would be to allow employees, guests, and contractors all to use it. With the new IT director starting next week, the project has been set by the CTO of the company. The marketing group has asked how they can interact with the customers and get more info, while the IT support desk needs to cut staff in half.

The office has an MDF and two IDFs located on floors one and two. The MDF is in the basement, and you have multiple WAN circuits for the HQ links. Each store has a local handoff from the cable company (ethernet) in the middle of the store in the office, so distance for the wiring is not an issue.

The customer has budget concerns but does want something that could last 7+ years.

The customer would like to host all the applications at the HQ Data Center.

Which design would meet the customer's requirements?

- A. HPE Comware switches

- B. SD-Branch Architecture
- C. UXI Sensors
- D. Instant OS access points
- E. 10000 switch with Pensando

正解: B

解説:

For ACME Retail, which aims to host all applications at the HO Data Center and has multiple locations spread across different geographical areas, the Aruba SD-Branch Architecture would be the most suitable design to meet their requirements. This architecture provides a simplified, integrated branch networking solution combining SD-WAN, LAN, and security features. It enables centralized management and control, allowing ACME Retail to efficiently route traffic from branch locations to the HO Data Center, ensuring secure and reliable access to applications. The SD- Branch solution can accommodate the company's growth and adapt to changing network demands, making it an ideal choice for a scalable and flexible network infrastructure that supports ACME Retail's business objectives.

質問 # 89

Match the deployment type to the estimated number of APs.

正解:

解説:

Explanation:

Capacity based design with low to mid density - $100,000 \text{ ft}^2 / 900 \text{ m}^2$ building $100,000/10,000 = 10$ APs Coverage based design - $100,000 \text{ ft}^2 / 900 \text{ m}^2$ building $100,000/2,500 = 40$ APs High-capacity design - $100,000 \text{ ft}^2 / 900 \text{ m}^2$ building $100,000/1,500 = 67$ APs Very low-density, low coverage - $100,000 \text{ ft}^2 / 900 \text{ m}^2$ building $100,000/500 = 20$ APs The deployment of Access Points (APs) in a wireless network design depends on the required density and coverage needed:

- * Capacity based design with low to mid density is often used in environments like office spaces where there is a moderate amount of users and devices. Fewer APs are required compared to high-density scenarios.
- * Coverage based design typically requires more APs than a low-density capacity design because the goal is to provide a wireless signal to all areas, regardless of the number of users.
- * High-capacity design is for environments like stadiums or conference centers where a high number of users are expected to be concentrated in a particular area. Thus, a higher number of APs is needed to accommodate the user load.
- * Very low-density, low coverage is suitable for areas that have few users over a large space, such as warehouses or outdoor areas. Fewer APs are required as the focus is on covering space rather than supporting a large number of devices.

質問 # 90

What documents should be included in the solution proposal? (Place the correct items into the list at the right.

Order is not important. Not all options will be used)

正解:

解説:

Explanation:

For the solution proposal, the documents that should typically be included are:

- * Architect's notes from meetings
- * As-built rack drawings
- * Assumptions documented in design
- * Bill of materials
- * Data sheets of equipment proposed
- * Proposed topology diagram
- * Quote

質問 # 91

XYZ Regional Hospital is an integrated healthcare system of hospitals, neighborhood health centers, and small doctor offices. XYZ Regional Hospital has recently merged with 4x neighborhood health centers and

125 doctor branch offices. The wireless, wired access, and AAA solutions are outdated and need to be replaced

XYZ Regional Hospital is looking to future-proof and improve efficiency across all sites by enhancing wired and wireless access and migrating to a centralized and unified wired/wireless and policy management that can provide uninterrupted availability of all systems. Locations:

- XYZ Regional Hospital is located in New York City
- Dila Health Center is located in City A
- Mount Health Center is located in City B
- Rock Health Center is located in City C

- Branch clinics are located at different locations across the United States Requirements:

- Provide, via management software, one single pane of glass to manage wired and wireless IANs, and VPNs across campus, branch, and remote via web/cloud architecture providing near real-time Insight.

troubleshooting tools, and Service Level performance reporting.

- Seamless integration across wired, wireless, WAN, SD-Branch, IoT

- Provide secure wireless access to all the employees of the Regional Hospital and partners, as well as provide wireless Internet access to medical citizens when they visit our facilities.

- All-access points must support the following features and specifications: 802.11ax (Wi-Fi 6E Certified)

- Security options including WPA2/WPA3, 802.1X with RADIUS secure authentication

- Identify and authenticate every wireless and wired device

- End-to-end role-based security

- Seamless mobility across the hospital for medical learners, patients, and visitors

- Cuts Wi-Fi deployment times from days to hours and enables Zero-Touch deployments across the site

- Establishes a resilient, future-ready network infrastructure with the intelligence, scalability, and intuitive toolsets to meet emerging needs

- Fully redundant branch solution with dynamic path selection

The IT director of the hospital is concerned that the branch clinics will not have an onsite resource to troubleshoot any issues that may arise and is looking for a solution that would allow the hospital IT team to proactively monitor the branch offices.

Requirements:

* Monitor wireless and wired connections

* End-to-end view of experience identifying the point of failures

* Proactively troubleshoot issues impacting application performance

What is the correct solution?

- A. HPE Aruba Networking ClearPass Device Insight
- B. AirWave
- C. Client Insight
- D. HPE Aruba Networking User Experience Insight

正解: D

質問 #92

.....

HPのHPE7-A03試験に受かることを通じて現在の激しい競争があるIT業種で昇進したくて、IT領域で専門的な技能を強化したいのなら、豊富なプロ知識と長年の努力が必要です。HPのHPE7-A03試験に受かるのはあなたが自分をIT業種にアピールする方法の一つです。でも、試験に合格するために大量な時間とエネルギーを費やすことはなく、CertJukenのHPのHPE7-A03試験トレーニング資料を選んだらいいです。CertJukenのトレーニング資料はIT認証試験に受かるために特別に研究されたものですから、この資料を手に入れたら難しいHPのHPE7-A03認定試験に気楽に合格することができるようになります。

HPE7-A03資格関連題: <https://www.certjuken.com/HPE7-A03-exam.html>

- 一生懸命にHPE7-A03模擬解説集 - 合格スムーズHPE7-A03資格関連題 | 認定するHPE7-A03難易度 □ { www.topexam.jp } は、【 HPE7-A03 】を無料でダウンロードするのに最適なサイトですHPE7-A03試験勉強書
- 有難いHPE7-A03模擬解説集 - 合格スムーズHPE7-A03資格関連題 | 素敵なHPE7-A03難易度 □ 今すぐ { www.goshiken.com } で > HPE7-A03 < を検索して、無料でダウンロードしてくださいHPE7-A03受験記対策
- 素敵なHP HPE7-A03模擬解説集 インタラクティブテストエンジンを使用して - 正確なHPE7-A03資格関連題 □ 《 www.passtest.jp 》を開き、> HPE7-A03 < を入力して、無料でダウンロードしてくださいHPE7-A03勉強資料

