


C_ADBTP_2601 Valid Exam Dumps, C_ADBTP_2601 Study Guide



We will provide you with three different versions of our C_ADBTP_2601 exam questions on our test platform. You have the opportunity to download the three different versions from our test platform. The three different versions of our C_ADBTP_2601 test torrent include the PDF version, the software version and the online version. The three different versions will offer you same questions and answers, but they have different functions. According to your needs, you can choose any one version of our C_ADBTP_2601 Guide Torrent. For example, if you need to use our products in an offline state, you can choose the online version; if you want to try to simulate the real examination, you can choose the software. In a word, the three different versions of our C_ADBTP_2601 test torrent.

Our company has employed a lot of leading experts in the field to compile the C_ADBTP_2601 Exam Materials, in order to give candidate a chance to pass the C_ADBTP_2601 exam. So many candidates see our It-Tests web page occasionally, and they are attracted by our high quality and valid dumps. They bought it without any hesitation. However, they passed the exam successfully. It turned out that their choice was extremely correct.

>> C_ADBTP_2601 Valid Exam Dumps <<

C_ADBTP_2601 Study Guide - Pass4sure C_ADBTP_2601 Study Materials

It-Tests C_ADBTP_2601 exam braindumps is valid and cost-effective, which is the right resource you are looking for. What you get from the C_ADBTP_2601 practice torrent is not only just passing with high scores, but also enlarging your perspective and enriching your future. From the C_ADBTP_2601 free demo, you will have an overview about the complete exam dumps. The comprehensive questions together with correct answers are the guarantee for 100% pass.

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

Answer:

Explanation:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

Create Directory

Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name *

Parent *

Description

> Advanced

Cockpit supports multi-level directories in your account structure.
You can add your new directory directly to the root global account or to an existing directory by choosing the location under **Parent**.

Create Cancel

Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.

Name	Type	Environment	Provider	Region
BTP Admin Certification	Global Account			
Americas	Directory			
Eurasia	Directory			

Context menu for Eurasia:

- Go to Overview
- More Info
- Create Directory
- Create Subaccount
- Delete

Select Parent

Search

☐ Show only directories I can create in [Expand All](#) [Collapse All](#)

▼ BTP Admin Certification xxxxx

- ☒ Americas
- ☐ Eurasia

[Select](#) [Cancel](#)

Create Directory

Display Name* Description

Parent*

☐ Enable entitlement management ☐ Enable user management

Add labels to this directory. ⓘ

Name: Values:

[+](#) [Create](#) [Cancel](#)

Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts


Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.



The image shows the 'Create Directory' form in SAP. The 'Display Name' field contains 'Human Resources' and the 'Parent' dropdown is set to 'Eurasia'. The 'Description' field contains 'Human Resources Accounts'. Under the 'Advanced' section, there are two checkboxes: 'Enable entitlement management' and 'Enable user management', both of which are unchecked. Below these, there is a section 'Add labels to this directory'. The 'Name' field contains 'access' and the 'Values' field contains 'internal'. A blue plus button is located below the 'Name' field. At the bottom right, there are 'Create' and 'Cancel' buttons.

Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal



The image shows a screenshot of the SAP Directory Structure. The table lists the following directories:

Name	Type	Environment	Provider	Region	Labels	Changed On
STP Admin Certification	Global Account					March 20, 2026, 6:56:2...
Americas	Directory					March 22, 2026, 4:25:1...
Partner	Directory				1 label	March 22, 2026, 4:29:2...
Eurasia	Directory					March 22, 2026, 4:26:0...
Human Resources	Directory				1 label	March 22, 2026, 4:31:0...

Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia
Partner has label access=external
Human Resources has label access=internal
All names and descriptions are entered exactly as required
Common Mistakes to Avoid

1. Wrong parent
Partner must be created under Americas
Human Resources must be created under Eurasia
2. Wrong label key or value
Use exactly:
access → external
access → internal
3. Spelling errors
Be careful with:
Americas
Eurasia
Partner
Human Resources
4. Creating all directories directly under the global account
Only Americas and Eurasia are direct children of the global account.
Partner and Human Resources must be child directories.

NEW QUESTION # 11

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Display Name *
EU HCM Dev

Description
Human Resources Development

Region *
Europe (Frankfurt) AWS

Subdomain *
btpops xxxx-eu-hcm-dev

Parent *
Eurasia

> Advanced

Cockpit supports multi-level directories in your account structure.
You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

Create Cancel

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

The screenshot shows the 'Create Subaccount' form in SAP BTP. The 'Display Name' is 'EU HCM Test' and the 'Description' is 'Human Resources Testing'. The 'Region' is set to 'Europe (Frankfurt) - AWS'. The 'Subdomain' is 'btpops#####-eu-hcm-test' and the 'Parent' is 'Eurasia'. The 'Advanced' section is expanded, showing options for 'Used for production' and 'Enable beta features', both of which are unchecked. There is a section for 'Add labels to this subaccount' with a 'Name' field and a 'Values' field. The 'Create' button is visible at the bottom right.

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

The screenshot shows the SAP BTP subaccount list. The table has columns for Name, Type, Environment, Provider, Region, and Changed On. The subaccount 'EU HCM Test' is listed under the 'Human Resources' category, with a type of 'Subaccount', environment of 'Multi-Environment', provider of 'Amazon Web Services (AWS)', and region of 'Europe (Frankfurt) - AWS'.

Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification #####	Global Account				March 25, 2026, 9:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Partner	Directory				March 26, 2026, 3:30:3...
AM-FA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (OR)	March 26, 2026, 3:35:3...
AM-FA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (OR)	March 26, 2026, 3:39:3...
Eurasia	Directory				March 26, 2026, 3:28:2...
Human Resources	Directory				March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:43:4...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:46:5...

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

Create Subaccount

Display Name* Description

Region*

Subdomain* Parent*

Advanced

☒ Used for production ☐ Enable beta features

Add labels to this subaccount.

Name: Values:

Create **Cancel**

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification	Global Account				March 25, 2026, 5:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Partner	Directory				March 26, 2026, 3:30:3...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (NR)	March 26, 2026, 3:35:3...
AM PA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (NR)	March 26, 2026, 3:39:3...
Europe	Directory				March 26, 2026, 3:28:2...
Human Resources	Directory				March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:48:3...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:46:5...

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops####-eu-hcm-dev

btpops####-eu-hcm-test

btpops####-eu-hcm-prod

Only replace #### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

NEW QUESTION # 12

SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance html5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances area.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:


Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.



A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

A screenshot of the 'New Instance or Subscription' wizard, step 1: Basic Info. The wizard has three steps: 1. Basic Info, 2. Parameters, and 3. Review. Step 1 is active. Below the step indicator, it says 'Enter basic info for your instance or subscription.' There is a search bar and a list of services. The 'HTML5 Application Repository Service' is selected. Below the service selection, there is a 'Plan' dropdown menu with 'app-host' selected. Below the plan selection, there is an 'Instance Name' text input field with 'html5-eu-hcm-dev' entered. At the bottom right, there are 'Next >', 'Create', and 'Cancel' buttons.

Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.


Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.



Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid

Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.

Choosing the wrong service; use HTML5 Application Repository Service.

Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.

Typing the wrong instance name; use exactly html5-eu-hcm-dev.

Name	Type	Environment	Provider	Region	Labels	Changed On
WTP Admin Certification	Global Account					March 25, 2026, 5:11:2...
Americas	Directory					March 26, 2026, 3:27:5...
Partner	Directory (Managed)				1 label	March 26, 2026, 3:50:1...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (NV)		March 26, 2026, 3:35:3...
AM PA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (NV)		March 26, 2026, 3:39:3...
Eurasia	Directory					March 26, 2026, 3:28:2...
Human Resources	Directory					March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:48:3...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:46:5...
Shared Services	Directory					March 26, 2026, 4:14:2...
SH Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 4:15:5...
SH Ops	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 4:17:0...

NEW QUESTION # 13

SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape.

Set the instance name to cf-eu-hcm-dev and the org name to btppops#####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

Enable Cloud Foundry

1

Basic Info

Enter basic info for your environment instance.

Environment: * Can't find what you're looking for?

Cloud Foundry Runtime

Plan: *

standard

Landscape: *

cf-eu10-005

Instance Name: ⓘ

cf-eu-hcm-dev

Org Name: * ⓘ

bt pops -eu-hcm-dev

Cloud Foundry API endpoints may differ between subaccounts in the same region.
The API endpoint for this subaccount is shown in the Cloud Foundry environment instance details.

Create Cancel

Subaccount: EU HCM Dev - Overview

BTP Admin Certification / Eurasia / Human Resources / EU HCM Dev

General Cloud Foundry Environment Entitlements

General

37 Entitlements 1 Instances and Subscriptions

Subdomain: bt pops3451-eu-hcm-dev Provider: Amazon Web Services (AWS) Used for Production: No Created By: [User]

Tenant ID: da5ded99-37be-400b-99b5-7ca1757cc3f5 Region: Europe (Frankfurt) - AWS Beta Features: Disabled Created On: March 27, 2026, 11:21:55 PM GMT+05:00

Subaccount ID: da5ded99-37be-400b-99b5-7ca1757cc3f5 Environment: Multi-Environment Modified On: March 27, 2026, 11:22:17 PM GMT+05:00

Open in Audit Log Viewer

Cloud Foundry Environment

Information not available to you. You must be an org member. Go to XBA

API Endpoint: https://api.cf.eu10-005.hana.ondemand.com

Org Name: bt pops3451-eu-hcm-dev

Org ID: e982dadf-3148-4146-ac98-f73b32323236

Org Memory Limit: 1.024MB

Manage environment instance

Double Cloud Foundry

Spaces (0)

Name	Applications	Service Instances
No spaces defined in this subaccount		

Create Space

Part 2 - Create the space

Step 4 - Open Spaces

In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.




Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.



Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory
Routes
Services
Instance Memory
For App Instances, set:
Unlimited
Then save the quota.

Create Space Quota

i You are allowed to add a value above the org quota, but the org quota is the consumable limit you can reach.
To assign the "Unlimited" value, use -1.

Name: * half-org-quota

Space Memory (MB): * 512
Org Quota: 1024 MB (1GB)

Routes: * 5
Org Quota: 10

Service Instances: * 250
Org Quota: 500

Memory per Instance (MB): * 8192
Org Quota: 16384 MB (16GB)

App Instances: * -1
Org Quota: Unlimited

Allow Paid Services: ☐ OFF

Create **Cancel**

Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100

If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.

Subaccount: EU HCM Dev - Space Quotas

[Space Quotas](#)[Quota Assignments](#)

Space Quotas (1)

half-org-quota

Not assigned

Space Memory:

512MB

Paid Services:

Not Allowed

Routes:

5

App Instances:

Unlimited

Service Instances:

250

Memory per Instance:

8GB



Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment

Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording





Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is btpops####-eu-hcm-dev

space activity-recording exists

space quota half-org-quota exists

memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.

Using the wrong landscape; the task explicitly requires cf-eu10-004.

Typing the wrong org name; use exactly btpops####-eu-hcm-dev.

Forgetting to create the space before assigning the quota.

Entering full org quota instead of half.

Limiting app instances to a number instead of leaving them unlimited.

Creating the quota but not assigning it to activity-recording.

NEW QUESTION # 14

.....

For candidates who are going to buy C_ADBTP_2601 exam materials online, they may pay more attention to the website safety. We have technicians to examine the website at times, therefore we will offer you clean and safe online shopping environment if you choose us. In addition, we have a professional team to collect the first-hand information for C_ADBTP_2601 Exam Braindumps, and if you choose us, we can ensure that you can obtain the latest information for the exam. You can enjoy the free update for one year for C_ADBTP_2601 training materials, and the update version will be sent to you automatically.

C_ADBTP_2601 Study Guide: https://www.it-tests.com/C_ADBTP_2601.html

If you really crave for it, our C_ADBTP_2601 study materials are your best choice, The software maintains track of prior tries and provides you with a self-assessment report indicating improvements in each attempt just like the online C_ADBTP_2601 practice test, At the same time, some of our questions are quite similar to the real questions of the C_ADBTP_2601 Study Guide valid questions, SAP C_ADBTP_2601 Valid Exam Dumps A good beginning is half done.

This assumes a certain level of administrative expertise in running both domains, Super Stats Live Entry, If you really crave for it, our C_ADBTP_2601 Study Materials are your best choice.

The software maintains track of prior tries and provides you with a self-assessment report indicating improvements in each attempt

just like the online C_ADBTP_2601 practice test.

High Hit Rate C_ADBTP_2601 Valid Exam Dumps, C_ADBTP_2601 Study Guide

At the same time, some of our questions are quite similar to C_ADBTP_2601 the real questions of the SAP Certified Associate valid questions, A good beginning is half done, Now we are your best choice.

- Learning C_ADBTP_2601 Materials □ Certification C_ADBTP_2601 Exam Online □ Certification C_ADBTP_2601 Sample Questions □ Enter “www.testkingpass.com” and search for 【C_ADBTP_2601】 to download for free □ Valid Exam C_ADBTP_2601 Braindumps
- Certification C_ADBTP_2601 Sample Questions □ New C_ADBTP_2601 Braindumps Questions □ Learning C_ADBTP_2601 Materials □ Easily obtain free download of □ C_ADBTP_2601 □ by searching on [www.pdfvce.com] □ C_ADBTP_2601 Reliable Exam Labs
- C_ADBTP_2601 Latest Dumps Questions □ C_ADBTP_2601 Latest Dumps Questions □ C_ADBTP_2601 Latest Dumps Questions □ Open website ▷ www.practicevce.com ◁ and search for▷ C_ADBTP_2601 ◁ for free download □ □ C_ADBTP_2601 Latest Dumps Questions
- Study Materials C_ADBTP_2601 Review ✓ C_ADBTP_2601 Reliable Exam Labs □ Exam C_ADBTP_2601 Objectives □ Open website [www.pdfvce.com] and search for ➡ C_ADBTP_2601 □□□ for free download □ □ C_ADBTP_2601 Exam Study Guide
- New C_ADBTP_2601 Exam Testking □ Study Materials C_ADBTP_2601 Review □ New C_ADBTP_2601 Dumps Sheet □ The page for free download of 【C_ADBTP_2601】 on （ www.troytecdumps.com ） will open immediately □ C_ADBTP_2601 Reliable Exam Labs
- Learning C_ADBTP_2601 Materials □ Certification C_ADBTP_2601 Sample Questions □ C_ADBTP_2601 Latest Dumps Questions □ Download ☀ C_ADBTP_2601 □☀□ for free by simply searching on □ www.pdfvce.com □ □ □Test C_ADBTP_2601 Cram Pdf
- 100% Pass SAP - C_ADBTP_2601 Accurate Valid Exam Dumps ☀ Search for▶ C_ADBTP_2601 ◀ and download exam materials for free through 【 www.testkingpass.com 】 □ C_ADBTP_2601 Latest Dumps Questions
- C_ADBTP_2601 Test Sample Questions □ C_ADBTP_2601 Test Guide Online □ Test C_ADBTP_2601 Cram Pdf □ □ Search for ➞ C_ADBTP_2601 □ on ► www.pdfvce.com □ immediately to obtain a free download □ Exam C_ADBTP_2601 Objectives
- New C_ADBTP_2601 Exam Testking □ C_ADBTP_2601 Reliable Exam Labs □ Certification C_ADBTP_2601 Sample Questions □ Download “C_ADBTP_2601 ” for free by simply searching on ➡ www.dumpsmaterials.com □ □ □New C_ADBTP_2601 Exam Testking
- 100% Pass Quiz 2026 SAP Reliable C_ADBTP_2601: Administrating SAP Business Technology Platform(C_ADBTP_2601) Valid Exam Dumps □ Download ➡ C_ADBTP_2601 □ for free by simply searching on “ www.pdfvce.com ” □Study Materials C_ADBTP_2601 Review
- Authentic C_ADBTP_2601 exam materials: Administrating SAP Business Technology Platform(C_ADBTP_2601) bring you the latest exam questions - www.vceengine.com □ Immediately open ✓ www.vceengine.com □✓□ and search for ► C_ADBTP_2601 □ to obtain a free download □ C_ADBTP_2601 New APP Simulations
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.notebook.ai, www.xym1666666.com, zaynawoz115058.wikilima.com, jadanglm101278.smblogsites.com, ronaldqdz576172.verybigblog.com, amaanhocl353956.blogitright.com, emilialcxv647386.answerblogs.com, chiaraqhay975961.goabroadblog.com, Disposable vapes