


試験の準備方法-ユニークなLEED-AP-Homes勉強資料 試験-効率的なLEED-AP-Homes試験過去問



BONUS!!! CertJuken LEED-AP-Homesダンプの一部を無料でダウンロード：<https://drive.google.com/open?id=1Dn2bc1O0aX2pnFBtwWyMKhLZTSUsPLDd>

LEED-AP-Homes認定の取得を支援するために、多くの専門家が数年間、USGBCすべての試験官向けのLEED-AP-Homes試験トレントを策定するために懸命に取り組んできました。CertJukenこのようにして、当社のLEED-AP-Homes学習資料は、対象となるだけでなく、すべての知識ポイントを網羅しています。LEED-AP-Homes練習教材には、LEED-AP-Homes練習教材の学習プロセスの欠陥を見つけるのに役立つ統計分析機能もあるため、弱いリンクのLEED AP Homes (Residential) Examトレーニングを強化できます。このようにして、能力が向上したため、成功に自信を持つことができます。

USGBC LEED-AP-Homes 認定試験の出題範囲：

トピック	出題範囲
トピック 1	<ul style="list-style-type: none">室内環境品質：この試験セクションでは、建築デザイナーのスキルを評価します。室内空気の健全性、自然光、換気要件に焦点を当て、居住者の快適性と耐久性を確保し、住宅が健康的で永続的な生活環境を提供できる能力を反映します。

トピック 2	<ul style="list-style-type: none"> イノベーション: この試験セクションでは、デザインイノベーションリーダーのスキルを評価します。パイロットプロジェクトや先駆的なサステナビリティソリューションなど、標準単位を超える創造的で模範的な戦略を探求し、住宅デザインにおける先進性を示すことが求められます。
トピック 3	<ul style="list-style-type: none"> エネルギーと大気: この試験セクションでは、グリーンビルディングエンジニアのスキルを評価します。住宅設計におけるエネルギー効率、性能最適化、排出量削減の原則を評価することが含まれ、これらはすべて、居住者のニーズを満たしながら環境への影響を最小限に抑えるために不可欠です。
トピック 4	<ul style="list-style-type: none"> LEEDプロセス: このセクションでは、グリーンビルディングコンサルタントのスキルを評価します。プロジェクトの適格性や役割（グリーン評価者や品質保証担当者など）の理解から、認証要件の理解、LEED検証プロセス、GBCIへの文書提出まで、LEED住宅認証プロセスの包括的な枠組みを網羅しています。
トピック 5	<ul style="list-style-type: none"> 材料と資源: この試験セクションでは、サステナビリティスペシャリストのスキルを測定します。環境に優しい材料の選択と管理、資源の効率的な利用、そして環境に優しい住宅建設を支援するための廃棄物削減戦略の実施に重点が置かれます。

>> LEED-AP-Homes勉強資料 <<

USGBC LEED-AP-Homes試験過去問、LEED-AP-Homesコンポーネント

LEED-AP-Homes学習テストは、シラバスの変更と、USGBC歴史的な質問や業界の動向に基づいた理論と実践の最新の進展に応じて、何百人もの専門家によって改訂された高品質の製品でした。あなたが学生であろうとオフィスワーカーであろうと、ルーキーであろうと長年の経験を積んだベテランであろうと、LEED-AP-Homesガイドトレントが最適です。LEED-AP-Homes学習教材の主な利点は、98%以上のLEED AP Homes (Residential) Exam高い合格率であり、LEED-AP-Homes試験に合格するには十分です。

USGBC LEED AP Homes (Residential) Exam 認定 LEED-AP-Homes 試験問題 (Q43-Q48):

質問 # 43

Which of the following written materials must be provided to a new home occupant to comply with Energy and Atmosphere Prerequisite, Education of the Homeowner, Tenant or Building Manager?

- A. 1990 Americans with Disabilities Act (ADA) guidelines
- B. ASHRAE Standard 90.1-2006
- C. Environmental Protection Agency (EPA) for Homes guidelines
- **D. Operations and maintenance manual**

正解: D

解説:

The question references an "Energy and Atmosphere Prerequisite" for education, which appears to be a misnomer, as the LEED for Homes Rating System (v4) includes this requirement under the Innovation (IN) Prerequisite: Education of the Homeowner, Tenant, or Building Manager. This prerequisite ensures occupants receive materials to understand and maintain the home's sustainable features. According to the LEED Reference Guide for Homes Design and Construction (v4):

IN Prerequisite: Education of the Homeowner, Tenant, or Building Manager Provide an operations and maintenance manual to the homeowner or tenant, including product manuals for installed equipment (e.g., HVAC, water heating systems) and information on the operation and maintenance of green features.

Source: LEED Reference Guide for Homes Design and Construction, v4, Innovation Prerequisite: Education of the Homeowner, Tenant, or Building Manager, p. 188.

The LEED v4.1 Residential BD+C Rating system confirms:

IN Prerequisite: Education of the Homeowner or Tenant

An operations and maintenance manual must be provided to occupants, detailing the function, operation, and maintenance of sustainable systems and equipment in the home.

Source: LEED v4.1 Residential BD+C, Credit Library, accessed via USGBC LEED Online.

The correct answer is operations and maintenance manual (Option B), as this is the required written material to comply with the prerequisite.

Why not the other options?

Reference: LEED Reference Guide for Homes Design and Construction, v4, no mention in IN Prerequisite: Education.

C). 1990 Americans with Disabilities Act (ADA) guidelines: These are unrelated to LEED homeowner education requirements. Reference: LEED Reference Guide for Homes Design and Construction, v4, no mention in IN Prerequisite: Education.

D). Environmental Protection Agency (EPA) for Homes guidelines: While ENERGY STAR guidelines may be relevant, they are not required written materials for this prerequisite. Reference: LEED Reference Guide for Homes Design and Construction, v4, IN Prerequisite: Education of the Homeowner, Tenant, or Building Manager, p. 188.

The LEED AP Homes Candidate Handbook emphasizes IN prerequisites, including education requirements, and references the LEED Reference Guide for Homes Design and Construction as a key resource. The exam is based on LEED v4, ensuring the relevance of the operations and maintenance manual.

References:

LEED Reference Guide for Homes Design and Construction, v4, USGBC, Innovation Prerequisite: Education of the Homeowner, Tenant, or Building Manager, p. 188.

LEED v4.1 Residential BD+C, USGBC LEED Credit Library, accessed via LEED Online (<https://www.usgbc.org/credits>).

LEED AP Homes Candidate Handbook, GBCI, October 2024, p. 12 (references study resources and exam scope based on LEED v4).

USGBC LEED for Homes Rating System (v4), available via USGBC website (<https://www.usgbc.org/resources/leed-homes-design-and-construction-v4>).

LEED v4.1 for Homes, USGBC, accessed via LEED Online, confirming education materials.

質問 # 44

One strategy to help achieve Location and Transportation Credit: Community Resources in a multi-family building is to provide:

- A. Retail on the street level of the development
- B. Additional parking for adjacent retail developments
- C. Shared parking with an adjacent single-family development
- D. Shuttle service for the residents to their places of employment

正解: A

解説:

The LEED for Homes Rating System (v4) includes the Location and Transportation (LT) Credit:

Community Resources and Services, which awards points for locating a project near or integrating community services to reduce transportation needs, particularly in multi-family buildings.

According to the LEED Reference Guide for Homes Design and Construction (v4):

LT Credit: Community Resources and Services (1-2 points)

In multi-family buildings, provide access to community services (e.g., retail, grocery, pharmacy) within the development or within 1/4 mile (0.4 km) walking distance. Including retail on the street level of the development contributes to earning points by enhancing access to services for residents.

Source: LEED Reference Guide for Homes Design and Construction, v4, Location and Transportation Credit: Community Resources and Services, p. 56.

The LEED v4.1 Residential BD+C Rating system confirms:

LT Credit: Community Resources and Services

Providing retail on the street level of a multi-family building qualifies as a strategy to meet the credit by integrating community resources directly within the project, reducing resident travel.

Source: LEED v4.1 Residential BD+C, Credit Library, accessed via USGBC LEED Online.

The correct answer is retail on the street level of the development (Option B), as this directly enhances access to community services, contributing to the credit's requirements.

Why not the other options?

Reference: LEED Reference Guide for Homes Design and Construction, v4, LT Credit: Compact Development, p. 57.

C). Additional parking for adjacent retail developments: This does not enhance resident access to services within the project or nearby. Reference: LEED Reference Guide for Homes Design and Construction, v4, LT Credit: Community Resources and Services, p. 56.

D). Shuttle service for the residents to their places of employment: Shuttle services may support LT Credit: Access to Quality Transit, but not Community Resources and Services. Reference: LEED Reference Guide for Homes Design and Construction, v4, LT Credit:

Access to Quality Transit, p. 58.

The LEED AP Homes Candidate Handbook emphasizes LT credits, including Community Resources and Services, and references the LEED Reference Guide for Homes Design and Construction as a key resource.

The exam is based on LEED v4, ensuring the relevance of retail integration.

References:

LEED Reference Guide for Homes Design and Construction, v4, USGBC, Location and Transportation Credit: Community Resources and Services, p. 56.

LEED v4.1 Residential BD+C, USGBC LEED Credit Library, accessed via LEED Online (<https://www.usgbc.org/credits>).

LEED AP Homes Candidate Handbook, GBCI, October 2024, p. 12 (references study resources and exam scope based on LEED v4).

USGBC LEED for Homes Rating System (v4), available via USGBC website (<https://www.usgbc.org/resources/leed-homes-design-and-construction-v4>).

LEED v4.1 for Homes, USGBC, accessed via LEED Online, confirming community resources strategies.

質問 # 45

Which of the following is a requirement for Indoor Environmental Quality Credit, Contaminant Control, Option 2: Shoe Removal and Storage?

- A. Area must be carpeted
- B. Area must accommodate a bench and one pair of shoes per bedroom
- C. Area must be separated from the living space
- D. Area must be ventilated to the outdoors

正解: C

解説:

The LEED for Homes Rating System (v4) includes the Indoor Environmental Quality (EQ) Credit:

Contaminant Control, Option 2: Shoe Removal and Storage, which aims to reduce indoor contaminants by providing a designated area for shoe removal and storage to prevent tracking pollutants into living spaces.

According to the LEED Reference Guide for Homes Design and Construction (v4):

EQ Credit: Contaminant Control, Option 2: Shoe Removal and Storage (1-2 points) Provide a designated shoe removal and storage area near the primary entryway, separated from living spaces by a door or other barrier to prevent contaminants from entering the home. The area must include storage for shoes but does not require ventilation or carpeting.

Source: LEED Reference Guide for Homes Design and Construction, v4, Indoor Environmental Quality Credit: Contaminant Control, p. 148.

The LEED v4.1 Residential BD+C Crating system confirms:

EQ Credit: Contaminant Control, Option 2: Shoe Removal and Storage

The shoe storage area must be separated from living spaces to prevent the spread of contaminants, typically with a door or partition, and does not require specific ventilation or carpeting.

Source: LEED v4.1 Residential BD+C, Credit Library, accessed via USGBC LEED Online.

The correct answer is area must be separated from the living space (Option A), as this is a key requirement to ensure contaminants are contained outside living areas.

Why not the other options?

Reference: LEED Reference Guide for Homes Design and Construction, v4, EQ Credit: Contaminant Control, p. 148.

C). Area must be ventilated to the outdoors: Ventilation is not required for the shoe storage area; separation is sufficient. Reference: LEED Reference Guide for Homes Design and Construction, v4, EQ Credit:

Contaminant Control, p. 148.

D). Area must be carpeted: Carpeting is not required and may trap contaminants, contradicting the credit's intent. Reference: LEED Reference Guide for Homes Design and Construction, v4, EQ Credit: Contaminant Control, p. 148.

The LEED AP Homes Candidate Handbook emphasizes EQ credits, including contaminant control, and references the LEED Reference Guide for Homes Design and Construction as a key resource. The exam is based on LEED v4, ensuring the relevance of shoe storage separation.

References:

LEED Reference Guide for Homes Design and Construction, v4, USGBC, Indoor Environmental Quality Credit: Contaminant Control, p. 148.

LEED v4.1 Residential BD+C, USGBC LEED Credit Library, accessed via LEED Online (<https://www.usgbc.org/credits>).

LEED AP Homes Candidate Handbook, GBCI, October 2024, p. 12 (references study resources and exam scope based on LEED v4).

USGBC LEED for Homes Rating System (v4), available via USGBC website (<https://www.usgbc.org/resources/leed-homes-design-and-construction-v4>).
LEED v4.1 for Homes, USGBC, accessed via LEED Online, confirming contaminant control requirements.

質問 # 46

What is a benefit of rainwater harvesting in areas with substantial rainfall spikes?

- A. Helps to maintain required firewater levels
- **B. Mitigates on-site erosion**
- C. Little-to-no benefit since precipitation is seasonal
- D. Eliminates the need for low-flow plumbing fixtures

正解: B

解説:

The LEED for Homes Rating System (v4) addresses rainwater harvesting in the Sustainable Sites (SS) Credit: Rainwater Management, which aims to reduce runoff and its environmental impacts, particularly in areas with significant rainfall events. According to the LEED Reference Guide for Homes Design and Construction (v4):

SS Credit: Rainwater Management (1-3 points)

Rainwater harvesting systems (e.g., rain barrels, cisterns) capture and store rainwater, reducing runoff volume and mitigating on-site erosion, especially during substantial rainfall spikes, by preventing excessive water flow across the site.

Source: LEED Reference Guide for Homes Design and Construction, v4, Sustainable Sites Credit: Rainwater Management, p. 76.

The LEED v4.1 Residential BD+C Rating system confirms:

SS Credit: Rainwater Management

A key benefit of rainwater harvesting is mitigating on-site erosion by capturing runoff, particularly in areas with heavy rainfall, reducing soil displacement and environmental damage.

Source: LEED v4.1 Residential BD+C, Credit Library, accessed via USGBC LEED Online.

The correct answer is mitigates on-site erosion (Option B), as rainwater harvesting reduces runoff, preventing erosion during rainfall spikes.

Why not the other options?

Reference: LEED Reference Guide for Homes Design and Construction, v4, SS Credit: Rainwater Management, p. 76.

C). Little-to-no benefit since precipitation is seasonal: Rainwater harvesting is highly beneficial during rainfall spikes, storing water for later use. Reference: LEED Reference Guide for Homes Design and Construction, v4, SS Credit: Rainwater Management, p. 76.

D). Eliminates the need for low-flow plumbing fixtures: Rainwater harvesting addresses outdoor water, not indoor plumbing fixtures. Reference: LEED Reference Guide for Homes Design and Construction, v4, WE Credit: Indoor Water Use, p. 96.

The LEED AP Homes Candidate Handbook emphasizes SS credits, including rainwater management, and references the LEED Reference Guide for Homes Design and Construction as a key resource. The exam is based on LEED v4, ensuring the relevance of erosion mitigation.

References:

LEED Reference Guide for Homes Design and Construction, v4, USGBC, Sustainable Sites Credit: Rainwater Management, p. 76.

LEED v4.1 Residential BD+C, USGBC LEED Credit Library, accessed via LEED Online (<https://www.usgbc.org/credits>).

LEED AP Homes Candidate Handbook, GBCI, October 2024, p. 12 (references study resources and exam scope based on LEED v4).

USGBC LEED for Homes Rating System (v4), available via USGBC website (<https://www.usgbc.org/resources/leed-homes-design-and-construction-v4>).

LEED v4.1 for Homes, USGBC, accessed via LEED Online, confirming rainwater harvesting benefits.

質問 # 47

In order for a project to earn Innovation Credit, LEED AP for Homes, the LEED AP for Homes must be a principal member of the:

- **A. Project team and possess the credential prior to project registration**
- B. Project team and possess the credential prior to preliminary rating
- C. Verification team and possess the credential prior to preliminary rating
- D. Verification team and possess the credential prior to project registration

正解: A

解説:

The LEED for Homes Rating System (v4) includes the Innovation (IN) Credit: LEED Accredited Professional, which awards a point for having a LEED AP for Homes as a principal member of the project team to guide sustainable design and certification.

According to the LEED Reference Guide for Homes Design and Construction (v4):

IN Credit: LEED Accredited Professional (1 point)

At least one principal participant of the project team must be a LEED AP for Homes and hold the credential prior to project registration. The LEED AP must be actively involved in the project to ensure effective implementation of LEED strategies.

Source: LEED Reference Guide for Homes Design and Construction, v4, Innovation Credit: LEED Accredited Professional, p. 189.

The LEED v4.1 Residential BD+C Crating system confirms:

IN Credit: LEED Accredited Professional

The LEED AP for Homes must be a principal member of the project team (not the verification team) and possess the credential before project registration to earn the credit.

Source: LEED v4.1 Residential BD+C, Credit Library, accessed via USGBC LEED Online.

The correct answer is project team and possess the credential prior to project registration (Option B), as this meets the credit's requirements for the LEED AP's role and timing.

Why not the other options?

* A. Project team and possess the credential prior to preliminary rating: The credential must be held before project registration, not preliminary rating.

* C. Verification team and possess the credential prior to preliminary rating: The LEED AP must be on the project team, not the verification team.

Reference: LEED Reference Guide for Homes Design and Construction, v4, IN Credit: LEED Accredited Professional, p. 189.

The LEED AP Homes Candidate Handbook emphasizes IN credits, including the LEED AP role, and references the LEED Reference Guide for Homes Design and Construction as a key resource. The exam is based on LEED v4, ensuring the relevance of the project team requirement.

References:

LEED Reference Guide for Homes Design and Construction, v4, USGBC, Innovation Credit: LEED Accredited Professional, p. 189.

LEED v4.1 Residential BD+C, USGBC LEED Credit Library, accessed via LEED Online (<https://www.usgbc.org/credits>).

LEED AP Homes Candidate Handbook, GBCI, October 2024, p. 12 (references study resources and exam scope based on LEED v4).

USGBC LEED for Homes Rating System (v4), available via USGBC website (<https://www.usgbc.org/resources/leed-homes-design-and-construction-v4>).

LEED v4.1 for Homes, USGBC, accessed via LEED Online, confirming LEED AP requirements.

質問 # 48

.....

練習資料は通常、試験に必要な試験問題を復習、練習、および記憶するためのツールと見なされ、それらに多くの時間を費やすことで、勝つ可能性を高めることができます。ただし、当社のLEED-AP-Homesトレーニング資料は、従来の練習資料よりも条件が良く、効果的に使用できます。LEED-AP-Homes実践ガイドが非常に多くのヘルプを提供できるように、ヘルプを提供することが主な責任であると考えています。最も一般的なのは、LEED-AP-Homes試験問題の効率性です。20~30時間勉強します。

LEED-AP-Homes試験過去問: <https://www.certjuken.com/LEED-AP-Homes-exam.html>

- 自信满满とUSGBC LEED-AP-Homes認定試験を受験しよう □ www.passtest.jp □ に移動し、《LEED-AP-Homes》を検索して無料でダウンロードしてくださいLEED-AP-Homesダウンロード
- LEED-AP-Homes復習テキスト □ LEED-AP-Homes資格関連題 □ LEED-AP-Homes前提条件 □ 時間限定無料で使える ✓ LEED-AP-Homes □ の試験問題は ➡ www.goshiken.com □ サイトで検索LEED-AP-Homes資料勉強
- 実用的なUSGBC LEED-AP-Homes勉強資料 インタラクティブテストエンジンを使用して - パススルーLEED-AP-Homes試験過去問 □ サイト ➡ www.xhs1991.com □ で ➡ LEED-AP-Homes □ □ □ 問題集をダウンロードLEED-AP-Homes無料過去問
- 実用的なUSGBC LEED-AP-Homes勉強資料 インタラクティブテストエンジンを使用して - パススルーLEED-AP-Homes試験過去問 □ 《www.goshiken.com》で ➡ LEED-AP-Homes □ を検索して、無料で簡単にダウンロードできますLEED-AP-Homes模擬問題集
- LEED-AP-Homes資料勉強 □ LEED-AP-Homes日本語版試験解答 □ LEED-AP-Homes資料勉強 ☒ □ www.passtest.jp □ から簡単に (LEED-AP-Homes) を無料でダウンロードできますLEED-AP-Homes学習指導
- LEED-AP-Homes試験の準備方法 | 信頼的なLEED-AP-Homes勉強資料試験 | 最高のLEED AP Homes

(Residential) Exam試験過去問 □ 【 www.goshiken.com 】で【 LEED-AP-Homes 】を検索して、無料でダウンロードしてくださいLEED-AP-Homes日本語受験教科書

- 自信满满とUSGBC LEED-AP-Homes認定試験を受験しよう □ □ www.mogicexam.com □にて限定無料の▶▶ LEED-AP-Homes □問題集をダウンロードせよLEED-AP-Homes独学書籍
- LEED-AP-Homes試験問題解説集 □ LEED-AP-Homes無料過去問 □ LEED-AP-Homes日本語受験教科書 □ 《 www.goshiken.com 》で□ LEED-AP-Homes □を検索して、無料で簡単にダウンロードできますLEED-AP-Homes模擬問題集
- LEED-AP-Homes模擬試験最新版 □ LEED-AP-Homes資格関連題 □ LEED-AP-Homes試験解説 □ ▶▶ www.xhs1991.com □サイトにて最新★ LEED-AP-Homes □★□問題集をダウンロードLEED-AP-Homes前提条件
- USGBC LEED-AP-Homes Exam | LEED-AP-Homes勉強資料 - パスを助ける LEED-AP-Homes: LEED AP Homes (Residential) Exam 試験 □ Open Webサイト □ www.goshiken.com □検索「 LEED-AP-Homes 」無料ダウンロードLEED-AP-Homesダウンロード
- 最新LEED-AP-Homes | 効率的なLEED-AP-Homes勉強資料試験 | 試験の準備方法LEED AP Homes (Residential) Exam試験過去問 □ 「 www.xhs1991.com 」で★ LEED-AP-Homes □★□を検索し、無料でダウンロードしてくださいLEED-AP-Homes復習テキスト
- www.stes.tyc.edu.tw, azzouznorri.blogspot.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, writeablog.net, pixabay.com, gettr.com, kumu.io, www.stes.tyc.edu.tw, Disposable vapes

P.S. CertJukenがGoogle Driveで共有している無料かつ新しいLEED-AP-Homesダンプ: <https://drive.google.com/open?id=1Dn2bc1O0aX2pnFBtwWyMKhLZTSUsPLDd>