


素晴らしいC_ADBTP関連受験参考書 &合格スムーズ C_ADBTP試験関連赤本 |大人気C_ADBTP日本語版対 応参考書Administrating SAP Business Technology Platform(C_ADBTP_2601)



JPTestKingのC_ADBTPには何か品質問題があることを見つければ、あるいは試験に合格しなかったのなら、弊社が無条件で全額返金することを約束します。JPTestKingは専門的にSAPのC_ADBTP試験の最新問題と解答を提供するサイトで、C_ADBTPについての知識をほとんどカバーしています。

調査によれば、従業員の一部の新しいメンバーは昇進する機会を求めているが、C_ADBTP試験の準備に集中するために断片的な時間とエネルギーを利用する必要があるため、厄介な状況に陥っています。C_ADBTP試験の教材は多くの知識を取り入れており、参照用に利用可能な関連試験バンクを提供します。これは学習習慣に一致し、試験知識の豊富な収穫をもたらします。C_ADBTP試験の質問だけでなく、C_ADBTP認定資格を取得することもできます。

>> C_ADBTP関連受験参考書 <<

C_ADBTP試験関連赤本、C_ADBTP日本語版対応参考書

クライアントは、支払いが完了するとすぐに、当社の製品をダウンロードし、C_ADBTP学習教材を使用できます。私たちのシステムは、支払いが成功してから5~10分後にC_ADBTP学習準備をメール形式でクライアントに送信します。メールはリンクを提供します。クライアントのみがリンクをクリックすると、すぐにソフトウェアにログインしてC_ADBTPガイド資料を学習できます。クライアントがC_ADBTPトレーニングクイズを購入する限り、すぐにJPTestKing製品を使用して時間を節約できます。

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) 認定 C_ADBTP 試験問題 (Q10-Q15):

質問 # 10

SIMULATION

Establish Shared Services

Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain btopops#####-sh-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain btopops#####-sh-ops in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.

Part A - Create the Shared Services Directory

Step 1 - Open Directories

What to do

In the SAP BTP Cockpit, open your Global Account.

In the left navigation menu, click Directories.

Explanation:

This is where you create and manage directory structures under the global account.

What to verify

You should now see the list of existing directories.

Step 2 - Create the Directory Shared Services

What to do

Click Create or Create Directory.

Enter the following values:

Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.

Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

What to verify

You should now see:

Shared Services

under the global account.

Part B - Create the SH Dev Subaccount

Step 3 - Open the Shared Services Directory

What to do

In the directory list, select Shared Services.

Explanation:

Both required subaccounts must be created inside this directory.

What to verify

You should now be inside the Shared Services directory.

Step 4 - Open Subaccounts

What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

Step 5 - Create SH Dev

What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev

inside the Shared Services directory.

Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev

Region: AWS → Europe (Frankfurt) cf-eu10

SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops

Region: AWS → Europe (Frankfurt) cf-eu10

Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory

Both subaccounts must be created inside:

Shared Services

3. Wrong subdomain values

Use exactly:

btpops#####-sh-dev

btpops#####-sh-ops

Only replace ##### with your global account number.

4. Wrong region

Both subaccounts must use:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

5. Mixing up SH Dev and SH Ops

Be careful:

SH Dev = Shared Services Development

SH Ops = Shared Services Operations

質問 # 11

SIMULATION

Enable a Cloud Foundry Environment

Add a service plan for Cloud Foundry environment and enable it in a subaccount.

Task 1: Add a Service Plan for Cloud Foundry Environment

In your SAP BTP cockpit, in your EU HCM Dev subaccount, entitle one MEMORY service plan for the Cloud Foundry Runtime.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Human Resources directory.

Open the EU HCM Dev subaccount.

This matters because the runtime memory quota must be assigned to the EU HCM Dev subaccount specifically. SAP documents that the MEMORY plan is the quota-bearing plan for Cloud Foundry Runtime.

Step 1 - Open the EU HCM Dev subaccount

In the cockpit, choose Directories.

Open Human Resources.

Select EU HCM Dev.

You should now be on the EU HCM Dev subaccount page.

Step 2 - Open Entitlements

In EU HCM Dev, choose Entitlements.

SAP Help confirms that service plans and quota assignments for a subaccount are configured in the Entitlements area.

Step 3 - Configure entitlements

Click Configure Entitlements or Add Service Plans.

Search for:

Cloud Foundry Runtime

In SAP Help, this appears as Cloud Foundry Runtime (APPLICATION_RUNTIME), and the relevant plan for assigning runtime memory is MEMORY.

Step 4 - Select the MEMORY plan

Under Cloud Foundry Runtime, select:

MEMORY

Set the quantity to 1 if the cockpit shows an amount/quota field.

Add the plan to the subaccount.

Save the entitlement changes.

SAP documents that the MEMORY plan is specifically used to assign runtime memory quota to the subaccount, and that 1 unit corresponds to 1 GB of runtime memory when quota is adjusted or assigned.

Step 5 - Verify the result

After saving, check the Entitlements page of EU HCM Dev.

You should see:

Cloud Foundry Runtime

plan: MEMORY

quantity: 1 if shown

Final expected result

Inside EU HCM Dev:

Cloud Foundry Runtime is entitled

the service plan is MEMORY

the assigned amount is 1 if the cockpit displays quantity/quota units

Common mistakes to avoid

Doing this in the wrong subaccount; it must be EU HCM Dev

Choosing the wrong Cloud Foundry plan; the task asks for MEMORY

Forgetting to save the entitlement change after adding the plan

Confusing the runtime memory entitlement with the later step of actually enabling the Cloud Foundry environment; SAP distinguishes the MEMORY runtime quota from enabling the Cloud Foundry org itself.

質問 # 12

SIMULATION

Enable Service Subscriptions

In the entitlements of a directory, add a service plan for a service subscription. Assign and create this subscription to/in a subaccount of the directory.

Task 1: Entitle a Service in a Directory

In your SAP BTP cockpit, enable entitlement management for your Partner directory.

In your Partner directory, entitle the standard (Application) service plan for the SAP Build Work Zone, standard edition.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both actions in this task must be done at the Partner directory level, not directly in a subaccount.

Step 1 - Open the Partner Directory

What to do

In the left navigation, click Directories.

Select Partner.

Explanation:

This opens the directory where you must manage entitlements for this task.

What to verify

You should now be inside the Partner directory page.

Step 2 - Open Entitlements

What to do

Inside the Partner directory, go to Entitlements.

Explanation:

This is the area where you manage quota and service plan assignments for the directory and its subaccounts.

What to verify

You should see the entitlements page for Partner.

Step 3 - Enable Entitlement Management for the Partner Directory

What to do

In the Entitlements area, look for the option to Enable Entitlement Management.

Click Enable.

Explanation:

A directory must have entitlement management enabled before you can add and manage service plans there.

What to verify

After enabling, the Partner directory should allow entitlement assignment and management.

Step 4 - Start Adding a Service Plan

What to do

In the Entitlements page of the Partner directory, click Configure Entitlements or Add Service Plans.

Explanation:

This opens the service catalog where you can select the service and plan to add.

What to verify

You should see the list of available services and plans.

Step 5 - Find the Required Service

What to do

Search for or scroll to:

SAP Build Work Zone, standard edition

Select that service.

Explanation:

You must choose the exact service named in the task. Be careful not to select a different SAP Build service by mistake.

What to verify

The selected service should be:

SAP Build Work Zone, standard edition

Step 6 - Select the Correct Service Plan

What to do

Under the selected service, choose the service plan:

standard (Application)

Add the plan to the entitlement configuration.

Explanation:

This task requires the standard (Application) service plan specifically.

Do not choose another plan if more than one is listed.

What to verify

The selected plan should read exactly:

standard (Application)

Step 7 - Save the Entitlement Changes

What to do

Click Add, Save, or Confirm depending on the screen.

Then click Save for the entitlement configuration.

Explanation:

This commits the new service plan entitlement to the Partner directory.

What to verify

After saving, the entitlements list for Partner should include:

SAP Build Work Zone, standard edition

plan: standard (Application)

Final Expected Result for Task 1

Inside the Partner directory:

Entitlement management is enabled

The service SAP Build Work Zone, standard edition is entitled

The plan standard (Application) is added

Common Mistakes to Avoid

1. Working in the wrong level

Do this in:

Partner directory

Not in:

Global Account

Subaccount

Another directory

2. Forgetting to enable entitlement management first

If entitlement management is not enabled for the directory, you may not be able to add the service plan properly.

3. Choosing the wrong service

Be sure you select:

SAP Build Work Zone, standard edition

Not another SAP Build service.

4. Choosing the wrong plan

You must select:

standard (Application)

質問 # 13

SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with

value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

正解:

解説:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.

□ Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

□ Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

□ Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

質問 # 14

.....

JPTesKingは初めて試験を受けるあなたが一回で試験に合格して、認証資格を取ることを保証します。JPTesKingが提供して差し上げたのは高品質のSAPのC_ADBTP「Administrating SAP Business Technology Platform(C_ADBTP_2601)」模擬問題集で、あなたがステップバイステップで試験に準備する手順を指導しています。JPTesKingのSAPのC_ADBTP試験問題集は絶対あなたに成功をもたらすことを保証します。JPTesKingのSAPのC_ADBTP認定試験に準備するために色々な方法がありますが、

C_ADBTP試験関連赤本: https://www.jpctestking.com/C_ADBTP-exam.html

我々は多くの受験生にSAPのC_ADBTP試験に合格させたことに自慢したことがないので、JPTesKing C_ADBTP試験関連赤本の試験問題集を手にとると、どのような試験でも問題ではありません、C_ADBTP試験トレントの高い合格率、我々の専門家は、C_ADBTP認定試験資料について、長年働きました、C_ADBTPトレーニング資料の助けを借りて、お客様の間の合格率は98%~100%に達しました、SAP C_ADBTP関連受験参考書次に、製品の詳細を紹介し、SAP C_ADBTP試験問題集と回答をちょっと勉強したら、大量な時間をかかって復習しなくて初回試験を参加する時、合格できると保証します、証明書を効率的に渡す状況を確認するために、当社のC_ADBTP練習資料は一流の専門家によって編集されています。

夕顔の死が告げてやりにくい心弱さと、今になって相手の自分であったことは知らせないようにと源氏から言われたことでの遠慮とが、右近のほうから尋ね出すことをさせなかった、博士は思い出す、我々は多くの受験生にSAPのC_ADBTP試験に合格させたことに自慢したことがないので。

試験の準備方法-完璧なC_ADBTP関連受験参考書試験-ハイパスレート のC_ADBTP試験関連赤本

JPTesKingの試験問題集を手にとると、どのような試験でも問題ではありません、C_ADBTP試験トレントの高い合格率、我々の専門家は、C_ADBTP認定試験資料について、長年働きました、C_ADBTPトレーニング資料の助けを借りて、お客様の間の合格率は98%~100%に達しました。

- 認定するC_ADBTP関連受験参考書試験-試験の準備方法-素敵なC_ADBTP試験関連赤本 □ 検索するだけで (www.mogixam.com) から □ C_ADBTP □ を無料でダウンロードC_ADBTP試験関連情報
- C_ADBTP認証試験 □ C_ADBTP学習教材 ☉ C_ADBTP受験料 □ 「 www.goshiken.com 」サイトで □ C_ADBTP □ の最新問題が使えるC_ADBTP試験解説
- 試験C_ADBTP関連受験参考書 -最新のC_ADBTP試験関連赤本 | 大人気C_ADBTP日本語版対応参考書 Administrating SAP Business Technology Platform(C_ADBTP_2601) □ 《 www.goshiken.com 》で □ C_ADBTP □ を検索して、無料でダウンロードしてくださいC_ADBTP勉強方法
- C_ADBTP認定資格試験問題集 □ C_ADBTP試験問題解説集 □ C_ADBTP受験料 □ ▷ C_ADBTP ◁ の試験問題は □ www.goshiken.com □ で無料配信中C_ADBTP問題と解答
- 便利なSAP C_ADBTP | 権威のあるC_ADBTP関連受験参考書試験 | 試験の準備方法Administrating SAP Business Technology Platform(C_ADBTP_2601)試験関連赤本 □ Open Webサイト ➡ www.xhs1991.com □ 検索[C_ADBTP]無料ダウンロードC_ADBTP全真模擬試験
- C_ADBTP資格試験 ☿ C_ADBTP全真模擬試験 □ C_ADBTP試験解説 □ ➤ www.goshiken.com □ を入力して“C_ADBTP”を検索し、無料でダウンロードしてくださいC_ADBTP受験料
- C_ADBTPテスト模擬問題集 □ C_ADBTP勉強方法 □ C_ADBTP学習指導 □ □ C_ADBTP □ の試験問題

