


시험패스가능한FCP_FAZ_AD-7.4덤프최신자료덤프문제



그리고 Itcertkr FCP_FAZ_AD-7.4 시험 문제집의 전체 버전을 클라우드 저장소에서 다운로드할 수 있습니다:
<https://drive.google.com/open?id=1GWyCfd9JqEFOJxm2vmawjO0BMBY7M35>

우리 Itcertkr에서는 여러분을 위하여 정확하고 우수한 서비스를 제공하였습니다. 여러분의 고민도 덜어드릴 수 있습니다. 빨리 성공하고 빨리Fortinet FCP_FAZ_AD-7.4인증시험을 패스하고 싶으시다면 우리 Itcertkr를 장바구니에 넣으시죠 . Itcertkr는 여러분의 아주 좋은 합습가이드가 될것입니다. Itcertkr로 여러분은 같고 싶은 인증서를 빠른시일내에 얻게될것입니다.

Fortinet FCP_FAZ_AD-7.4 시험요강:

주제	소개
주제 1	<ul style="list-style-type: none"> System Configuration: This section assesses the capabilities of network and security analysts in managing FortiAnalyzer systems. It includes tasks like performing initial configurations, setting up high-availability systems, and configuring RAID for storage.
주제 2	<ul style="list-style-type: none"> Administration: This section evaluates the ability of network and security analysts to configure administrative access and manage Administrative Domains (ADOMs). It covers tasks such as setting user permissions, managing backups, and disk quotas, and ensuring secure and efficient management of administrative privileges within FortiAnalyzer systems.
주제 3	<ul style="list-style-type: none"> Logs and Reports Management: This part of the exam measures the candidate's ability to handle log data and generate reports using FortiAnalyzer. Network and security analysts must show proficiency in managing, analyzing, and reviewing logs to ensure effective system monitoring and auditing processes are in place.
주제 4	<ul style="list-style-type: none"> Device Management: Here, Fortinet network and security analysts are evaluated on their ability to handle devices linked to FortiAnalyzer. This includes adding new devices, managing them efficiently, and troubleshooting communication issues.

>> FCP_FAZ_AD-7.4덤프최신자료 <<

Fortinet FCP_FAZ_AD-7.4완벽한 덤프공부자료 & FCP_FAZ_AD-7.4시험 대비 공부

Itcertkr에서 판매하고 있는 Fortinet FCP_FAZ_AD-7.4인증시험자료는 시중에서 가장 최신버전으로서 시험적중율이 100%에 가깝습니다. Fortinet FCP_FAZ_AD-7.4덤프자료를 항상 최신버전으로 보장해드리기 위해Fortinet FCP_FAZ_AD-7.4시험문제가 변경되면 덤프자료를 업데이트하도록 최선을 다하고 있습니다. Itcertkr는 여러분이 자격증을 취득하는 길에서 없어서는 안되는 동반자로 되어드릴것을 약속해드립니다.

최신 Fortinet Network Security Expert FCP_FAZ_AD-7.4 무료샘플문제 (Q69-Q74):

질문 # 69

In order for FortiAnalyzer to collect logs from a FortiGate device, what configuration is required? (Choose two.)

- A. ADOMs must be enabled
- B. Remote logging must be enabled on FortiGate
- C. Log encryption must be enabled
- D. FortiGate must be registered with FortiAnalyzer

정답: B,D


설명:

Pg 70: "after you add and register a FortiGate device with the FortiAnalyzer unit, you must also ensure that the FortiGate device is configured to send logs to the FortiAnalyzer unit."

<https://docs.fortinet.com/uploaded/files/4614/FortiAnalyzer-5.4.6-Administration%20Guide.pdf> Pg 45: "ADOMs must be enabled to support the logging and reporting of NON-FORTIGATE devices, such as FortiCarrier, FortiClientEMS, FortiMail, FortiWeb, FortiCache, and FortiSandbox."

질문 # 70

Refer to the exhibit.



Create New Network Interface	
Name	VLAN100
Alias	FortiGate-VLAN
Type	<input checked="" type="checkbox"/> VLAN <input type="checkbox"/> Aggregate
VLAN ID	100
Interface	port5

What is the purpose of configuring FortiAnalyzer with the settings displayed in the image?

- A. To improve security
- B. To increase reliability
- C. To expand bandwidth
- D. To maximize resiliency

정답: A

설명:

The settings displayed in the image show the creation of a VLAN interface on FortiAnalyzer. The VLAN ID is set to 100, and it is associated with port 5.

The purpose of configuring a VLAN interface like this is generally: To improve security.

By creating a VLAN, traffic can be segmented into isolated networks, which helps limit access and enhances security by reducing the broadcast domain and keeping different types of traffic (e.g., management, user, and data traffic) separate.

질문 # 71

Refer to the exhibit.

Cluster Settings

Operation Mode: Standalone **High Availability**

Preferred Role: Secondary **Primary**

Cluster Virtual IP

IP Address and Interface: IP Address 192.168.101.222 Interface port1

Cluster Settings

Peer IP and Peer SN: Peer IP 10.0.1.210 Peer SN FAZ-VM0000065040

Group Name: NSE6

Group ID: (1-255)

Password:

Heart Beat Interval: 10 Seconds

Failover Threshold: 30

Prio: 120

The image displays the configuration of a FortiAnalyzer the administrator wants to join to an existing HA cluster. What can you conclude from the configuration displayed?

- A. This FortiAnalyzer will trigger a failover after losing communication with its peers for 10 seconds.
- B. This FortiAnalyzer will join to the existing HA cluster as the primary.
- C. This FortiAnalyzer is configured to receive logs in its port1.
- **D. After joining to the cluster, this FortiAnalyzer will keep an updated log database.**

정답: D

설명:

Operation Mode: The mode is set to "High Availability" which indicates that this FortiAnalyzer is intended to be part of an HA cluster.

Preferred Role: The "Primary" role is selected, meaning this device is configured to act as the primary unit in the HA cluster. This is a crucial setting as it determines the device's behavior and responsibilities within the cluster.

Cluster Virtual IP: A specific IP address (192.168.101.222) is assigned to be used by devices in the network to communicate with the cluster. This Virtual IP will be shared between the units in the cluster.

Cluster Settings: These include configurations for heartbeat interval, failover threshold, and priority which are crucial for maintaining cluster health and managing failover scenarios.

Given these points, the correct conclusion from the options provided is:

C: This FortiAnalyzer will join the existing HA cluster as the primary.

질문 # 72

In the FortiAnalyzer FortiView, source and destination IP addresses from FortiGate devices are not resolving to a hostname. How can you resolve the source and destination IP addresses, without introducing any additional performance impact to FortiAnalyzer?

- A. Configure local DNS servers on FortiAnalyzer
- B. Configure # set resolve-ip enable in the system FortiView settings
- C. Resolve IP addresses on a per-ADOM basis to reduce delay on FortiView while IPs resolve
- **D. Resolve IP addresses on FortiGate**

정답: D

설명:

<https://packetplant.com/fortigate-and-fortianalyzer-resolve-source-and-destination-ip/>

"As a best practice, it is recommended to resolve IPs on the FortiGate end. This is because you get both source and destination, and it offloads the work from FortiAnalyzer. On FortiAnalyzer, this IP resolution does destination IPs only"

질문 # 73

What happens when a log file saved on FortiAnalyzer disks reaches the size specified in the device log settings?

- A. The log file rolls over and is archived.
- B. The log file is stored as a raw log and is available for analytic support.
- C. The log file is purged from the database.
- D. The log file is overwritten.

정답: A

설명:

Reference:

81a4-00505692583a/FortiAnalyzer-6.0.5-Administration-Guide.pdf

<https://docs.fortinet.com/document/fortianalyzer/6.2.5/administration-guide/355632/log-browse>

질문 # 74

.....

우리 Itcertkr의 덤프는 여러분이 Fortinet FCP_FAZ_AD-7.4인증시험응시에 도움이 되시라고 제공되는 것입니다, 우리 Itcertkr에서 제공되는 학습가이드에는 Fortinet FCP_FAZ_AD-7.4인증시험관련 정보기술로 여러분이 이 분야의 지식 장악에 많은 도움이 될 것이며 또한 아주 정확한 Fortinet FCP_FAZ_AD-7.4시험문제와 답으로 여러분은 한번에 안전하게 시험을 패스하실 수 있습니다, Fortinet FCP_FAZ_AD-7.4인증시험을 아주 높은 점수로 패스할 것을 보장해 드립니다,

FCP_FAZ_AD-7.4완벽한 덤프공부자료 : https://www.itcertkr.com/FCP_FAZ_AD-7.4_exam.html

- 최신버전 FCP_FAZ_AD-7.4덤프최신자료 덤프는 FCP - FortiAnalyzer 7.4 Administrator 시험문제의 모든 범위가 포함 ↗ 지금 □ www.itdumps.com □에서 ➡ FCP_FAZ_AD-7.4 □를 검색하고 무료로 다운로드하세요 FCP_FAZ_AD-7.4최신버전 인기 덤프문제
- FCP_FAZ_AD-7.4적중을 높은 시험덤프자료 □ FCP_FAZ_AD-7.4완벽한 덤프공부자료 □ FCP_FAZ_AD-7.4시험대비 최신버전 덤프 □ □ www.itdumps.com □에서 검색만 하면 【 FCP_FAZ_AD-7.4 】를 무료로 다운로드할 수 있습니다 FCP_FAZ_AD-7.4퍼펙트 공부
- FCP_FAZ_AD-7.4시험대비 최신 덤프공부 □ FCP_FAZ_AD-7.4시험대비자료 □ FCP_FAZ_AD-7.4인증덤프 공부문제 □ ▷ www.koreadumps.com <을(를) 열고 □ FCP_FAZ_AD-7.4 □를 검색하여 시험 자료를 무료로 다운로드하십시오 FCP_FAZ_AD-7.4완벽한 덤프공부자료
- FCP_FAZ_AD-7.4덤프최신자료 최신 인기시험 덤프 샘플문제 □ 시험 자료를 무료로 다운로드하려면 { www.itdumps.com } 을 통해 ➡ FCP_FAZ_AD-7.4 ◀를 검색하십시오 FCP_FAZ_AD-7.4합격보장 가능 시험덤프
- FCP_FAZ_AD-7.4 Vce □ FCP_FAZ_AD-7.4완벽한 덤프자료 □ FCP_FAZ_AD-7.4최신버전 덤프공부 □ ▶ www.pass4test.net ◀의 무료 다운로드 □ FCP_FAZ_AD-7.4 □페이지가 지금 열립니다 FCP_FAZ_AD-7.4시험대비 자료
- FCP_FAZ_AD-7.4덤프최신자료 100% 합격 보장 가능한 최신버전 인증덤프 □ 무료 다운로드를 위해 ➡ FCP_FAZ_AD-7.4 □를 검색하려면 (www.itdumps.com) 을(를) 입력하십시오 FCP_FAZ_AD-7.4시험대비 자료
- FCP_FAZ_AD-7.4덤프최신자료 인기시험 덤프자료 □ 시험 자료를 무료로 다운로드하려면 □ www.dumptop.com □을 통해 ➡ FCP_FAZ_AD-7.4 □□□를 검색하십시오 FCP_FAZ_AD-7.4최신버전 덤프공부
- FCP_FAZ_AD-7.4덤프최신자료 최신 인기시험 덤프 샘플문제 □ 《 www.itdumps.com 》은 (FCP_FAZ_AD-7.4) 무료 다운로드를 받을 수 있는 최고의 사이트입니다 FCP_FAZ_AD-7.4시험대비 최신버전 덤프
- 최신 FCP_FAZ_AD-7.4덤프최신자료 인증덤프공부자료 □ □ www.koreadumps.com □에서 > FCP_FAZ_AD-7.4 <를 검색하고 무료로 다운로드하세요 FCP_FAZ_AD-7.4최신 업데이트 공부자료
- FCP_FAZ_AD-7.4시험패스 □ FCP_FAZ_AD-7.4시험대비자료 □ FCP_FAZ_AD-7.4합격보장 가능 덤프 □ { www.itdumps.com } 웹사이트를 열고 □ FCP_FAZ_AD-7.4 □를 검색하여 무료 다운로드 FCP_FAZ_AD-7.4유효한 덤프
- FCP_FAZ_AD-7.4최신버전 덤프공부 □ FCP_FAZ_AD-7.4합격보장 가능 시험덤프 □ FCP_FAZ_AD-7.4합격보장 가능 덤프 □ 무료로 다운로드하려면 □ www.itdumps.com □로 이동하여 ➡ FCP_FAZ_AD-7.4 □를 검색하십시오 FCP_FAZ_AD-7.4적중을 높은 시험덤프자료
- www.stes.tyc.edu.tw, global.edu.bd, www.stes.tyc.edu.tw, edu.globalfinx.in, www.stes.tyc.edu.tw, onlyfans.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, pct.edu.pk, www.stes.tyc.edu.tw, Disposable vapes

그 외, Itcertkr FCP_FAZ_AD-7.4 시험 문제집 일부가 지금은 무료입니다: <https://drive.google.com/open?id=1GWyCfed9JqEFOJxm2vmawjO0BMBY7M35>