

C_ADBTP_2601試験の準備方法 | 素敵な C_ADBTP_2601問題集無料試験 | 効率的な Administrating SAP Business Technology Platform(C_ADBTP_2601)試験番号



なぜ我々のSAPのC_ADBTP_2601ソフトに自信があるかと聞かれたら、まずは我々MogiExamの豊富な経験があるチームです、次は弊社の商品を利用してSAPのC_ADBTP_2601試験に合格する多くのお客様です。SAPのC_ADBTP_2601試験は国際的に認められてあなたはこの認証がほしいですか。弊社のSAPのC_ADBTP_2601試験のソフトを通して、あなたはリラックスで得られます。

知識は、将来価値のある報酬を提供できる無形資産と定義されているため、neverめないでください。また、C_ADBTP_2601試験の準備は、試験に効果的に対処するのに十分な知識を提供できます。試験の受験者のニーズを満たすために、当社の専門家は完璧な配置とメッセージの科学的編集で当社のC_ADBTP_2601練習資料を作成したため、完璧な資料を見つけるために他の多数の資料を勉強する必要はありません。C_ADBTP_2601試験クイズは、最高のヘルプを提供します。そして、C_ADBTP_2601トレーニング資料は決してあなたを失望させません。

>>> C_ADBTP_2601問題集無料 <<<

C_ADBTP_2601試験番号、C_ADBTP_2601日本語版試験解答

これらすべてのC_ADBTP_2601学習教材で、あなたの成功は100%保証されます。さらに、無料のデモがあります。無料のデモでは、練習資料の内容について証明された経験に基づいた推測を提供します。C_ADBTP_2601試験の知識を、あなたのように成功することに熱心な熱心な試験受験者に伝えることで、彼らはそれを助けを提供する責任として扱います。あなたの情報の次の特徴を備えたC_ADBTP_2601学習ガイドを入手できる場合は、驚くべき進歩を遂げる準備をしてください。

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) 認定 C_ADBTP_2601 試験問題 (Q10-Q15):

質問 # 10

SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance html5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances are a.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:


Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.



A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

New Instance or Subscription

1 Basic Info 2 Parameters 3 Review

Enter basic info for your instance or subscription.

Service: * ⓘ [Can't find what you're looking for?](#)

HTML5 Application Repository Service

Plan: *

app-host

Instance Name: * ⓘ

html5-eu-hcm-dev

SAP®

Next > **Create** Cancel

Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.


Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.



Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid

Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.

Choosing the wrong service; use HTML5 Application Repository Service.

Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.

Typing the wrong instance name; use exactly html5-eu-hcm-dev.

Name	Type	Environment	Provider	Labels	Changed On
BTP Admin Certification	Global Account				March 25, 2026, 9:13:2...
Americas	Directory (Managed)				March 26, 2026, 3:27:5...
Partner	Directory (Managed)				March 26, 2026, 3:50:1...
SH Dev Test	Subaccount	Multi-Environment	Microsoft Azure		March 26, 2026, 3:35:3...
SH Prod	Subaccount	Multi-Environment	Microsoft Azure		March 26, 2026, 3:39:3...
Europe	Directory				March 26, 2026, 3:29:2...
Human Resources	Directory				March 26, 2026, 3:43:5...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)		March 26, 2026, 3:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)		March 26, 2026, 3:48:3...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)		March 26, 2026, 3:46:5...
Shared Services	Directory				March 26, 2026, 4:14:2...
SH Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)		March 26, 2026, 4:15:5...
SH Ops	Subaccount	Multi-Environment	Amazon Web Services (AWS)		March 26, 2026, 4:17:0...

質問 # 11

SIMULATION

Establish Shared Services

Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain btpops#####-sh-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain btpops#####-sh-ops in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.

Part A - Create the Shared Services Directory

Step 1 - Open Directories

What to do

In the SAP BTP Cockpit, open your Global Account.

In the left navigation menu, click Directories.



Explanation:

This is where you create and manage directory structures under the global account.

What to verify

You should now see the list of existing directories.

Step 2 - Create the Directory Shared Services

What to do

Click Create or Create Directory.


Enter the following values:

Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.



Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

What to verify

You should now see:

Shared Services

under the global account.

Part B - Create the SH Dev Subaccount

Step 3 - Open the Shared Services Directory

What to do

In the directory list, select Shared Services.

Explanation:

Both required subaccounts must be created inside this directory.

What to verify

You should now be inside the Shared Services directory.

Step 4 - Open Subaccounts

What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

Step 5 - Create SH Dev

What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev

inside the Shared Services directory.

Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Create Subaccount

Display Name *
SH Ops

Description
Shared Services Operations

Region *
Europe (Frankfurt) - AWS

Subdomain * ⓘ
btpops#####-sh-ops

Parent *
Shared Services

> **Advanced**

Cockpit supports multi-level directories in your account structure.
You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under **Parent**.

Create Cancel

Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev

Region: AWS → Europe (Frankfurt) cf-eu10

SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops

Region: AWS → Europe (Frankfurt) cf-eu10

Name	Type	Environment	Provider	Region	Labels	Changed On
BTP Admin Certification	Global Account					March 25, 2026, 5:11:2...
Americas	Directory					March 26, 2026, 3:27:5...
Partner	Directory (Managed)				1 label	March 26, 2026, 3:50:1...
AM FA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)		March 26, 2026, 3:35:3...
AM FA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)		March 26, 2026, 3:39:3...
Eurasia	Directory					March 26, 2026, 3:28:2...
Human Resources	Directory				1 label	March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:48:3...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:46:5...
Shared Services	Directory					March 26, 2026, 4:14:2...
SH Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 4:15:5...
SH Ops	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 4:17:0...

Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory

Both subaccounts must be created inside:

Shared Services

3. Wrong subdomain values

Use exactly:

bt pops#####-sh-dev

bt pops#####-sh-ops

Only replace ##### with your global account number.

4. Wrong region

Both subaccounts must use:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

5. Mixing up SH Dev and SH Ops

Be careful:

SH Dev = Shared Services Development

SH Ops = Shared Services Operations

質問 # 12

SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

正解:

解説:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas


Description: Americas Accounts

Parent: your Global Account

Click Create.


Create Directory

Display Name* Description

Parent* 

> **Advanced**

Cockpit supports multi-level directories in your account structure. You can add your new directory directly to the root global account or to an existing directory by choosing the location under **Parent**.

 X

Create **Cancel**

Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

Create Directory


Display Name* Eurasia

Description Eurasia Accounts

Parent* BTP Admin Certification XXXXX

Advanced

Cockpit supports multi-level directories in your account structure. You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.



Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.



Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification XXXXX	Global Account				March 25, 2026, 9:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Eurasia	Directory				March 26, 2026, 9:29...

Context menu options:

- Edit
- Go to Overview
- More Info
- Create Directory
- Create Subaccount
- Delete

Select Parent

Search Q

Show only directories I can create in Expand All Collapse All

▼  BTP Admin Certification xxxx

Americas

Eurasia



mogilexam.com

Select Cancel

Create Directory

Display Name*

Partner

Description

Partner Accounts

Parent*

Americas

Advanced

Enable entitlement management

Enable user management

Add labels to this directory.

Name:

access

Values:

external



Create

Cancel

Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

Create Directory

Display Name*
Human Resources

Description
Human Resources Accounts

Parent*
Eurasia

Advanced

Enable entitlement management Enable user management

Add labels to this directory:

Name: access Values: internal x

Buttons: +, SAP, Create, Cancel

Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

Name	Type	Environment	Provider	Labels	Changed On
BT Admin Certification	Global Account				March 20, 2026, 4:56:2...
Americas	Directory				March 22, 2026, 4:25:1...
Partner	Directory			access=external	March 22, 2026, 4:29:2...
Eurasia	Directory				March 22, 2026, 4:26:0...
Human Resources	Directory			access=internal	March 22, 2026, 4:31:0...

Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

質問 # 13

SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape.

Set the instance name to cf-eu-hcm-dev and the org name to bt pops#####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: bt pops#####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

Enable Cloud Foundry

1
Basic Info

Enter basic info for your environment instance.

Environment: * Can't find what you're looking for?
Cloud Foundry Runtime

Plan: *
standard

Landscape: *
cf-eu10-005

Instance Name: ⓘ
cf-eu-hcm-dev

Org Name: * ⓘ
btpops -eu-hcm-dev

i Cloud Foundry API endpoints may differ between subaccounts in the same region. The API endpoint for this subaccount is shown in the Cloud Foundry environment instance details.

Create **Cancel**

BTP Admin Certification / EU HCM Dev

Subaccount: EU HCM Dev - Overview

BTP Admin Certification / Eurasis / Human Resources / EU HCM Dev

General Cloud Foundry Environment Entitlements

General

37 Entitlements 1 Instances and Subscriptions

Subdomain: btpops3451-eu-hcm-dev
Tenant ID: da5de459-37be-400b-9965-7ca1757cc3f5
Subaccount ID: da5de459-37be-400b-9965-7ca1757cc3f5

Provider: Amazon Web Services (AWS)
Region: Europe (Frankfurt) - AWS
Environment: Multi-Environment

Used for Production: No
Beta Features: Disabled

Created By:
Created On: March 27, 2026, 11:21:55 PM GMT+05:00
Modified On: March 27, 2026, 11:22:17 PM GMT+05:00

[Open in Audit Log Viewer](#)

Cloud Foundry Environment

i Information not available to you. You must be an org member. Go to XBA

API Endpoint: <https://api.cf.eu10-005.nana.andemand.com>

Org Name: btpops3451-eu-hcm-dev
Org ID: e9826d8f-3146-4146-ac99-f73b323123c6
Org Memory Limit: 1,024MB

[Manage environment instance](#)
[Disable Cloud Foundry](#)

Spaces (0)

Name	Applications	Service Instances
No spaces defined in this subaccount		

[Create Space](#)

Part 2 - Create the space

Step 4 - Open Spaces

In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.




Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.



Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory

For App Instances, set:

Unlimited

Then save the quota.

Create Space Quota

i You are allowed to add a value above the org quota, but the org quota is the consumable limit you can reach.
To assign the "Unlimited" value, use -1.

Name: *

Space Memory (MB): *
Org Quota: 1024 MB (1GB)

Routes: *
Org Quota: 10

Service Instances: *
Org Quota: 500

Memory per Instance (MB): *
Org Quota: 16384 MB (16GB)

App Instances: *
Org Quota: Unlimited

Allow Paid Services:

SAP

Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100


If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.



Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment


Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording




Edit Quota Assignment

Space:
activity-recording

Quota:
 Org Quota
 Space Quota

Name: *
 half-org-quota

Save Cancel



Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is btpops#####-eu-hcm-dev

space activity-recording exists

space quota half-org-quota exists

memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording

Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.

Using the wrong landscape; the task explicitly requires cf-eu10-004.

Typing the wrong org name; use exactly btpops#####-eu-hcm-dev.

Forgetting to create the space before assigning the quota.

Entering full org quota instead of half.

Limiting app instances to a number instead of leaving them unlimited.

Creating the quota but not assigning it to activity-recording.

質問 # 14

.....

MogiExamのC_ADBTP_2601問題集は実際のC_ADBTP_2601認定試験と同じです。この問題集は実際試験の問題をすべて含めることができるだけでなく、問題集のソフト版はC_ADBTP_2601試験の雰囲気完全にシミュレートすることもできます。MogiExamの問題集を利用してから、試験を受けるときに簡単に対処し、楽に高い点数を取ることができます。

C_ADBTP_2601試験番号: https://www.mogixexam.com/C_ADBTP_2601-exam.html

実際、適切なC_ADBTP_2601のAdministrating SAP Business Technology Platform(C_ADBTP_2601)学習教材を使用することで可能になります、有効なC_ADBTP_2601練習資料がないと、遅延の進行、学習効率などのユーザーに不便をもたらす可能性があり、学習成果を減らすことは重要ではありませんでした、SAP C_ADBTP_2601問題集無料 すべてのお客様に24時間のオンラインアフターサービスを提供します、職場でも同じです、SAP C_ADBTP_2601問題集無料 私たちはあなたを失望させないと信じてください、C_ADBTP_2601試験に合格すると多くのメリットが得られることは誰もが知っていますが、SAPすべての受験者がそれを達成するのは容易ではありません、あなたもこの試験を受ける予定があれば、MogiExamのC_ADBTP_2601問題集は試験に準備するときに欠くことができないツールです。

誰かに見られてたのか、彼らは、以下に示すスタートアップのなりすましビデオでこの用語を作り出しました、実際、適切なC_ADBTP_2601のAdministrating SAP Business Technology Platform(C_ADBTP_2601)学習教材を使用することで可能になります、有効なC_ADBTP_2601練習資料がないと、遅延の進行、学習効率などのユーザーに不便をもたらす可能性があり、学習成果を減らすことは重要ではありませんでした。

SAP C_ADBTP_2601 Exam | C_ADBTP_2601問題集無料 - 確実にC_ADBTP_2601試験に合格するのを助ける

すべてのお客様に24時間のオンラインアフタC_ADBTP_2601ーサービスを提供します、職場でも同じです、私たちはあなたを失望させないと信じてください。

- C_ADBTP_2601模擬トレーニング □ C_ADBTP_2601日本語版参考書 □ C_ADBTP_2601試験合格攻略 □▷ C_ADBTP_2601 ◁の試験問題は □ www.passtest.jp □で無料配信中C_ADBTP_2601日本語版対応参考書
- SAP C_ADBTP_2601問題集無料 は主要材料 - C_ADBTP_2601問題集無料: Administrating SAP Business Technology Platform(C_ADBTP_2601) □ 今すぐ (www.goshiken.com) を開き、✓ C_ADBTP_2601 □✓□を検索して無料でダウンロードしてくださいC_ADBTP_2601技術内容
- C_ADBTP_2601リンクグローバル □ C_ADBTP_2601最速合格 □ C_ADBTP_2601復習テキスト □ (www.passtest.jp) を開いて□ C_ADBTP_2601 □を検索し、試験資料を無料でダウンロードしてください C_ADBTP_2601模擬問題
- 一番優秀-ハイパスレートのC_ADBTP_2601問題集無料試験-試験の準備方法C_ADBTP_2601試験番号 □ □ www.goshiken.com □で□ C_ADBTP_2601 □を検索して、無料でダウンロードしてくださいC_ADBTP_2601過去問
- C_ADBTP_2601最速合格 □ C_ADBTP_2601過去問 □ C_ADBTP_2601試験合格攻略 □ ☀ www.xhs1991.com □☀□は、▷ C_ADBTP_2601 □を無料でダウンロードするのに最適なサイトです C_ADBTP_2601日本語認定
- SAP C_ADBTP_2601問題集無料 は主要材料 - C_ADBTP_2601問題集無料: Administrating SAP Business Technology Platform(C_ADBTP_2601) □ ウェブサイト▷ www.goshiken.com ◁を開き、“C_ADBTP_2601”を検索して無料でダウンロードしてくださいC_ADBTP_2601専門試験
- SAP C_ADBTP_2601問題集無料: 無料ダウンロード Administrating SAP Business Technology Platform(C_ADBTP_2601) □ 検索するだけで (www.xhs1991.com) から □ C_ADBTP_2601 □を無料でダウンロードC_ADBTP_2601日本語認定
- C_ADBTP_2601試験の準備方法 | 信頼的なC_ADBTP_2601問題集無料試験 | 最高のAdministrating SAP Business Technology Platform(C_ADBTP_2601)試験番号 □ Open Webサイト☀ www.goshiken.com □☀□検索 [C_ADBTP_2601]無料ダウンロードC_ADBTP_2601過去問
- C_ADBTP_2601リンクグローバル □ C_ADBTP_2601対応問題集 □ C_ADBTP_2601模擬トレーニング □ 検索するだけで ➡ www.it-passports.com □□□から ➡ C_ADBTP_2601 □□□を無料でダウンロード C_ADBTP_2601リンクグローバル
- C_ADBTP_2601日本語版対応参考書 □ C_ADBTP_2601試験番号 □ C_ADBTP_2601リンクグローバル □ [www.goshiken.com]で使える無料オンライン版□ C_ADBTP_2601 □の試験問題C_ADBTP_2601模擬問題集

- 効果的-100%合格率のC_ADBTP_2601問題集無料試験-試験の準備方法C_ADBTP_2601試験番号 □ ▶
www.japancert.com □を開いて《 C_ADBTP_2601 》を検索し、試験資料を無料でダウンロードしてください
C_ADBTP_2601専門試験
- sahiylb021559.ktwiki.com, mypresspage.com, linkdirectorynet.com, letsbookmarkit.com, tinybookmarks.com,
thegreatbookmark.com, aoifeylay801477.nizarblog.com, barbarajbem541141.anchor-blog.com,
aliviaqict330046.ktwiki.com, idaswfd876941.wannawiki.com, Disposable vapes