


Dump Fortinet FCSS_SDW_AR-7.4 Collection - Test FCSS_SDW_AR-7.4 Lab Questions



2026 Latest DumpsTests FCSS_SDW_AR-7.4 PDF Dumps and FCSS_SDW_AR-7.4 Exam Engine Free Share:
https://drive.google.com/open?id=1gRQPd_bHTJ58hg62E1GwapeW7zfXJMiG

Our FCSS_SDW_AR-7.4 training prep can be applied to different groups of people. Whether you are trying this exam for the first time or have experience, our FCSS_SDW_AR-7.4 learning materials are a good choice for you. Whether you are a student or an employee, our FCSS_SDW_AR-7.4 exam questions can meet your needs. This is due to the fact that our FCSS_SDW_AR-7.4 Learning Materials are very user-friendly and express complex information in easy-to-understand language. We assure you that once you choose our FCSS_SDW_AR-7.4 practice materials, your learning process is very easy.

Fortinet FCSS_SDW_AR-7.4 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">Rules and Routing: Targeted at network engineers, this section assesses the ability to configure SD-WAN rules and routing policies. Candidates will be tested on managing traffic flow and prioritization across the SD-WAN infrastructure.
Topic 2	<ul style="list-style-type: none">SD-WAN Troubleshooting: This part assesses the troubleshooting skills of network support specialists. Candidates should be able to diagnose and resolve issues related to SD-WAN rules, session behaviors, routing inconsistencies, and ADVPN connectivity problems to maintain seamless network operations.
Topic 3	<ul style="list-style-type: none">Configure Performances SLAs: Designed for network administrators, this part focuses on setting up performance Service Level Agreements (SLAs) within SD-WAN environments. Candidates must show proficiency in defining criteria to monitor and maintain network performance and reliability.

>> Dump Fortinet FCSS_SDW_AR-7.4 Collection <<

100% Pass Quiz 2026 High Hit-Rate Fortinet Dump FCSS_SDW_AR-7.4 Collection

As you all know that practicing with the wrong preparation material will waste your valuable money and many precious study hours. So you need to choose the most proper and verified preparation material with caution. Preparation material for the FCSS - SD-WAN 7.4 Architect (FCSS_SDW_AR-7.4) exam questions from DumpsTests helps to break down the most difficult concepts into easy-to-understand examples. Also, you will find that all the included questions are based on the last and updated FCSS_SDW_AR-7.4 exam dumps version.

Fortinet FCSS - SD-WAN 7.4 Architect Sample Questions (Q74-Q79):


NEW QUESTION # 74

Within the context of SD-WAN, what does SIA correspond to?

- A. Software Internet Access
- B. Secure Internet Authorization
- C. **Remote Breakout**
- D. Local Breakout

Answer: C

Explanation:



Secure internet access (SIA), also known as **remote breakout**, is another use case for SD-WAN. Internet traffic from the spokes is backhauled through the WAN using overlay links. When the traffic arrives at the hub, it breaks out to the internet.

The most common reason to use **SIA** is to centralize security inspection and internet access on the hub. For example, you can have a central high-end FortiGate device that inspects all the internet traffic that leaves the organization and that conforms with the company policy, instead of having each low-end spoke FortiGate device to inspect traffic, thus reducing costs and administrative overhead.

Another reason to use **SIA** is for DIA backup. For example, you could configure FortiGate to steer internet traffic through an MPLS link if the performance measured for internet applications on internet links is worse than on MPI S links, or simply if the internet links become unavailable.

NEW QUESTION # 75

Refer to the exhibit. Which SD-WAN rule and interface uses FortiGate to steer the traffic from the LAN subnet 10.0.1.0/24 to the corporate server 10.2.5.254?

SD-WAN configuration on FortiGate

```
branch1_fgt # get router info routing-table all
...
S*  0.0.0.0/0 [1/0] via 192.2.0.2, port1, [1/0]
    [1/0] via 192.2.0.10, port2, [10/0]
C  10.0.1.0/24 is directly connected, port5
B  10.1.0.0/24 [200/0] via 192.168.1.61 (recursive is directly connected, HUB1-VPN1), 1d03h58m, [1/0]
    [200/0] via 192.168.1.125 (recursive is directly connected, HUB1-VPN2), 1d03h58m, [1/0]
    [200/0] via 192.168.1.189 (recursive is directly connected, HUB1-VPN3), 1d03h58m, [1/0]
C  10.200.99.1/32 is directly connected, Branch-Lo
B  10.2.0.0/16 [200/0] via 192.168.1.61 (recursive is directly connected, HUB1-VPN1), 00:03:01, [1/0]
    [200/0] via 192.168.1.125 (recursive is directly connected, HUB1-VPN2), 00:00:51, [1/0]
    [200/0] via 192.168.1.189 (recursive is directly connected, HUB1-VPN3), 00:00:51, [1/0]
B  10.2.5.0/24 [200/0] via 192.168.1.61 (recursive is directly connected, HUB1-VPN3), 00:03:01, [1/0]
...
branch_fgt # diag sys sdwan service4

Service(3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: fib
Shortcut priority: 2
Gen(3), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(sla), sla-compare-order
Members(3):
  1: Seq_num(5 HUB1-VPN2 HUB1), alive sla(0x1), gid(0), cfg_order(1), local cost(0), selected
  2: Seq_num(6 HUB1-VPN3 HUB1), alive sla(0x1), gid(0), cfg_order(2), local cost(0), selected
  3: Seq_num(4 HUB1-VPN1 HUB1), alive sla(0x0), gid(0), cfg_order(0), local cost(0), selected
Src address(1):
  10.0.1.0-10.0.1.255

Dst address(1):
  10.0.0.0-10.255.255.255

Service(4): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: fib
Shortcut priority: 2
Gen(2), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(sla), sla-compare-order
Members(2):
  1: Seq_num(2 port2 underlay), alive sla(0x3), gid(0), cfg_order(1), local cost(0), selected
  2: Seq_num(1 port1 underlay), alive sla(0x1), gid(0), cfg_order(0), local cost(0), selected
Src address(1):
  10.0.1.0-10.0.1.255

Dst address(1):
  10.2.0.0-10.2.255.255
```

- A. SD-WAN service rule 3 and interface HUB1-VPN2.
- B. SD-WAN service rule 3 and interface HUB1-VPN3.
- C. SD-WAN service rule 4 and port1 or port2.
- D. SD-WAN service rule 4 and interface port2.**

Answer: D

Explanation:

The destination IP 10.2.5.254 falls within 10.2.0.0/16, which is covered by SD-WAN service rule 4. The output of service rule 4 shows port2 as the selected interface, which FortiGate uses to steer the traffic.

NEW QUESTION # 76

Refer to the exhibit.

SD-WAN configuration on FortiGate

```
branch1_fgt # get router info routing-table all
...
S* 0.0.0.0/0 [1/0] via 192.2.0.2, port1, [1/0]
    [1/0] via 192.2.0.10, port2, [10/0]
C 10.0.1.0/24 is directly connected, port5
B 10.1.0.0/24 [200/0] via 192.168.1.61 (recursive is directly connected, HUB1-VPN1), 1d03h58m, [1/0]
    [200/0] via 192.168.1.125 (recursive is directly connected, HUB1-VPN2), 1d03h58m, [1/0]
    [200/0] via 192.168.1.189 (recursive is directly connected, HUB1-VPN3), 1d03h58m, [1/0]
C 10.200.99.1/32 is directly connected, Branch-Lo
B 10.2.0.0/16 [200/0] via 192.168.1.61 (recursive is directly connected, HUB1-VPN1), 00:03:01, [1/0]
    [200/0] via 192.168.1.125 (recursive is directly connected, HUB1-VPN2), 00:00:51, [1/0]
    [200/0] via 192.168.1.189 (recursive is directly connected, HUB1-VPN3), 00:00:51, [1/0]
B 10.2.5.0/24 [200/0] via 192.168.1.61 (recursive is directly connected, HUB1-VPN3), 00:00:01, [1/0]
...
branch1_fgt # diag sys sdwan service4

Service(3): Address Node(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
  Tie break: fib
  Shortcut priority: 2
  Gen(3), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535) Node(sla), sla-compare-order
  Members(3):
    1: Seq_num(5 HUB1-VPN2 HUB1), alive, sla(0x1), gid(0), cfg_order(1), local cost(0), selected
    2: Seq_num(6 HUB1-VPN3 HUB1), alive, sla(0x1), gid(0), cfg_order(2), local cost(0), selected
    3: Seq_num(4 HUB1-VPN1 HUB1), alive, sla(0x0), gid(0), cfg_order(0), local cost(0), selected
  Src address(1):
    10.0.1.0-10.0.1.255

  Det address(1):
    10.0.0.0-10.2.255.255

Service(4): Address Node(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
  Tie break: cfg
  Shortcut priority: 2
  Gen(2), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(sla), sla-compare-order
  Members(2):
    1: Seq_num(2 port2 underlay), alive, sla(0x3), gid(0), cfg_order(1), local cost(0), selected
    2: Seq_num(1 port1 underlay), alive, sla(0x1), gid(0), cfg_order(0), local cost(0), selected
  Src address(1):
    10.0.1.0-10.0.1.255

  Det address(1):
    10.2.0.0-10.2.255.255
```

Which SD-WAN rule and interface uses FortiGate to steer the traffic from the LAN subnet 10.0.1.0/24 to the corporate server 10.2.5.254?

- A. SD-WAN service rule 3 and interface HUB1-VPN2.
- B. SD-WAN service rule 4 and interface port2.
- C. SD-WAN service rule 4 and port1 or port2.
- D. SD-WAN service rule 3 and interface HUB1-VPN3.

Answer: D

NEW QUESTION # 77

Refer to the exhibit.

Diagnose output

```
fgt_1 # diagnose sys adwan service4

Service(1): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
  Gen(1), TOS(0x0/0x0), Protocol(0): src(l->65535):dst(l->65535), Mode(priority),
  link-cost-factor(latency), link-cost-threshold(10), heath-check(Corp_HC)
  Members(2):
    1: Seq_num(2 port2 underlay), alive, latency: 0.906, selected
    2: Seq_num(1 port1 underlay), alive, latency: 1.079, selected
  Application Control(2): Microsoft.Portal(41469,0) Business(0,29)
  Src address(1):
    10.0.1.0-10.0.1.255

Service(2): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
  Gen(1), TOS(0x0/0x0), Protocol(0): src(l->65535):dst(l->65535), Mode(manual)
  Members(1):
    1: Seq_num(2 port2 underlay), alive, selected
  Application Control(2): Social.Media(0,23) General.Interest(0,12)
  Src address(1):
    10.0.1.0-10.0.1.255

Service(1): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
  Gen(1), TOS(0x0/0x0), Protocol(0): src(l->65535):dst(l->65535), Mode(priority),
  link-cost-factor(latency), link-cost-threshold(10), heath-check(Corp_HC)
  Members(2):
    1: Seq_num(2 port2 underlay), alive, latency: 0.906, selected
    2: Seq_num(1 port1 underlay), alive, latency: 1.079, selected
  Application Control(2): Microsoft.Portal(41469,0) Business(0,29)
  Src address(1):
    10.0.1.0-10.0.1.255

Service(2): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
  Gen(1), TOS(0x0/0x0), Protocol(0): src(l->65535):dst(l->65535), Mode(manual)
  Members(1):
    1: Seq_num(2 port2 underlay), alive, selected
  Application Control(2): Social.Media(0,23) General.Interest(0,12)
  Src address(1):
    10.0.1.0-10.0.1.255

Service(3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
  Gen(1), TOS(0x0/0x0), Protocol(0): src(l->65535):dst(l->65535), Mode(sla
hash-mode=round-robin)
  Members(3):
    1: Seq_num(4 HQ_T1 overlay), alive, sla(0x3), gid(0), cfg_order(0),
local cost(0), selected
    2: Seq_num(5 HQ_T2 overlay), alive, sla(0x3), gid(0), cfg_order(1),
local cost(0), selected
    3: Seq_num(6 HQ_T3 overlay), alive, sla(0x3), gid(0), cfg_order(2),
local cost(0), selected
  Src address(1):
    10.0.1.0-10.0.1.255

  Dst address(1):
    0.0.0.0-255.255.255.255
```

The exhibit shows output of the command `diagnose sys adwan aervice4` collected on a FortiGate device.

The administrator wants to know through which interface FortiGate will steer traffic from local users on subnet 10.0.1.0/255.255.255.192 and with a destination of the social media application Facebook.

Based on the exhibits, which two statements are correct? (Choose two.)

- A. There is no service defined for the Facebook application, so FortiGate applies service rule 3 and directs the traffic to headquarters.
- B. When FortiGate cannot recognize the application of the flow, it load balances the traffic through the tunnels HQ_T1, HQ_T2, HQ_T3.
- C. FortiGate steers traffic for social media applications according to the service rule 2 and steers traffic through port2.
- D. When FortiGate cannot recognize the application of the flow, it steers the traffic through the preferred member of rule 3, HQ_T1.

Answer: B,C

NEW QUESTION # 78

Exhibit.

```
config system sdwan
    set fail-detect enable
    set fail-alert-interfaces "port5"
    config health-check
        edit "Level3_DNS"
            set update-cascade-interface enable
            set members 2
        next
        edit "HQ"
            set update-cascade-interface enable
            set members 3
        next
    end
end
```

FORTINET

Which action will FortiGate take if it detects SD-WAN members as dead?

- A. FortiGate fails over to the secondary device after it detects port5 as dead.
- B. FortiGate brings down port5 after it detects all SD-WAN members as dead.**
- C. FortiGate sends alert messages through port5 when it detects all SD-WAN members as dead
- D. FortiGate bounces port5 after it detects all SD-WAN members as dead.

Answer: B

NEW QUESTION # 79

.....

These Fortinet FCSS_SDW_AR-7.4 exam questions give you an idea about the final Fortinet FCSS_SDW_AR-7.4 exam questions formats, exam question structures, and best possible answers, and you will also enhance your exam time management skills. Finally, at the end of FCSS_SDW_AR-7.4 Exam Practice test you will be ready to pass the final FCSS_SDW_AR-7.4 exam easily. Best of luck in FCSS - SD-WAN 7.4 Architect (FCSS_SDW_AR-7.4) exam and professional career!!!

Test FCSS_SDW_AR-7.4 Lab Questions: https://www.dumpstests.com/FCSS_SDW_AR-7.4-latest-test-dumps.html

- 100% Pass Fortinet FCSS_SDW_AR-7.4 Marvelous Dump Collection Enter www.testkingpass.com and search for « FCSS_SDW_AR-7.4 » to download for free FCSS_SDW_AR-7.4 Exam Consultant
- TOP Dump FCSS_SDW_AR-7.4 Collection - Valid Fortinet FCSS - SD-WAN 7.4 Architect - Test FCSS_SDW_AR-7.4 Lab Questions Enter www.pdfvce.com and search for FCSS_SDW_AR-7.4 to download for free FCSS_SDW_AR-7.4 Updated Demo
- FCSS_SDW_AR-7.4 Updated Demo Exam FCSS_SDW_AR-7.4 Book FCSS_SDW_AR-7.4 Exam Consultant Go to website { www.pass4test.com } open and search for FCSS_SDW_AR-7.4 to download for free Exam FCSS_SDW_AR-7.4 Preview
- 2026 Trustable Dump FCSS_SDW_AR-7.4 Collection Help You Pass FCSS_SDW_AR-7.4 Easily www.pdfvce.com is best website to obtain FCSS_SDW_AR-7.4 for free download FCSS_SDW_AR-7.4 Latest Demo
- FCSS_SDW_AR-7.4 Dump Collection New Soft FCSS_SDW_AR-7.4 Simulations FCSS_SDW_AR-7.4 Latest Demo Search for FCSS_SDW_AR-7.4 on www.vceengine.com immediately to obtain a free download FCSS_SDW_AR-7.4 Free Practice
- Latest FCSS_SDW_AR-7.4 Dumps Free Exam FCSS_SDW_AR-7.4 Preview Exam FCSS_SDW_AR-7.4 Preview Open www.pdfvce.com enter FCSS_SDW_AR-7.4 and obtain a free download FCSS_SDW_AR-7.4 Updated Demo
- FCSS_SDW_AR-7.4 Mock Test FCSS_SDW_AR-7.4 Valid Exam Tips New Soft FCSS_SDW_AR-7.4 Simulations Download FCSS_SDW_AR-7.4 for free by simply searching on www.pdfdumps.com FCSS_SDW_AR-7.4 Updated Demo
- FCSS_SDW_AR-7.4 Exam Torrent - FCSS - SD-WAN 7.4 Architect Prep Torrent - FCSS_SDW_AR-7.4 Test Guide Easily obtain { FCSS_SDW_AR-7.4 } for free download through www.pdfvce.com FCSS_SDW_AR-7.4 Test Prep
- New Soft FCSS_SDW_AR-7.4 Simulations FCSS_SDW_AR-7.4 Latest Test Fee Exam FCSS_SDW_AR-7.4 Book * www.prepawayexam.com is best website to obtain FCSS_SDW_AR-7.4 for free download FCSS_SDW_AR-7.4 Test Prep
- Reliable FCSS_SDW_AR-7.4 Dumps Ppt Latest FCSS_SDW_AR-7.4 Exam Preparation FCSS_SDW_AR-7.4

Study Test □ Enter ➡ www.pdfvce.com □ and search for ➡ FCSS_SDW_AR-7.4 □ to download for free □
□FCSS_SDW_AR-7.4 Free Practice

- FCSS - SD-WAN 7.4 Architect Latest Exam Guide - FCSS_SDW_AR-7.4 Free Download Pdf - FCSS - SD-WAN 7.4 Architect Exam Practice Training □ Simply search for [FCSS_SDW_AR-7.4] for free download on ✓ www.examcollectionpass.com □✓ □ □FCSS_SDW_AR-7.4 Latest Test Fee
- www.skudci.com, myportal.utt.edu.tt, bbs.t-firefly.com, bbs.hi-mu.cn, bbs.t-firefly.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.mixcloud.com, lekoltoupatou.com, hashnode.com, elearnershub.lk, Disposable vapes

DOWNLOAD the newest DumpsTests FCSS_SDW_AR-7.4 PDF dumps from Cloud Storage for free:

https://drive.google.com/open?id=1gRQPd_bHTJ58hg62E1GwapeW7zfXJMIG