

# Free 300-835 Braindumps - 100% Marvelous Questions Pool



DOWNLOAD the newest NewPassLeader 300-835 PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=17tXz1zrp7cDcTYT5M6-kK8bTCctq0dX>

NewPassLeader provides the three most convenient formats to prepare for 300-835 exam dumps. It offers a desktop practice test, web based practice test and pdf file. Therefore, feel free to go through Automating and Programming Cisco Collaboration Solutions (300-835) exam dumps. Each of the three formats is downloaded to all android devices. Therefore, there's no reason to download an additional application to access web-based or desktop-based practice tests.

With NewPassLeader, you can trust that you're accessing authentic and error-free 300-835 exam practice questions. These questions are available in three different formats: PDF questions files, desktop practice test software, and web-based practice test software. All three formats contain genuine 300-835 Practice Questions that will effectively prepare you for the final exam.

>> Free 300-835 Braindumps <<

## Vce 300-835 Files, Dumps 300-835 Discount

When choosing a product, you will be entangled. After you have made a variety of comparisons, I believe you will choose our 300-835 learning quiz. We are so confident in our 300-835 study materials because they have their own uniqueness. If you want to have a deeper understanding of our products before making a choice, you can download a trial version of 300-835 Preparation materials

which is a small part of the real questions and answers.

## Cisco Automating and Programming Cisco Collaboration Solutions Sample Questions (Q19-Q24):

### NEW QUESTION # 19

Drag and drop the code snippets from the bottom onto the blanks in the script that sends the Server Down message to User One at userone@example.com and to the CLAUTONOC space with room ID A1bcA1 by using Cisco Webex. Not all options are used. Select and Place:

### Answer Area

```
import requests
BASE_URL = "https://webexapis.com"
MESSAGES_URL = "/v1/messages"
TOKEN = '<TOKEN>'
USER = 'userone@example.com'
ROOM = 'A1bcA1...'

headers = {'': 'Bearer ' + TOKEN,
           '': 'application/json'}

message1 = {'': USER, 'markdown': '**Server down**'}
message2 = {'': ROOM, 'markdown': "**Server Down**"}
response = requests.request('POST', BASE_URL + MESSAGES_URL,
                             headers=headers, json=message1)
response = requests.request('POST', BASE_URL + MESSAGES_URL,
                             headers=headers, json=message2)
```

Authorization	userEmail	roomId	X-Auth-Token
Content-Type	toPersonEmail	spaceId	

Answer:

Explanation:

### Answer Area

```
import requests
BASE_URL = "https://webexapis.com"
MESSAGES_URL = "/v1/messages"
TOKEN = '<TOKEN>'
USER = 'userone@example.com'
ROOM = 'A1bcA1...'

headers = {'Authorization': 'Bearer ' + TOKEN,
           'Content-Type': 'application/json'}

message1 = {'toPersonEmail': USER, 'markdown': '**Server down**'}
message2 = {'roomId': ROOM, 'markdown': "**Server Down**"}
response = requests.request('POST', BASE_URL + MESSAGES_URL,
                             headers=headers, json=message1)
response = requests.request('POST', BASE_URL + MESSAGES_URL,
                             headers=headers, json=message2)
```

Authorization	userEmail	roomId	X-Auth-Token
Content-Type	toPersonEmail	spaceId	

### NEW QUESTION # 20

Which Cisco UCM API is used to trigger on-demand recording of calls monitored by the application?

- A. AXL
- B. JTAPI/TAPI
- C. SOAP
- D. IPSS

**Answer: B**

Explanation:

Cisco JTAPI (Java Telephony API) or TAPI (Telephony API) is used by applications to control and monitor calls in real time on Cisco Unified Communications Manager (UCM). These APIs allow triggering on-demand call recording, call transfers, call monitoring, and more by interacting directly with the call control layer.

### NEW QUESTION # 21

Refer to the exhibit.

```
<xsd:element name="associatedDevices" minOccurs="0" maxOccurs="1">
  <xsd:annotation>
    <xsd:documentation>Also known as controlled devices.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence minOccurs="0">
      <xsd:element name="device" type="axlapi:String50" minOccurs="0" maxOccurs="unbounded">
        <xsd:annotation>
          <xsd:documentation>Name of device.</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="primaryExtension" minOccurs="0" maxOccurs="1">
  <xsd:annotation>
    <xsd:documentation>Only DNs associated with the associatedDevices of the User can be used as primary extension.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence minOccurs="0">
      <xsd:element name="pattern" type="axlapi:String255" minOccurs="0" maxOccurs="1">
        <xsd:annotation>
          <xsd:documentation>DN or Pattern.</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
      <xsd:element name="routePartitionName" type="axlapi:String50" minOccurs="0" maxOccurs="1">
        <xsd:annotation>
          <xsd:documentation>Route Partition to which the DN is associated.</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

The exhibit shows the XML schema to associate a device for the AddUser operation in AXL. Which XML snippet is correct to associate a device with name "SEP151515151515"?

- A. 

```
<associatedDevices>
  <device name="SEP151515151515">
</associatedDevices>
```
- B. 

```
<routePartitionName>
  <device>SEP151515151515</device>
</routePartitionName>
```
- C. 

```
<routePartitionName>
  <device name="SEP151515151515">
</routePartitionName>
```
- D. 

```
<associatedDevices>
  <device>SEP151515151515</device>
</associatedDevices>
```

- A. Option B
- B. Option C

- C. Option D
- D. Option A

Answer: C

#### NEW QUESTION # 22

When the behavior of a Cisco collaboration device is customized, which use case requires an external control system because implementing JavaScript macro does not suffice?

- A. Add a Join Webex meeting button to the touch panel.
- B. Trigger a "room-reset" to restore default configurations.
- C. Implement an in-room control panel for speed-dialing.
- D. Move the shutters up and down.

Answer: C

#### NEW QUESTION # 23

Refer to the exhibit.

```
def my_function(listOfNumbers, b):
    total1 = b
    total2 = 0

    for num in listOfNumbers:
        if num < 5:
            total1 += num
        else:
            total2 += num

    return total1

listOfNums = [4, 3, 9, 1, 7, 2, 9, 0, 6, 8, 5]
a = my_function(listOfNums, 3)
print(a)
```

Which value of "a" is displayed when the Python code is executed?

- A. 0
- B. 1
- C. 2
- D. 3

Answer: D

#### NEW QUESTION # 24

.....

To keep up with the newest regulations of the 300-835 exam, our experts keep their eyes focusing on it. Our 300-835 exam torrent are updating according to the precise of the real exam. Our 300-835 test prep to help you to conquer all difficulties you may encounter. Once you choose our 300-835 Quiz torrent, we will send the new updates for one year long, which is new enough to deal with the exam for you and guide you through difficulties in your exam preparation.

**Vce 300-835 Files:** <https://www.newpassleader.com/Cisco/300-835-exam-preparation-materials.html>

Now you can trust NewPassLeader Automating and Programming Cisco Collaboration Solutions (300-835) practice questions and start preparation without wasting further time, Cisco Free 300-835 Braindumps They check the update every day, and we can guarantee that you can get a free update service from the date of purchase, Cisco Free 300-835 Braindumps Life is beset with all different obstacles that are not easily overcome, Our company's top 300-835 exam braindumps are meant to deliver you the best knowledge on this subject.

Gadgets should not be designed as time-sensitive applications, 300-835 A ubiquity container identifier: A ubiquity container is the object that holds the iCloud data for the app.

