

# FSCP최신버전시험덤프최신인기시험덤프샘플문제



만약 아직도 Salesforce Process-Automation시험 페스를 위하여 고군분투하고 있다면 바로 우리 Fast2test를 선택함으로 여러분의 고민을 날려버릴 수 있습니다. 우리 Fast2test에서는 최고의 최신의 덤프자료를 제공 함으로 여러분을 도와 Salesforce Process-Automation인증자격증을 쉽게 취득할 수 있게 해드립니다. 만약 Salesforce Process-Automation인증시험으로 한층 업그레이드된 자신을 만나고 싶다면 우리 Fast2test 선택을 후회하지 않을 것입니다. 우리 Fast2test과의 만남으로 여러분은 한편에 아주 간편하게 Salesforce Process-Automation시험을 패스하실 수 있으며, Salesforce Process-Automation자격증으로 한비한 스펙을 쌓으실 수 있습니다.

Fast2test의 Salesforce Process-Automation덤프는 레알시험의 모든 유형을 포함하고 있습니다. 객관식은 물론 드래그엔드롭, 시뮬문제 등 실제시험문제의 모든 유형을 포함하고 있습니다. Salesforce Process-Automation덤프의 문제와 답은 모두 엘리트한 인증강사 및 전문가들에 의하여 만들어져 Salesforce Process-Automation 시험을 사용만이 아닌 학습자료용으로도 충분히 있는 덤프입니다. 저희 차 한 Salesforce Process-Automation덤프 데려가세요~!

>> Process-Automation인증시험 인기 덤프자료 <<

## 최신 업데이트된 Process-Automation인증시험 인기 덤프자료 공부자료

Fast2test는 여러분의 꿈을 이루어줄 뿐만 아니라 일년무료 업뎃서비스도 따릅니다. Fast2test에서 제공하는 덤프로 여러분은 100%시험을 패스하실 수 있고 Salesforce Process-Automation자격증을 취득하실 수 있습니다. 지금 바로 사이트에서 Salesforce Process-Automation덤프데모 즉 텁트의 일부 문제와 답을 다운 받으셔서 체험하실 수 있습니다.

Process-Automation인증시험인기덤프자료, Process-Automation최신버전시험공부자료

그 외, ExamPassdump FSCP 시험 문제집 일부가 지금은 무료입니다: [https://drive.google.com/open?id=19G\\_6Yr2gYjVt5xVRIfSYq\\_x-lgR2jqwA](https://drive.google.com/open?id=19G_6Yr2gYjVt5xVRIfSYq_x-lgR2jqwA)

Forescout FSCP인증 시험이 이토록 인기가 많으니 우리 ExamPassdump에서는 모든 힘을 다하여 여러분이 응시에 도움을 드리겠으며 또 일년무료 업뎃서비스를 제공하며, ExamPassdump 선택으로 여러분은 자신의 꿈과 더 가까워질 수 있습니다. 희망찬 내일을 위하여 ExamPassdump 선택은 정답입니다. ExamPassdump 선택으로 당신이 바로 진정한 IT인사입니다.

ExamPassdump의 Forescout인증 FSCP덤프를 구매하여 공부한지 일주일만에 바로 시험을 보았는데 고득점으로 시험을 패스했습니다. 이는 ExamPassdump의 Forescout인증 FSCP덤프를 구매한 분이 전해온 희소식입니다. 다른 자료 필요없이 단지 저희 Forescout인증 FSCP덤프로 이렇게 어려운 시험을 일주일만에 패스하고 자격증을 취득할 수 있습니다. 덤프가격도 다른 사이트보다 만만하여 부담없이 덤프마련이 가능합니다. 구매전 무료샘플을 다운받아 보시면 믿음을 느낄 것입니다.

>> FSCP최신버전 시험덤프 <<

## FSCP최신핫덤프 - FSCP유효한 최신버전 덤프

ExamPassdump는 한국어로 온라인상담과 메일상담을 받습니다. Forescout FSCP덤프구매후 일년동안 무료업데이트 서비스를 제공해드리며 Forescout FSCP시험에서 떨어지는 경우 Forescout FSCP덤프비용 전액을 환불해드려 고객님의 부담을 덜어드립니다. 더는 고민고민 하지마시고 덤프 받아가세요.

## Forescout FSCP 시험요강:

주제	소개
주제 1	<ul style="list-style-type: none"><li>Advanced Product Topics Licenses, Extended Modules and Redundancy: This section of the exam measures skills of product deployment leads and solution engineers, and covers topics such as licensing models, optional modules or extensions, high availability or redundancy configurations, and how those affect architecture and operational readiness.</li></ul>
주제 2	<ul style="list-style-type: none"><li>Plugin Tuning User Directory: This section of the exam measures skills of directory services integrators and identity engineers, and covers tuning plugins that integrate with user directories: configuration, mapping of directory attributes to platform policies, performance considerations, and security implications.</li></ul>
주제 3	<ul style="list-style-type: none"><li>Plugin Tuning Switch: This section of the exam measures skills of network switch engineers and NAC (network access control) specialists, and covers tuning switch related plugins such as switch port monitoring, layer 2</li><li>3 integration, ACL or VLAN assignments via network infrastructure and maintaining visibility and control through those network assets.</li></ul>
주제 4	<ul style="list-style-type: none"><li>Policy Functionality: This section of the exam measures skills of policy implementers and integration specialists, and covers how policies operate within the platform, including dependencies, rule order, enforcement triggers, and how they interact with device classifications and dynamic attributes.</li></ul>
주제 5	<ul style="list-style-type: none"><li>Customized Policy Examples: This section of the exam measures skills of security architects and solution delivery engineers, and covers scenario based policy design and implementation: you will need to understand business case requirements, craft tailored policy frameworks, adjust for exceptional devices or workflows, and document or validate those customizations in context.</li></ul>
주제 6	<ul style="list-style-type: none"><li>Advanced Troubleshooting: This section of the exam measures skills of operations leads and senior technical support engineers, and covers diagnosing complex issues across component interactions, policy enforcement failures, plugin misbehavior, and end to end workflows requiring root cause analysis and corrective strategy rather than just surface level fixes.</li></ul>
주제 7	<ul style="list-style-type: none"><li>Notifications: This section of the exam measures skills of monitoring and incident response professionals and system administrators, and covers how notifications are configured, triggered, routed, and managed so that alerts and reports tie into incident workflows and stakeholder communication.</li></ul>

## 최신 Forescout Certified Professional FSCP 무료샘플문제 (Q59-Q64):

### 질문 # 59

Which of the following is a switch plugin property that can be used to identify endpoint connection location?

- A. Switch Location
- B. **Switch IP/FQDN and Port Name**
- C. Switch Port Alias
- D. Wireless SSID
- E. Switch Port Action

정답: **B**

### 설명:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:  
According to the Forescout Switch Plugin Configuration Guide Version 8.12 and the Switch Properties documentation, the Switch IP/FQDN and Port Name property is used to identify an endpoint's connection location. The documentation explicitly states: "The Switch IP/FQDN and Port Name property contains either the IP address or the fully qualified domain name of the switch and the port name (the physical connection point on that switch) to which the endpoint is connected." Switch IP/FQDN and Port Name Property:

This property is fundamental for identifying where an endpoint is physically connected on the network.

According to the documentation:

Purpose: Provides the exact physical location of an endpoint on the network by identifying:

- \* Switch IP Address or FQDN - Which switch the endpoint is connected to
- \* Port Name - Which specific port on that switch the endpoint uses

Example: A property value might look like:

- \* 10.10.1.50:Port Fa0/15 (IP address and port name)
- \* core-switch.example.com:GigabitEthernet0/1/1 (FQDN and port name)

Use Cases for Location Identification:

According to the Switch Plugin Configuration Guide:

- \* Physical Topology Mapping - Administrators can see exactly where each endpoint connects to the network
- \* Port-Based Policies - Create policies that apply actions based on specific switch ports
- \* Troubleshooting - Quickly locate endpoints by their switch port connection
- \* Inventory Tracking - Maintain accurate records of device locations and connections Switch Location vs. Switch IP/FQDN and Port Name:

According to the documentation:

Property

Purpose

Switch Location

The switch location based on the switch MIB (Management Information Base) - geographic location of the switch itself Switch IP/FQDN and Port Name The specific switch and port where an endpoint is connected - physical connection point Switch Port Alias The alias/description of the port (if configured on the switch) The key difference: Switch Location identifies where the switch itself is located, while Switch IP/FQDN and Port Name identifies the specific connection point where the endpoint is attached.

Why Other Options Are Incorrect:

- \* A. Switch Location - Identifies the location of the switch device itself (from MIB), not the endpoint's connection point
- \* B. Switch Port Alias - This is an alternate name for a port (like "Conference Room Port"), not the connection location information
- \* D. Switch Port Action - This indicates what action was performed on a port, not where the endpoint is located
- \* E. Wireless SSID - This is a Wireless Plugin property, not a Switch Plugin property; identifies wireless network name, not switch connection location

Switch Properties for Endpoint Location:

According to the complete Switch Properties documentation:

The Switch Plugin provides these location-related properties:

- \* Switch IP/FQDN - The switch to which the endpoint connects
- \* Switch IP/FQDN and Port Name - The complete location (switch and port)
- \* Switch Port Name - The specific port on the switch
- \* Switch Port Alias - Alternate port name

Only Switch IP/FQDN and Port Name provides the complete endpoint connection location information in a single property.

Referenced Documentation:

- \* Forescout CounterACT Switch Plugin Configuration Guide Version 8.12
- \* Switch Properties documentation
- \* Viewing Switch Information in the All Hosts Pane
- \* About the Switch Plugin

## 질문 # 60

Which type of endpoint can be queried for registry key properties?

- A. Managed unknown endpoint
- B. Managed Linux endpoint
- C. Unmanaged Windows endpoint
- D. Windows endpoint
- E. Managed Windows endpoint

정답: E

설명:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

According to the Forescout Administration Guide - Set Registry Key on Windows action, registry key properties can only be queried on "Managed Windows endpoints".

Registry Key Property Requirements:

According to the Set Registry Key on Windows documentation:

"Registry key properties can be queried on managed Windows endpoints only. The endpoint must be a Windows device that is managed (either via SecureConnector deployment or Remote Inspection with appropriate credentials)." Managed vs. Unmanaged Endpoints:

According to the Windows Properties documentation:

- \* Managed Windows Endpoint -#Can query registry keys
- \* Has SecureConnector deployed, OR
- \* Has Remote Inspection access via credentials, OR
- \* Is domain-joined with appropriate permissions
- \* Unmanaged Windows Endpoint -#Cannot query registry keys
- \* No agent or access method available
- \* Registry cannot be accessed remotely

Why Other Options Are Incorrect:

- \* A. Managed unknown endpoint - "Unknown" endpoints are not classified as Windows; classification unknown
- \* B. Unmanaged Windows endpoint - Unmanaged endpoints have no access to registry
- \* D. Windows endpoint - Must be "managed" to query registry; not all Windows endpoints are managed
- \* E. Managed Linux endpoint - Linux systems don't have Windows registry Registry Access Methods:

According to the documentation:

Registry keys can be queried on Managed Windows endpoints using:

- \* SecureConnector - Preferred method for interactive registry access
- \* Remote Inspection (MS-WMI/RPC) - When credentials are configured
- \* Domain Credentials - When endpoint is domain-joined

Referenced Documentation:

- \* Set Registry Key on Windows - v9.1.4
- \* Set Registry Key on Windows - v8.5.2
- \* Windows Properties

## 질문 # 61

Which of the following User Directory server settings is necessary to enable guest approval by sponsors?

- A. Policy to control
- B. Guest password policy
- C. Authentication Server
- D. Guest Tags
- E. Sponsor Group

정답: E

설명:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

The Sponsor Group is the necessary User Directory server setting required to enable guest approval by sponsors. According to the Forescout User Directory Plugin Configuration Guide and Guest Management Portal documentation, Sponsor Groups must be created and configured to define the corporate employees (sponsors) who are authorized to approve or decline guest network access requests.

Sponsor Group Configuration:

In the Guest Management pane, the Sponsors tab is used to define the corporate employees who are authorized to log into the Guest Management Portal to approve network access requests from guests. These employees are assigned to specific Sponsor Groups, which control which sponsors can approve guest access requests.

How Sponsor Groups Enable Guest Approval:

- \* Sponsor Definition - Corporate employees must be designated as sponsors and assigned to a Sponsor Group
- \* Approval Authority - Sponsors in assigned groups can approve or decline guest network access requests
- \* Authentication - When "Enable sponsor approval without authentication via emailed link" is selected, sponsors in the designated group can approve guests based on email link authorization
- \* Guest Registration - Guest registration options connect Sponsor Groups to the guest approval workflow

Why Other Options Are Incorrect:

- \* A. Policy to control - While policies are used for guest control, they do not define which sponsors can approve guests
- \* B. Guest Tags - Guest Tags are used to classify and organize guest accounts, not to enable sponsor approval
- \* D. Guest password policy - This setting controls password requirements for guests, not sponsor approval authority
- \* E. Authentication Server - Authentication servers verify credentials but do not establish sponsor approval groups

Referenced Documentation:

- \* Forescout User Directory Plugin Configuration Guide - Create Sponsors section
- \* Guest Management Portal - Sponsor Configuration documentation
- \* "Create sponsors" - Forescout Administration Guide section

## 질문 # 62

Policies will recheck when certain conditions are met. These may include...

- A. Admission event, group name change, Scope recheck timer expires
- **B. Policy recheck timer expires, admission event, SC event change**
- C. Admission event, policy categorization, SC event change
- D. Policy categorization, admission event, action schedule activation
- E. Policy recheck timer expires, group name change, SC event change

정답: **B**

설명:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:  
According to the Forescout Administration Guide, policies recheck when the following conditions are met: Policy recheck timer expires, admission event, or SC event change.

Policy Recheck Conditions:

According to the Main Rule Advanced Options documentation:

"By default, both matched endpoints and unmatched endpoints are rechecked every eight hours, and on any admission event."

Additionally, according to the documentation:

"You can also configure several recheck settings to work simultaneously. For example, when a host IP address changes every five hours, recheck settings can be configured for:

- \* Policy recheck timer expires - Default 8 hours
- \* Admission events - Triggers like DHCP request, IP address change
- \* SC (SecureConnector) event change - "When SecureConnector status changes"

Three Main Policy Recheck Triggers:

- \* Policy Recheck Timer Expires
- \* Default: Every 8 hours
- \* Can be customized (1 hour to infinite)
- \* Applies to all endpoints matching or not matching the policy
- \* Admission Event
- \* DHCP Request
- \* IP Address Change
- \* Switch Port Change
- \* Authentication event
- \* VPN user connection
- \* Immediate recheck when triggered
- \* SC Event Change
- \* SecureConnector deployed or removed
- \* SecureConnector status changes (online/offline)
- \* SecureConnector version changes

Why Other Options Are Incorrect:

- \* A. Admission event, group name change, Scope recheck timer expires - Group name change is NOT a recheck trigger
- \* C. Admission event, policy categorization, SC event change - Policy categorization is NOT a recheck trigger
- \* D. Policy categorization, admission event, action schedule activation - Neither policy categorization nor action schedule activation triggers rechecks
- \* E. Policy recheck timer expires, group name change, SC event change - Group name change does NOT trigger policy rechecks

Recheck Configuration:

According to the documentation:

"You can configure under what conditions to perform a recheck. By default, endpoints are rechecked every eight hours, and on any admission event. To define the recheck policy, you can configure:

- \* Custom recheck interval (instead of 8 hours)
- \* Which admission events trigger rechecks
- \* Whether SecureConnector events trigger rechecks"

Referenced Documentation:

- \* Main Rule Advanced Options
- \* Forescout eyeSight policy main rule advanced options
- \* When Are Policies Run - Policy Recheck section

## 질문 # 63

Which CLI command gathers historical statistics from the appliance and outputs the information to a single \*.csv file for processing and analysis?

- A. fstool sysinfo stats
- B. fstool va stats
- C. fstool tech-support
- D. fstool stats
- E. fstool appstats

정답: A

### 설명:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:  
The fstool sysinfo stats command is the correct CLI command used in Forescout platforms to gather and export historical statistics from the appliance to a single CSV file for processing and analysis.

According to the Forescout CLI Commands Reference Guide (versions 8.1.x through 8.5.3), the fstool sysinfo command is listed under the Machine Administration category of fstool commands. The command's primary purpose is to "View Extensive System Information about the Appliance".

When used with the stats parameter, the command fstool sysinfo stats specifically:

\* Gathers historical statistics - The command collects comprehensive time-series data and historical statistics from the Forescout appliance

\* Outputs to a CSV file - The information is exported to a \*single .csv file format, making it suitable for import into spreadsheet applications and data analysis tools

\* Enables processing and analysis - The CSV format allows administrators and engineers to perform offline analysis, trend analysis, and detailed troubleshooting Why Other Options Are Incorrect:

\* fstool tech-support - This command is used to send logs and diagnostic information to Forescout Customer Support, not to output appliance statistics

\* fstool appstats - This command is not documented in any official Forescout CLI reference guides

\* fstool va stats - This command variant is not a recognized fstool command in Forescout documentation

\* fstool stats - This standalone command variant is not a recognized fstool command in Forescout documentation Referenced Documentation:

\* Forescout CLI Commands Reference Guide v8.1.x, 8.2.x, 8.4.x, 8.5.2, and 8.5.3

\* Forescout Administration Guide v8.3 and v8.4

\* Machine Administration fstool Commands section - Forescout Official Documentation Portal

## 질문 # 64

.....

IT자격증을 많이 취득하여 IT업계에서 자신만의 단단한 자리를 보장하는것이 여러분들의 로망이 아닐가 싶습니다. ExamPassdump의 완벽한 Forescout인증 FSCP덤프는 IT전문가들이 자신만의 노하우와 경험으로 실제Forescout인증 FSCP시험문제에 대비하여 연구제작한 완벽한 작품으로서 100%시험통과율을 보장합니다.

**FSCP최신핫덤프** : [https://www.exampassdump.com/FSCP\\_valid-braindumps.html](https://www.exampassdump.com/FSCP_valid-braindumps.html)

- 높은 통과율 FSCP최신버전 시험덤프 시험대비 공부문제 □ 무료로 다운로드하려면 ➔ [www.dumptop.com](http://www.dumptop.com) □□□로 이동하여 ➔ FSCP □를 검색하십시오 FSCP자격증덤프
- 100% 유효한 FSCP최신버전 시험덤프 시험대비자료 □ [ [www.itdumpskr.com](http://www.itdumpskr.com) ]의 무료 다운로드 【 FSCP 】 페이지가 지금 열립니다 FSCP최고품질 덤프샘플문제 다운
- FSCP퍼펙트 덤프 최신버전 □ FSCP최신덤프자료 □ FSCP높은 통과율 덤프샘플 다운 □ 시험 자료를 무료로 다운로드하려면 ➔ [www.passtip.net](http://www.passtip.net) □을 통해 □ FSCP □를 검색하십시오 FSCP유효한 덤프자료
- FSCP최신 업데이트 시험공부자료 □ FSCP최고품질 인증시험 기출자료 Ⓢ FSCP최신시험 □ 무료 다운로드를 위해 지금 ➔ [www.itdumpskr.com](http://www.itdumpskr.com) □에서 { FSCP } 검색 FSCP시험문제
- FSCP유효한 덤프자료 □ FSCP퍼펙트 최신버전 문제 □ FSCP최신덤프 □ ➔ [www.dumptop.com](http://www.dumptop.com) □□□웹사이트를 열고 ( FSCP ) 를 검색하여 무료 다운로드 FSCP퍼펙트 덤프 최신버전
- 퍼펙트한 FSCP최신버전 시험덤프 덤프데모문제 보기 □ 【 [www.itdumpskr.com](http://www.itdumpskr.com) 】 웹사이트를 열고 ➔ FSCP □를 검색하여 무료 다운로드 FSCP최고품질 덤프샘플문제 다운
- FSCP최신덤프자료 □ FSCP인기자격증 시험덤프 최신자료 □ FSCP최신덤프 □ 「 [www.passtip.net](http://www.passtip.net) 」 웹사이트를 열고 □ FSCP □를 검색하여 무료 다운로드 FSCP최신시험
- FSCP시험대비 인증공부자료 □ FSCP최고품질 덤프샘플문제 다운 □ FSCP시험문제 □ 【 FSCP 】 를 무

료로 다운로드하려면 > [www.itdumpskr.com](http://www.itdumpskr.com) 웹사이트를 입력하세요 FSCP 시험패스 가능한 인증덤프

BONUS!!! ExamPassdump FSCP 시험 문제집 전체 버전을 무료로 다운로드하세요: [https://drive.google.com/open?id=19G\\_6Yr2gYjVt5xVRIfsYq\\_x-lgR2jqwA](https://drive.google.com/open?id=19G_6Yr2gYjVt5xVRIfsYq_x-lgR2jqwA)