


Pass Guaranteed Quiz Nutanix - NCM-MCI - Reliable Books Nutanix Certified Master - Multicloud Infrastructure v6.10 PDF



Our product for the NCM-MCI exam is compiled by the skilled professionals who have studied the exam for years, therefore the quality of the practice materials are quite high, it will help you to pass the exam with ease. Free update for the latest version within one year are available. And the questions and answers of the NCM-MCI Exam are from the real exam, and the answers are also verified by the experts, and money back guarantee. The payment of the NCM-MCI exam is also safe for our customers, we apply online payment with credit card, it can ensure the account safety of our customers.

There are totally three versions of NCM-MCI practice materials which are the most suitable versions for you: PDF, Software and APP online versions. We promise ourselves and exam candidates to make these Nutanix Certified Master - Multicloud Infrastructure v6.10 NCM-MCI Learning Materials top notch. So if you are in a dark space, our Nutanix NCM-MCI exam questions can inspire you make great improvements.

>> **Books NCM-MCI PDF** <<

Valid Dumps NCM-MCI Files | Test NCM-MCI Collection

This way you can get knowledge about the Nutanix NCM-MCI exam environment beforehand. Windows computers support the Nutanix NCM-MCI desktop practice exam software. It works offline whereas the web-based NCM-MCI Practice Test requires an active internet connection. Major browsers and operating systems support the online NCM-MCI mock exam.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions

(Q12-Q17):

NEW QUESTION # 12

Task 8

Depending on the order you perform the exam items, the access information and credentials could change. Please refer to the other item performed on Cluster B if you have problems accessing the cluster.

The infosec team has requested that audit logs for API Requests and replication capabilities be enabled for all clusters for the top 4 severity levels and pushed to their syslog system using highest reliability possible. They have requested no other logs to be included.

Syslog configuration:

Syslog Name: Corp_syslog

Syslog IP: 34.69.43.123

Port: 514

Ensure the cluster is configured to meet these requirements.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the cluster to meet the requirements of the infosec team, you need to do the following steps:

Log in to Prism Central and go to Network > Syslog Servers > Configure Syslog Server. Enter Corp_syslog as the Server Name, 34.69.43.123 as the IP Address, and 514 as the Port. Select TCP as the Transport Protocol and enable RELP (Reliable Logging Protocol). This will create a syslog server with the highest reliability possible.



Click Edit against Data Sources and select Cluster B as the cluster. Select API Requests and Replication as the data sources and set the log level to CRITICAL for both of them. This will enable audit logs for API requests and replication capabilities for the top 4 severity levels (EMERGENCY, ALERT, CRITICAL, and ERROR) and push them to the syslog server. Click Save.


Repeat step 2 for any other clusters that you want to configure with the same requirements.

The screenshot displays the Nutanix Prism Central dashboard. The left sidebar contains navigation options such as Dashboard, Calm, Reports, LCM, Images, Playbooks, Recovery Plans, Protection Policies, VMs List, Virtual Infrastructure, Policies, Hardware, Activity, Operations, Administration, and Services. The main dashboard area is titled 'Main Dashboard' and includes several monitoring widgets:

- Cluster Quick Access:** Lists clusters NTNXPRDG4 and NTNXVMWG3.
- Impacted Cluster:** Focuses on cluster NTNXVMWG3, showing 9 anomalies in the last 24 hours, 365 days of Runway, and 0 Inefficient VMs.
- Cluster Storage:** Shows storage usage for clusters NTNXVMWG3 and NTNXPRDG4.
- Cluster Runway:** Displays CPU usage for clusters NTNXPRDG4 (365+ days) and NTNXVMWG3 (365+ days).
- Cluster CPU Usage:** Shows CPU usage percentages for NTNXVMWG3 (6.43%) and NTNXPRDG4 (5.84%).
- Cluster Memory Usage:** Shows memory usage percentages for NTNXVMWG3 (20.1%) and NTNXPRDG4 (12.77%).
- VM Efficiency:** Shows 1 Overprovisioned VM and 3 Active VMs.
- Cluster Latency:** Shows latency for NTNXPRDG4 (2.23 ms) and NTNXVMWG3 (179 ms).
- Tasks:** Indicates no task activity for the last 48 hours.
- Reports:** Shows 2 Total Reports and 0 Scheduled Reports.

A red box highlights the 'Prism Central Settings' option in the left sidebar, with a red circle containing the number '1' next to it.





To configure the Nutanix clusters to enable audit logs for API Requests and replication capabilities, and push them to the syslog system with the highest reliability possible, you can follow these steps:

Log in to the Nutanix Prism web console using your administrator credentials.

Navigate to the "Settings" section or the configuration settings interface within Prism.

Locate the "Syslog Configuration" or "Logging" option and click on it.

Configure the syslog settings as follows:

Syslog Name: Enter "Corp_syslog" as the name for the syslog configuration.

Syslog IP: Set the IP address to "34.69.43.123", which is the IP address of the syslog system.

Port: Set the port to "514", which is the default port for syslog.

Enable the option for highest reliability or persistent logging, if available. This ensures that logs are sent reliably and not lost in case of network interruptions.

Save the syslog configuration.

Enable Audit Logs for API Requests:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and API requests. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

Enable Audit Logs for Replication Capabilities:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and replication capabilities. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

After completing these steps, the Nutanix clusters will be configured to enable audit logs for API Requests and replication capabilities. The logs will be sent to the specified syslog system with the highest reliability possible.

ncli

```
<ncli> rsyslog-config set-status enable=false
```

```
<ncli> rsyslog-config add-server name=Corp_Syslog ip-address=34.69.43.123 port=514 network-protocol=tdp relp-enabled=false
```

```
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=APLOS level=INFO
```

```
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=CEREBRO level=INFO
```

```
<ncli> rsyslog-config set-status enable=true
```

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e0000009CEECA2>

NEW QUESTION # 13

TASK2

The security team has provided some new security requirements for cluster level security on Cluster 2.

Security requirements:

Update the password for the root user on the Cluster 2 node to match the admin user password.

Note: The 192.168.x.x network is not available. To access a node use the host IP (172.30.0.x) from the CVM.

Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and cvms for Cluster 2.

Enable high-strength password policies for the hypervisor and cluster.

Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the desktop\Files\SSH folder.) Ensure the cluster meets these requirements. Do not reboot any cluster components.

Note: Please ensure you are modifying the correct components.

Answer:

Explanation:

See the Explanation

Explanation:

This task focuses on Security Technical Implementation Guides (STIGs) and general hardening of the Nutanix cluster. Most of these tasks are best performed via the Nutanix Command Line Interface (ncli) on the CVM, though the SSH key requirement is often easier to handle via the Prism GUI.

Here is the step-by-step procedure to complete Task 2.

Prerequisites: Connection

Open PuTTY (or the available terminal) from the provided Windows Desktop.

SSH into the Cluster 2 CVM. (If the Virtual IP is unknown, check Prism Element for the CVM IP).

Log in using the provided credentials (usually nutanix / nutanix/4u or the admin password provided in your instructions).

Step 1: Output SCMA Policy (Do this FIRST)

Requirement: Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

In the SSH session on the CVM, run:

Bash

```
ncli cluster get-software-config-management-policy
```

Copy the output from the terminal window.

Open Notepad on the Windows Desktop.

Paste the output.

Save the file as output.txt on the Desktop.

Step 2: Enable AIDE (Weekly)

Requirement: Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and CVMs.

In the same CVM SSH session, run the following command to modify the SCMA policy:

Bash

```
ncli cluster edit-software-config-management-policy enable-aide=true schedule-interval=WEEKLY (Note: This single command applies the policy to both Hypervisor and CVMs by default in most versions).
```

Step 3: Enable High-Strength Password Policies

Requirement: Enable high-strength password policies for the hypervisor and cluster.

Run the following command:

Bash

```
ncli cluster set-high-strength-password-policy enable=true
```

Step 4: Update Root Password for Cluster Nodes

Requirement: Update the password for the root user on the Cluster 2 node to match the admin user password.

Method A: The Automated Way (Recommended)

Use ncli to set the password for all hypervisor nodes at once without needing to SSH into them individually.

Run:

Bash

```
ncli cluster set-hypervisor-password
```

When prompted, enter the current admin password (this becomes the new root password).

Method B: The Manual Way (If NCLI fails or manual access is required)

Note: Use this if the exam specifically wants you to touch the node via the 172.x network.

From the CVM, SSH to the host using the internal IP:

Bash

```
ssh root@172.30.0.x (Replace x with the host ID, e.g., 4 or 5)
```

Run the password change command:

Bash

```
passwd
```

Enter the admin password twice.

Repeat for other nodes in Cluster 2.

Step 5: Cluster Lockdown (SSH Keys)

Requirement: Ensure CVMs require SSH keys for login instead of passwords.

It is safest to do this via the Prism Element GUI to prevent locking yourself out.

Open Prism Element for Cluster 2 in the browser.

Click the Gear Icon (Settings) -> Cluster Lockdown.

Uncheck the box "Enable Remote Login with Password".

Click New Public Key (or Add Key).

Open the folder Desktop\Files\SSH on the Windows desktop.

Open the public key file (usually ends in .pub) in Notepad and copy the contents.

Paste the key into the Prism "Key" box.

Click Save.

Note: Do not reboot the cluster. The SCMA and Password policies take effect immediately without a reboot.

NEW QUESTION # 14

Task 3

An administrator needs to assess performance gains provided by AHV Turbo at the guest level. To perform the test the administrator created a Windows 10 VM named Turbo with the following configuration.

1 vCPU

8 GB RAM

SATA Controller

40 GB vDisk

The stress test application is multi-threaded capable, but the performance is not as expected with AHV Turbo enabled. Configure the VM to better leverage AHV Turbo.

Note: Do not power on the VM. Configure or prepare the VM for configuration as best you can without powering it on.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the VM to better leverage AHV Turbo, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to VM > Table and select the VM named Turbo.

Click on Update and go to Hardware tab.

Increase the number of vCPUs to match the number of multiqueues that you want to enable. For example, if you want to enable 8 multiqueues, set the vCPUs to 8. This will improve the performance of multi-threaded workloads by allowing them to use multiple processors.

Change the SCSI Controller type from SATA to VirtIO. This will enable the use of VirtIO drivers, which are required for AHV Turbo.

Click Save to apply the changes.

Power off the VM if it is running and mount the Nutanix VirtIO ISO image as a CD-ROM device. You can download the ISO image from Nutanix Portal.

Power on the VM and install the latest Nutanix VirtIO drivers for Windows 10. You can follow the instructions from Nutanix Support Portal.

After installing the drivers, power off the VM and unmount the Nutanix VirtIO ISO image.

Power on the VM and log in to Windows 10.

Open a command prompt as administrator and run the following command to enable multiqueue for the VirtIO NIC:

```
ethtool -L eth0 combined 8
```

Replace eth0 with the name of your network interface and 8 with the number of multiqueues that you want to enable. You can use `ipconfig /all` to find out your network interface name.

Restart the VM for the changes to take effect.

You have now configured the VM to better leverage AHV Turbo. You can run your stress test application again and observe the performance gains.

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LKPdCAO> change vCPU to 2/4 ?

Change SATA Controller to SCSI:

```
acli vm.get Turbo
```

Output Example:

```
Turbo {
```

```
config {
```

```
agent_vm: False
```

```
allow_live_migrate: True
boot {
  boot_device_order: "kCdrom"
  boot_device_order: "kDisk"
  boot_device_order: "kNetwork"
  uefi_boot: False
}
cpu_passthrough: False
disable_branding: False
disk_list {
  addr {
    bus: "ide"
    index: 0
  }
  cdrom: True
  device_uuid: "994b7840-dc7b-463e-a9bb-1950d7138671"
  empty: True
}
disk_list {
  addr {
    bus: "sata"
    index: 0
  }
  container_id: 4
  container_uuid: "49b3e1a4-4201-4a3a-8abc-447c663a2a3e"
  device_uuid: "622550e4-fb91-49dd-8fc7-9e90e89a7b0e"
  naa_id: "naa.6506b8dcda1de6e9ce911de7d3a22111"
  storage_vdisk_uuid: "7e98a626-4cb3-47df-a1e2-8627cf90cae6"
  vmdisk_size: 10737418240
  vmdisk_uuid: "17e0413b-9326-4572-942f-68101f2bc716"
}
flash_mode: False
hwclock_timezone: "UTC"
machine_type: "pc"
memory_mb: 2048
name: "Turbo"
nic_list {
  connected: True
  mac_addr: "50:6b:8d:b2:a5:e4"
  network_name: "network"
  network_type: "kNativeNetwork"
  network_uuid: "86a0d7ca-acfd-48db-b15c-5d654ff39096"
  type: "kNormalNic"
  uuid: "b9e3e127-966c-43f3-b33c-13608154c8bf"
  vlan_mode: "kAccess"
}
num_cores_per_vcpu: 2
num_threads_per_core: 1
num_vcpus: 2
num_vnuma_nodes: 0
vga_console: True
vm_type: "kGuestVM"
}
is_rfl_vm: False
logical_timestamp: 2
state: "Off"
uuid: "9670901f-8c5b-4586-a699-41f0c9ab26c3"
}
acli vm.disk_create Turbo clone_from_vmdisk=17e0413b-9326-4572-942f-68101f2bc716 bus=scsi remove the old disk acli
vm.disk_delete 17e0413b-9326-4572-942f-68101f2bc716 disk_addr=sata.0
```

NEW QUESTION # 15

Task 15

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available

power on vm and verify if ping is working

NEW QUESTION # 16

Task 11

An administrator has noticed that after a host failure, the SQL03 VM was not powered back on from another host within the cluster. The Other SQL VMs (SQL01, SQL02) have recovered properly in the past.

Resolve the issue and configure the environment to ensure any single host failure affects a minimal number of SQL VMs.

Note: Do not power on any VMs

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

One possible reason why the SQL03 VM was not powered back on after a host failure is that the cluster was configured with the default (best effort) VM high availability mode, which does not guarantee the availability of VMs in case of insufficient resources on the remaining hosts. To resolve this issue, I suggest changing the VM high availability mode to guarantee (reserved segments), which reserves some memory on each host for failover of VMs from a failed host. This way, the SQL03 VM will have a higher chance of being restarted on another host in case of a host failure.

To change the VM high availability mode to guarantee (reserved segments), you can follow these steps:

Log in to Prism Central and select the cluster where the SQL VMs are running.

Click on the gear icon on the top right corner and select Cluster Settings.

Under Cluster Services, click on Virtual Machine High Availability.

Select Guarantee (Reserved Segments) from the drop-down menu and click Save.

To configure the environment to ensure any single host failure affects a minimal number of SQL VMs, I suggest using anti-affinity rules, which prevent VMs that belong to the same group from running on the same host. This way, if one host fails, only one SQL VM will be affected and the other SQL VMs will continue running on different hosts.

To create an anti-affinity rule for the SQL VMs, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Group.
 Enter a name for the group, such as SQL Group, and click Next.
 Select the SQL VMs (SQL01, SQL02, SQL03) from the list and click Next.
 Select Anti-Affinity from the drop-down menu and click Next.
 Review the group details and click Finish.

I hope this helps. How else can I help?

https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6_5:ahv-affinity-policies-c.html



NEW QUESTION # 17

.....

We have an integrated system for you. We offer you free demo for NCM-MCI exam braindumps before purchasing. And you can get the downloading link and password in ten minutes after your payment, therefore you can start your learning immediately. We also provide free update for one year after you purchase NCM-MCI Exam Dumps. After you have purchased the exam dumps, we also have the after-service to solve any problems you have. You can consult your question about NCM-MCI exam dumps to our online and offline service staff.

Valid Dumps NCM-MCI Files: <https://www.testpdf.com/NCM-MCI-exam-braindumps.html>

Our pass rate for NCM-MCI training material is as high as 99% to 100%, which is proved from our loayl customers, and you will be the next to benefit from it, Nutanix Books NCM-MCI PDF Soft version are downloaded and installed on Windows operating system and Java environment, Our NCM-MCI test questions: Nutanix Certified Master - Multicloud Infrastructure v6.10 are useful to customers at all level, which means you can master the important information and remember it effectively, TestPDF is a professional website provides NCM-MCI exam questions torrent and NCM-MCI pdf study material.

I'm watching the evening news at home and debating my Test NCM-MCI Collection options, However, prior to learning, it is sometimes necessary to first go through a process of unlearning.

Our pass rate for NCM-MCI Training Material is as high as 99% to 100%, which is proved from our loayl customers, and you will be the next to benefit from it, Soft version NCM-MCI are downloaded and installed on Windows operating system and Java environment.

NCM-MCI Practice Exam Materials: Nutanix Certified Master - Multicloud Infrastructure v6.10 and NCM-MCI Study Guide - TestPDF

Our NCM-MCI test questions: Nutanix Certified Master - Multicloud Infrastructure v6.10 are useful to customers at all level, which means you can master the important information and remember it effectively.

TestPDF is a professional website provides NCM-MCI exam questions torrent and NCM-MCI pdf study material, In order to let you have a deep understanding of our NCM-MCI learning guide, our company designed the free demos for our customers.

- Real NCM-MCI Exam Dumps Exam NCM-MCI Price Reliable NCM-MCI Braindumps Free Easily obtain free download of NCM-MCI by searching on www.examcollectionpass.com NCM-MCI Latest Version
- Real NCM-MCI Exam Dumps Exam NCM-MCI Price Exam NCM-MCI Tutorial Simply search for NCM-MCI for free download on www.pdfvce.com New NCM-MCI Test Simulator
- 100% Pass Quiz 2026 NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 – High-quality Books PDF Simply search for NCM-MCI for free download on www.prepawaypdf.com Exam NCM-MCI Revision Plan
- Real NCM-MCI Exam Dumps Premium NCM-MCI Exam Exam NCM-MCI Revision Plan Easily obtain

