

FCSS_SDW_AR-7.6 Lerntipps, FCSS_SDW_AR-7.6 Prüfungsinformationen



In vielen Situationen erwerben wir noch keine zufriedenstellende Wirkung, wenn wir viel Geld und Zeit ausgeben. Die richtige Methode spielt eine entscheidende Rolle. Wir Pass4Test Team widmet sich, die beste Methode für Sie zu entwickeln, Fortinet FCSS_SDW_AR-7.6 Prüfung zu bestehen. Von dem Punkt, wenn Sie unsere Fortinet FCSS_SDW_AR-7.6 Prüfungsunterlagen auswählen, bieten wir Ihnen umfassende Garantien. Kostenlose Probe vor dem Kauf, Bezahlungssicherheit beim Kauf, einjährige kostenlose Aktualisierung nach dem Kauf der Fortinet FCSS_SDW_AR-7.6 Unterlagen und die volle Rückerstattung für den Durchfall der Fortinet FCSS_SDW_AR-7.6 Prüfung usw. Alle zusammen sind unsere Expression der Garantie für die Interesse der Kunden.

Es gibt viele Methoden, die Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung zu bestehen. Einerseits kann man viel Zeit und Energie auf die Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung aufwenden, um die Fachkenntnisse zu konsolidieren. Andererseits kann man mit weniger Zeit und Geld die zielgerichteten Fortinet FCSS_SDW_AR-7.6 Prüfungsfragen von Pass4Test benutzen.

>> FCSS_SDW_AR-7.6 Lerntipps <<

FCSS_SDW_AR-7.6 Prüfungsinformationen, FCSS_SDW_AR-7.6 Deutsche

Überlegen Sie nicht länger. Wenn Sie die Inhalte der Fortinet FCSS_SDW_AR-7.6 Dumps probieren, klicken Sie bitte Pass4Test Website. Sie können die Fortinet FCSS_SDW_AR-7.6 Demo von der Website herunterladen. Vor dem Kauf könnten Sie sich auch mehr über diese Website informieren. Außerdem können Sie auch die volle Rückerstattung für den Durchfall der Fortinet FCSS_SDW_AR-7.6 Prüfungen zuvor kennen lernen. Pass4Test ist unbedingt eine Website, die Ihre alle Interesse garantieren und an Ihnen denken wollen.

Fortinet FCSS - SD-WAN 7.6 Architect FCSS_SDW_AR-7.6 Prüfungsfragen mit Lösungen (Q23-Q28):

23. Frage

Refer to the exhibit. For your ZTP deployment, you review the CSV file shown in exhibit and note that it is missing important

information. Which two elements must you change before you can import it into FortiManager? (Choose two.)

Serial Number	name	branch_id	admin_gw	sdwan_port1_gw	sdwan_port2_gw	latitude	longitude	lan_interface_ip
FGVM01TM22000077	branch1_fgt	1	172.16.0.2	192.2.0.2	192.2.0.10	37.37610911	-122.0260914	10.0.1.254
FGVM01TM22000078	branch2_fgt	2	172.16.0.10	203.0.113.2	203.0.113.10	25.77404351	-80.20508525	10.0.2.254
FGT40FTK20000624	shop1_fgt	11		198.0.1.1				10.10.1.254
FGT40FTK20003026	shop2_fgt	12				48.88941	2.25125	10.10.2.254
FGVM02TM24010735		3	172.16.0.10	100.64.33.2	100.64.33.10	45.32482	-75.8359	10.0.3.254

- A. You must define a name for each device
- B. You must define a value for each device and each user-defined metadata variable.
- C. You must define a value for each device and each metadata variable that defines an IP address.
- D. You must associate a device blueprint with each device

Antwort: A,D

Begründung:

Declare Branch Devices Using a CSV File

- Why use CSV file?
 - Bulk import of devices to FortiManager
 - Easy CSV file creation
 - Simplify large deployments
- What does the file contain?
 - The serial number for each FortiGate device
 - To device blueprint to use
 - The value for each metadata variable used
- CSV file elements
 - Required
 - Device serial number
 - Blueprint
 - Device name
 - Required for VM models
 - Number of ports to provision
 - Required for SD-WAN template
 - Branch_id
 - Optional
 - Value for each metadata variable in use in referenced template or configuration element

CSV file example *

	A	B	C	D	E	F	G	H
1	serial number	device blueprint	name	vm_interface_number	branch_id	admin_gw	sdwan_port1_gw	sdwan_port2_gw
2	FGVM01TM22000	Branch-KVM	branch1_fgt	10	1	172.16.0.2	192.2.0.2	192.2.0.10
3	FGVM01TM22000	Branch-KVM	branch2_fgt	10	2	172.16.0.10	203.0.113.2	203.0.113.10
4	FG30EI3U160006	Branch-30E	shop1_fgt		11	172.18.0.1	198.0.1.1	198.10.1.1
5	FG30EI3U160004	Branch-30E	shop2_fgt		12	172.18.0.1	198.0.1.1	198.10.1.1

FORTINET
Training Institute

Required fields

For VMs

For SD-WAN branches

Values for metadata variables

* displayed in excel for better readability

© Fortinet Inc. All Rights Reserved. 10


For a large SD-WAN deployment, adding each branch device one by one would be repetitive and time consuming. Fortunately, to simplify this step, FortiManager provides a CSV file import feature.

To use this bulk import feature, the administrator builds a CSV file. The file must contain some mandatory values, such as the device serial numbers, the device names, and the associated blueprints, as well as optional values for the metadata variables used in the configuration.

24. Frage

Refer to the exhibit. Two hub-and-spoke groups are connected through redundant site-to-site IPsec VPNs between Hub 1 and Hub 2.


Which two configuration settings are required for the spoke A1 to establish an ADVPN shortcut with the spoke B2? (Choose two.)



- A. On hubs, auto-discovery-receiver must be enabled on the IPsec VPNs to spokes.
- B. On hubs, auto-discovery-forwarder must be enabled on the IPsec VPNs to spokes.
- C. On hubs, auto-discovery-forwarder must be enabled on the IPsec VPNs to hubs.
- D. On hubs, auto-discovery-sender must be enabled on the IPsec VPNs to spokes.

Antwort: C,D

Begründung:



25. Frage

An MSSP uses FortiManager to manage the FortiGate devices of its customers. The administrator grouped the devices for each customer in different ADOMs. For customer A, you configured one SD-WAN overlay template that applies to all devices in the ADOM. For customer B, you configured SD-WAN for DIA at the device level, with a different configuration for each FortiGate. You onboard customer C, a car manufacturer, who requests to have a single-hub SD-WAN topology for its retail points, and a dual-hub topology for the FortiGate devices installed in its factories. Which statement best describes how you should handle this request?

- A. You can place all the devices in the same ADOM and define two topologies with the SD-WAN overlay template.
- B. You can place all the devices in the same ADOM and you can create multiple SD-WAN templates, but you cannot use the SD-WAN overlay template.
- C. You can place all the devices in the same ADOM, but you must use the SD-WAN overlay template to define only one topology.
- D. You must assign the devices to different ADOMs to avoid conflicts between the single-hub and dual-hub SD-WAN topologies.

Antwort: C

Begründung:

FortiManager uses SD-WAN overlay templates per ADOM to define the SD-WAN topology.

Within a single ADOM, you can only define one SD-WAN overlay template topology that applies to all devices in that ADOM. If different topologies are needed (e.g., single-hub for retail, dual-hub for factories), the devices cannot share multiple overlay topologies within the same ADOM.

Therefore, to handle multiple topologies, devices must be separated into different ADOMs or use separate device-level configurations outside the overlay template.

26. Frage

An MSSP uses FortiManager to manage the FortiGate devices of its customers. The administrator grouped the devices for each customer in different ADOMs. For customer A, you configured one SD-WAN overlay template that applies to all devices in the ADOM. For customer B, you configured SD-WAN for DIA at the device level, with a different configuration for each FortiGate. You onboard customer C, a car manufacturer, who requests to have a single-hub SD-WAN topology for its retail points, and a dual-hub topology for the FortiGate devices installed in its factories. Which statement best describes how you should handle this request?

- A. You can place all the devices in the same ADOM and define two topologies with the SD-WAN overlay template.
- B. You can place all the devices in the same ADOM and you can create multiple SD-WAN templates, but you cannot use the SD-WAN overlay template.
- **C. You can place all the devices in the same ADOM, but you must use the SD-WAN overlay template to define only one topology.**
- D. You must assign the devices to different ADOMs to avoid conflicts between the single-hub and dual-hub SD-WAN topologies.

Antwort: C

Begründung:

FortiManager uses SD-WAN overlay templates per ADOM to define the SD-WAN topology.

Within a single ADOM, you can only define one SD-WAN overlay template topology that applies to all devices in that ADOM. If different topologies are needed (e.g., single-hub for retail, dual-hub for factories), the devices cannot share multiple overlay topologies within the same ADOM.

Therefore, to handle multiple topologies, devices must be separated into different ADOMs or use separate device-level configurations outside the overlay template.

27. Frage

Refer to the exhibit that shows VPN event logs on FortiGate.

```
7: [...]logid="0101037141" type="event" subtype="vpn" level="notice" vd="root" logdesc="IPsec tunnel statistics" msg="IPsec tunnel statistics" action="tunnel-stats" remip=100.64.1.9 locip=192.2.0.9 remport=500 locport=500 outintf="port2" cookies="773c72b48060051d/529ac435532959b6" user="N/A" group="N/A" useralt="N/A" xauthuser="N/A" xauthgroup="N/A" assignip=10.202.1.1 vpntunnel="T_INET_1" tunnelip=N/A tunnelid=2595348112 tunneltype="ipsec" duration=3581 sentbyte=386431 rcvbyte=387326 nextstat=600 advpnsc=0

8: [...]logid="0101037141" type="event" subtype="vpn" level="notice" vd="root" logdesc="IPsec tunnel statistics" msg="IPsec tunnel statistics" action="tunnel-stats" remip=172.16.0.9 locip=172.16.0.1 remport=500 locport=500 outintf="port4" cookies="0624890597f0096d/ed1bd5247375c46f" user="N/A" group="N/A" useralt="N/A" xauthuser="N/A" xauthgroup="N/A" assignip=N/A vpntunnel="T_MPLS_0" tunnelip=0.0.0.0 tunnelid=2595348102 tunneltype="ipsec" duration=223 sentbyte=115040 rcvbyte=345160 nextstat=600 advpnsc=1

9: [...]logid="0101037141" type="event" subtype="vpn" level="notice" vd="root" logdesc="IPsec tunnel statistics" msg="IPsec tunnel statistics" action="tunnel-stats" remip=100.64.1.1 locip=192.2.0.1 remport=500 locport=500 outintf="port1" cookies="747b432459497188/6616a969a6937853" user="N/A" group="N/A" useralt="N/A" xauthuser="N/A" xauthgroup="N/A" assignip=10.201.1.1 vpntunnel="T_INET_0" tunnelip=N/A tunnelid=2595348115 tunneltype="ipsec" duration=3580 sentbyte=388020 rcvbyte=387994 nextstat=600 advpnsc=0
```

Based on the output shown in the exhibit, which statement is true?

- **A. The VPN tunnel T_MPLS_0 is a shortcut tunnel.**
- B. The master tunnel T_INET_0 cannot accept the ADVPN shortcut.
- C. There are no IPsec tunnel statistics log messages for ADVPN shortcuts.
- D. There is one shortcut tunnel built from master tunnel T_MPLS_0.

Antwort: A

Begründung:

When reviewing VPN log messages, the field advpnsc will help you identify the shortcut VPN tunnels.

FortiGate will set advpnsc value 1 for any log messages related to shortcut tunnels; for any other tunnel, the advpnsc value is set to 0.

28. Frage

.....

Viele Leute, die in der IT-Branche arbeiten, wissen die mühsame Vorbereitung auf die Fortinet FCSS_SDW_AR-7.6 Prüfung. Wir Pass4Test können doch den Schwierigkeitsgrad der Fortinet FCSS_SDW_AR-7.6 Prüfung nicht ändern, aber wir können die Schwierigkeitsgrad der Vorbereitung für Sie vermindern. Ihre Angst vor der Fortinet FCSS_SDW_AR-7.6 Prüfung wird beseitigen, solange Sie die Prüfungsunterlagen von unserem Technik-Team probiert haben. Wir tun unser Bestes, um Ihnen zu helfen, Ihre Konfidenz für Fortinet FCSS_SDW_AR-7.6 zu verstärken!

FCSS_SDW_AR-7.6 Prüfungsinformationen: https://www.pass4test.de/FCSS_SDW_AR-7.6.html

Fortinet FCSS_SDW_AR-7.6 Lerntipps Unsere Firma hält Schritt mit dem mit der zeitgemäßen Talent-Entwicklung und macht jeden Lernenden fit für die Bedürfnisse der Gesellschaft, FCSS_SDW_AR-7.6 ist eine der Fortinet Zertifizierungsprüfungen, Es wird nicht nur alle Informationen zur Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung, sondern Ihnen auch eine gute Lernchance bieten, Fortinet FCSS_SDW_AR-7.6 Lerntipps Heutzutage entscheiden sich immer mehr Leute, ihre eigene Firma zu etablieren.

Sophie setzte sich neben Langdon aufs Sofa, Jedoch dürfte FCSS_SDW_AR-7.6 mir es etwa auch da gehen, wie mit den Herrnhuter Bändern, wo ich meinen Bandverstand garstig blamirt habe.

Unsere Firma hält Schritt mit dem mit der zeitgemäßen Talent-Entwicklung und macht jeden Lernenden fit für die Bedürfnisse der Gesellschaft, FCSS_SDW_AR-7.6 ist eine der Fortinet Zertifizierungsprüfungen.

Fortinet FCSS_SDW_AR-7.6: FCSS - SD-WAN 7.6 Architect braindumps PDF & Testking echter Test

Es wird nicht nur alle Informationen zur Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung, sondern Ihnen auch eine gute Lernchance bieten, Heutzutage entscheiden sich immer mehr Leute, ihre eigene Firma zu etablieren.

Unsere FCSS_SDW_AR-7.6 echte Prüfungsmaterialien können Ihnen am besten helfen, die Kenntnisse zu beherrschen.

- FCSS_SDW_AR-7.6 German □ FCSS_SDW_AR-7.6 Deutsch Prüfung □ FCSS_SDW_AR-7.6 PDF □ Sie müssen nur zu ➡ www.zertpruefung.ch □□□ gehen um nach kostenloser Download von ➡ FCSS_SDW_AR-7.6 □ zu suchen □FCSS_SDW_AR-7.6 Deutsch Prüfung
- FCSS_SDW_AR-7.6 FCSS - SD-WAN 7.6 Architect neueste Studie Torrent - FCSS_SDW_AR-7.6 tatsächliche prep Prüfung □ Öffnen Sie die Webseite □ www.itzert.com □ und suchen Sie nach kostenloser Download von ➡ FCSS_SDW_AR-7.6 □ □FCSS_SDW_AR-7.6 Testing Engine
- Die seit kurzem aktuellsten Fortinet FCSS_SDW_AR-7.6 Prüfungsunterlagen, 100% Garantie für Ihren Erfolg in der FCSS - SD-WAN 7.6 Architect Prüfungen! □ Suchen Sie auf[www.echtefrage.top] nach kostenlosem Download von □ FCSS_SDW_AR-7.6 □ □FCSS_SDW_AR-7.6 Prüfungs-Guide
- FCSS_SDW_AR-7.6 Schulungsmaterialien - FCSS_SDW_AR-7.6 Dumps Prüfung - FCSS_SDW_AR-7.6 Studienguide □ Suchen Sie jetzt auf ➡ www.itzert.com □ nach ➡ FCSS_SDW_AR-7.6 □ und laden Sie es kostenlos herunter □ □FCSS_SDW_AR-7.6 Online Test
- FCSS_SDW_AR-7.6 Exam □ FCSS_SDW_AR-7.6 Vorbereitung □ FCSS_SDW_AR-7.6 Deutsch Prüfung □ Öffnen Sie die Webseite □ www.itzert.com □ und suchen Sie nach kostenloser Download von 【 FCSS_SDW_AR-7.6 】 □FCSS_SDW_AR-7.6 Zertifizierungsantworten
- FCSS_SDW_AR-7.6 Zertifizierungsfragen, Fortinet FCSS_SDW_AR-7.6 PrüfungFragen □ Suchen Sie jetzt auf[www.itzert.com] nach ➤ FCSS_SDW_AR-7.6 □ um den kostenlosen Download zu erhalten □FCSS_SDW_AR-7.6 Testengine
- FCSS_SDW_AR-7.6 Schulungsmaterialien - FCSS_SDW_AR-7.6 Dumps Prüfung - FCSS_SDW_AR-7.6 Studienguide □ Suchen Sie jetzt auf □ www.itzert.com □ nach ➡ FCSS_SDW_AR-7.6 □ um den kostenlosen Download zu erhalten □FCSS_SDW_AR-7.6 Tests
- FCSS_SDW_AR-7.6 PrüfungGuide, Fortinet FCSS_SDW_AR-7.6 Zertifikat - FCSS - SD-WAN 7.6 Architect □ Öffnen Sie die Website ➡ www.itzert.com □ Suchen Sie ▶ FCSS_SDW_AR-7.6 ◀ Kostenloser Download □ □FCSS_SDW_AR-7.6 Zertifizierungsprüfung
- FCSS_SDW_AR-7.6 Prüfungen □ FCSS_SDW_AR-7.6 PDF □ FCSS_SDW_AR-7.6 Prüfungen □ Suchen Sie auf “www.deutschpruefung.com” nach▷ FCSS_SDW_AR-7.6 ◁ und erhalten Sie den kostenlosen Download mühelos □ □FCSS_SDW_AR-7.6 German
- FCSS_SDW_AR-7.6 Testing Engine □ FCSS_SDW_AR-7.6 Zertifizierungsprüfung □ FCSS_SDW_AR-7.6 Simulationsfragen □ Öffnen Sie [www.itzert.com] geben Sie ➡ FCSS_SDW_AR-7.6 □ ein und erhalten Sie den kostenlosen Download □FCSS_SDW_AR-7.6 Vorbereitungsfragen
- FCSS_SDW_AR-7.6 Schulungsmaterialien - FCSS_SDW_AR-7.6 Dumps Prüfung - FCSS_SDW_AR-7.6 Studienguide □ Suchen Sie jetzt auf⇒ www.echtefrage.top ⇐ nach ✓ FCSS_SDW_AR-7.6 □✓□ und laden Sie es kostenlos herunter □FCSS_SDW_AR-7.6 Testing Engine

- [illegible]