

Realistic Fortinet FCSS_EFW_AD-7.6 Reliable Exam Tutorial Quiz

Status	Priority	Hostname	Virtual Domains	Role	System Uptime
Virtual cluster 1					
✓ Synchronized	150	FortiGate_A	Core1 root	Primary	4h 52m
✓ Synchronized	100	FortiGate_B	Core1 root	Secondary	4h 52m
Virtual cluster 2					
✓ Synchronized	150	FortiGate_A	Core2	Primary	
✓ Synchronized	128	FortiGate_B	Core2	Secondary	

P.S. Free & New FCSS_EFW_AD-7.6 dumps are available on Google Drive shared by PDFBraindumps:
https://drive.google.com/open?id=1U0olEj2R7QfxP2YEVS9IsNyaDe-Sfy_

PDFBraindumps's Fortinet FCSS_EFW_AD-7.6 practice exam software tracks your performance and provides results on the spot about your attempt. In this way, our Fortinet FCSS_EFW_AD-7.6 simulation software encourages self-analysis and self-improvement. Questions in the Fortinet FCSS_EFW_AD-7.6 Practice Test software bear a striking resemblance to those of the real test. This Fortinet FCSS_EFW_AD-7.6 practice exam software is easily accessible on all Windows laptops and computers.

PDFBraindumps has designed FCSS - Enterprise Firewall 7.6 Administrator (FCSS_EFW_AD-7.6) pdf dumps format that is easy to use. Anyone can download the Fortinet FCSS_EFW_AD-7.6 pdf questions file and use it from any location or at any time. Fortinet PDF Questions files can be used on laptops, tablets, and smartphones. Moreover, you will get actual FCSS - Enterprise Firewall 7.6 Administrator (FCSS_EFW_AD-7.6) exam questions in this Fortinet FCSS_EFW_AD-7.6 pdf dumps file. These Fortinet FCSS_EFW_AD-7.6 exam questions have a high chance of coming in the actual FCSS_EFW_AD-7.6 test. You have to memorize these FCSS_EFW_AD-7.6 questions and you will pass the FCSS - Enterprise Firewall 7.6 Administrator (FCSS_EFW_AD-7.6) test with brilliant results.

>> FCSS_EFW_AD-7.6 Reliable Exam Tutorial <<


FCSS_EFW_AD-7.6 Exams Dumps - Latest FCSS_EFW_AD-7.6 Braindumps Pdf

The FCSS_EFW_AD-7.6 Practice Questions are designed and verified by experienced and renowned FCSS - Enterprise Firewall 7.6 Administrator exam trainers. They work collectively and strive hard to ensure the top quality of PDFBraindumps FCSS_EFW_AD-7.6 exam practice questions all the time. The FCSS_EFW_AD-7.6 Exam Questions are real, updated, and error-free that helps you in FCSS - Enterprise Firewall 7.6 Administrator exam preparation and boost your confidence to crack the upcoming FCSS_EFW_AD-7.6 exam easily.

Fortinet FCSS - Enterprise Firewall 7.6 Administrator Sample Questions (Q46-Q51):

NEW QUESTION # 46

Refer to the exhibit, which shows the ADVVPN IPsec interface representing the VPN IPsec phase 1 from Hub A to Spoke 1 and Spoke 2, and from Hub # to Spoke 3 and Spoke 4.



An administrator must configure an ADVPN using IBGP and EBGP to connect overlay network 1 with 2.

What must the administrator configure in the phase 1 VPN IPsec configuration of the ADVPN tunnels?

- A. set auto-discovery-crossover enable and set enforce-multipath enable
- B. set auto-discovery-sender enable and set network-id x
- C. set auto-discovery-forwarder enable and set remote-as x
- D. set auto-discovery-receiver enable and set npu-offload enable

Answer: A

Explanation:

When configuring ADVPN (Auto-Discovery VPN) to connect overlay networks across different hubs using IBGP and EBGP, special configurations are required to allow spokes from different overlay networks to dynamically establish tunnels.

set auto-discovery-crossover enable

This allows cross-hub tunnel discovery in an ADVPN deployment where multiple hubs are used.

Since Hub A and Hub B belong to different overlays, enabling crossover discovery ensures that spokes from one overlay can dynamically create direct tunnels to spokes in the other overlay when needed.

set enforce-multipath enable

This setting ensures that BGP peers using loopback interfaces can establish connectivity even if they are not directly connected.

Multihop BGP sessions are required when using loopback addresses as BGP peer sources because the connection might need to traverse multiple routers before reaching the BGP neighbor.

This is especially useful in ADVPN deployments with multiple hubs, where routes might need to cross from one hub to another.

NEW QUESTION # 47

An administrator must standardize the deployment of FortiGate devices across branches with consistent interface roles and policy packages using FortiManager.

What is the recommended best practice for interface assignment in this scenario?

- A. Use the Install On feature in the policy package to automatically assign different interfaces based on the branch.
- B. Create normalized interface types per-platform to automatically recognize device layer interfaces based on the FortiGate model and interface name.
- C. **Enable metadata variables to use dynamic configurations in the standard interfaces of FortiManager.**
- D. Create interfaces using device database scripts to use them on the same policy package of FortiGate devices.

Answer: C

Explanation:

When standardizing the deployment of FortiGate devices across branches using FortiManager, the best practice is to use metadata variables. This allows for dynamic interface configuration while maintaining a single, consistent policy package for all branches.

Metadata variables in FortiManager enable interface roles and configurations to be dynamically assigned based on the specific FortiGate device.

This ensures scalability and consistent security policy enforcement across all branches without manually adjusting interface settings

for each device.

When a new branch FortiGate is deployed, metadata variables automatically map to the correct physical interfaces, reducing manual configuration errors.

NEW QUESTION # 48

How will configuring set tcp-mss-sender and set tcp-mss-receiver in a firewall policy affect the size and handling of TCP packets in the network?

- A. The maximum segment size permitted in the firewall policy determines whether TCP packets are allowed or denied.
- B. The administrator must consider the payload size of the packet and the size of the IP header to configure a correct value in the firewall policy.
- C. The TCP packet modifies the packet size only if the size of the packet is less than the one the administrator configured in the firewall policy.
- D. Applying commands in a firewall policy determines the largest payload a device can handle in a single TCP segment.

Answer: D

Explanation:

The set tcp-mss-sender and set tcp-mss-receiver commands in a firewall policy allow an administrator to adjust the Maximum Segment Size (MSS) of TCP packets.

This setting controls the largest payload size that a device can handle in a single TCP segment, ensuring that packets do not exceed the allowed MTU (Maximum Transmission Unit) along the network path.

set tcp-mss-sender adjusts the MSS value for outgoing TCP traffic.

set tcp-mss-receiver adjusts the MSS value for incoming TCP traffic.

This helps prevent issues with fragmentation and MTU mismatches, improving network performance and avoiding retransmissions.

NEW QUESTION # 49

What is the initial step performed by FortiGate when handling the first packets of a session?

- A. Installation of the session key in the network processor (NP)
- B. Security inspections such as ACL, HPE, and IP integrity header checking
- C. Offloading the packets directly to the content processor (CP)
- D. Data encryption and decryption

Answer: B

Explanation:

When FortiGate processes the first packets of a session, it follows a sequence of steps to determine how the traffic should be handled before establishing a session. The initial step involves:

Access Control List (ACL) checks: Determines if the traffic should be allowed or blocked based on predefined security rules.

Hardware Packet Engine (HPE) inspections: Ensures that packet headers are valid and comply with protocol standards.

IP Integrity Header Checking: Verifies if the IP headers are intact and not malformed or spoofed.

Once these security inspections are completed and the session is validated, FortiGate then installs the session in hardware (if offloading is enabled) or processes it in software.

NEW QUESTION # 50

Refer to the exhibit, which contains a partial command output.

FortiGate # get router info bgp neighbors

VRF 0 neighbor table:

BGP neighbor is 100.65.4.1, remote AS 65300, local AS 65200, external link

BGP version 4, remote router ID 0.0.0.0

BGP state = Idle

Not directly connected EBGP

Last read , hold time is 180, keepalive interval is 60 seconds

Configured hold time is 180, keepalive interval is 60 seconds

Received 0 messages, 0 notifications, 0 in queue

Sent 0 messages, 0 notifications, 0 in queue

Route refresh request: received 0, sent 0

NLRI treated as withdraw: 0

Minimum time between advertisement runs is 30 seconds

Update source is Loopback

The administrator has configured BGP on FortiGate. The status of this new BGP configuration is shown in the exhibit. What configuration must the administrator consider next?

- A. Configure a static route to 100.65.4.1.
- B. Contact the remote peer administrator to enable BGP
- C. Configure the local AS to 65300.
- D. Enable ebgp-enforce-multihop.**

Answer: D

Explanation:

From the BGP neighbor status output, the key issue is that BGP is stuck in the "Idle" state, meaning the FortiGate is unable to establish a BGP session with its peer 100.65.4.1 (Remote AS 65300).

The output also shows:

"Not directly connected EBGP" # This means the BGP peer is not on the same subnet, requiring multihop BGP.

"Update source is Loopback" # Since a loopback interface is used, FortiGate must be configured to allow BGP neighbors over multiple hops.

To resolve this issue, the administrator must enable ebgp-enforce-multihop, which allows BGP sessions to be established even when the neighbors are not directly connected.

NEW QUESTION # 51

.....

Because our loyal customers trust in our FCSS_EFW_AD-7.6 practice materials, they also introduced us to many users. You can see that so many people are already ahead of you! You really don't have time to hesitate. If you really want to improve your ability, you should quickly purchase our FCSS_EFW_AD-7.6 study braindumps! And you will know that the high quality of our FCSS_EFW_AD-7.6 learning guide as long as you free download the demos before you pay for it.

FCSS_EFW_AD-7.6 Exams Dumps: https://www.pdfbraindumps.com/FCSS_EFW_AD-7.6_valid-braindumps.html

If you plan to apply for the FCSS - Enterprise Firewall 7.6 Administrator (FCSS_EFW_AD-7.6) certification exam, you need the best FCSS_EFW_AD-7.6 practice test material that can help you maximize your chances of success. You plan to place an order for our Fortinet FCSS_EFW_AD-7.6 test questions answers; you should have a credit card. You can learn our FCSS_EFW_AD-7.6 test questions at any time and place. If you get the FCSS_EFW_AD-7.6 certification, your working abilities will be proved and you will find an ideal job.

Classification and Marking Best Practices, Most of the time, FCSS_EFW_AD-7.6 there is no objective crossroad that pushes you one way or the other, but sometimes there is. If you plan to apply for the FCSS - Enterprise Firewall 7.6 Administrator (FCSS_EFW_AD-7.6) certification exam, you need the best FCSS_EFW_AD-7.6 practice test material that can help you

maximize your chances of success.

Quiz 2026 FCSS_EFW_AD-7.6 Reliable Exam Tutorial - Realistic FCSS - Enterprise Firewall 7.6 Administrator Exams Dumps

You plan to place an order for our Fortinet FCSS_EFW_AD-7.6 test questions answers; you should have a credit card, You can learn our FCSS_EFW_AD-7.6 test questions at any time and place.

If you get the FCSS_EFW_AD-7.6 certification, your working abilities will be proved and you will find an ideal job, Terms & Conditions: PDFBraindumps.

DOWNLOAD the newest PDFBraindumps FCSS_EFW_AD-7.6 PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1U0oIEj2R7QfxP2YEVs9IsNyaDe-Sfy>