

# 시험대비DP-700덤프샘플다운최신공부자료

EMC DEP-3CR1 PowerProtect Cyber Recovery Exam 3

**질문 #26**  
An enterprise customer needs a Cyber Recovery solution to be implemented. As an outcome from a previous workshop, the following backup environment needs to be protected to the CR Vault.  
Location 1: 4 PowerProtect DDs  
Location 2: 4 PowerProtect DDs  
Location 3: 2 PowerProtect DDs  
Location 4: 2 PowerProtect DDs  
The customer wants to implement a CR Vault in a 5th location.  
How many Cyber Recovery systems must be installed at a minimum level?

- A. 0
- B. 1
- C. 2
- D. 3

**정답** B

**질문 #27**  
What vault status is displayed if none of the PowerProtect DD systems in the CR Vault are able to communicate with the Cyber Recovery software?

- A. Unknown
- B. Unlocked
- C. Locked
- D. Degraded

**정답** B

**질문 #28**  
.....

**DEP-3CR1** 높은 통과율 시험대비 덤프공부:  
[https://www.koreadumps.com/DEP-3CR1\\_exam-braindumps.html](https://www.koreadumps.com/DEP-3CR1_exam-braindumps.html)

- DEP-3CR1 시험문제집 DEP-3CR1 시험대비 덤프덤프 다운 DEP-3CR1 시험덤프 DEP-3CR1 무료 다운로드를 위해 지금 [www.itdumps.com](http://www.itdumps.com) 에서 DEP-3CR1 검색 DEP-3CR1 높은 통과율 인기 덤프문제
- DEP-3CR1 최신버전 덤프공부 DEP-3CR1 높은 통과율 인기 덤프문제 DEP-3CR1 시험대비 덤프덤프 문제 DEP-3CR1 [www.itdumps.com](http://www.itdumps.com) 에서 DEP-3CR1 검색하고 무료로 다운로드하세요 DEP-3CR1 높은 통과율 인기 덤프문제
- DEP-3CR1 덤프문제 DEP-3CR1 시험패스 가능 덤프 DEP-3CR1 시험대비 공부하기 DEP-3CR1 검색만 하면 [www.itdumps.com](http://www.itdumps.com) 에서 DEP-3CR1 \* 무료 다운로드 DEP-3CR1 최신기술자료
- 최신버전 DEP-3CR1 시험대비 덤프 최신자료 덤프문제 DEP-3CR1 검색만 하면 [www.itdumps.com](http://www.itdumps.com) 에서 DEP-3CR1 \* 무료 다운로드 DEP-3CR1 시험패스 가능한 인증공부자료
- DEP-3CR1 최신버전 덤프공부 DEP-3CR1 합격보장 가능 덤프공부 DEP-3CR1 시험대비 덤프덤프 다운 DEP-3CR1 [www.itdumps.com](http://www.itdumps.com) 을(를) 열고 무료 다운로드를 위해 DEP-3CR1 검색 DEP-3CR1 시험패스 가능 덤프
- DEP-3CR1 최신버전 덤프공부 DEP-3CR1 시험대비 공부하기 DEP-3CR1 덤프문제 DEP-3CR1

DEP-3CR1 시험대비덤프최신자료 & DEP-3CR1 높은 통과율 시험대비덤프공부

참고: DumpTOP에서 Google Drive로 공유하는 무료 2026 Microsoft DP-700 시험 문제집이 있습니다:  
[https://drive.google.com/open?id=1KcuJefu\\_oyibbBpuqh5kK7W-i4wTqQDx](https://drive.google.com/open?id=1KcuJefu_oyibbBpuqh5kK7W-i4wTqQDx)

네트워크 전성기에 있는 지금 인터넷에서 Microsoft 인증 DP-700 시험자료를 많이 검색할 수 있습니다. 하지만 왜 DumpTOP 덤프자료를 믿어야 할까요? DumpTOP 덤프자료는 실제 시험문제의 모든 유형에 근거하여 예상문제를 묶어둔 문제은행입니다. 시험적중률이 거의 100%에 달하여 Microsoft 인증 DP-700 시험을 한방에 통과하도록 도와드립니다.

DumpTOP에서는 Microsoft 인증 DP-700 시험대비 덤프를 발췌하여 제공해드립니다. Microsoft 인증 DP-700 시험대비 덤프에는 시험문제의 모든 예상문제와 시험유형이 포함되어 있어 시험준비자료로서 가장 좋은 선택입니다. DumpTOP에서 제공해드리는 전면적인 Microsoft 인증 DP-700 시험대비 덤프로 Microsoft 인증 DP-700 시험준비공부를 해보세요. 통과율이 100%입니다.

>> DP-700 덤프 샘플 다운 <<

## DP-700 최신버전 덤프 샘플 문제 & DP-700 인기 자격증 덤프 문제

DumpTOP에서는 Microsoft 인증 DP-700 시험대비 덤프를 발췌하여 제공해드립니다. Microsoft 인증 DP-700 시험대비 덤프에는 시험문제의 모든 예상문제와 시험유형이 포함되어 있어 시험준비자료로서 가장 좋은 선택입니다. DumpTOP에서 제공해드리는 전면적인 Microsoft 인증 DP-700 시험대비 덤프로 Microsoft 인증 DP-700 시험준비공부를 해보세요. 통과율이 100%입니다.

## 최신 Microsoft Certified: Fabric Data Engineer Associate DP-700 무료 샘플 문제 (Q33-Q38):

### 질문 # 33

You have a Fabric workspace that contains a semantic model named Modell.  
You need to dynamically execute and monitor the refresh progress of Modell.  
What should you use?

- A. dynamic management views in Azure Data Studio
- **B. Monitoring hub**
- C. a semantic link in a notebook
- D. dynamic management views in Microsoft SQL Server Management Studio

정답: B

### 설명:

Semantic models in Microsoft Fabric are part of Power BI datasets and require refreshes to stay updated with the latest data. Dynamically executing and monitoring the refresh progress requires a tool or approach that integrates with Fabric's capabilities for semantic models.

### 질문 # 34

#### HOTSPOT

You have a Fabric workspace that contains a warehouse named Warehouse1. Warehouse1 contains the following tables and columns.

Table name	Column name	Data type
Employee	EmployeeID	Int
Employee	EmployeeName	Varchar(128)
Employee	EmployeePosition	Varchar(64)
Contract	EmployeeID	Int
Contract	ContractType	Varchar(64)
Contract	StartDate	Datetime2
Contract	EndDate	Datetime2

You need to denormalize the tables and include the ContractType and StartDate columns in the Employee table. The solution must meet the following requirements:

Ensure that the StartDate column is of the date data type.

Ensure that all the rows from the Employee table are preserved and include any matching rows from the Contract table.

Ensure that the result set displays the total number of employees per contract type for all the contract types that have more than two employees.

How should you complete the statement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

Answer Area
WITH result AS(
SELECT e.EmployeeID
      , e.EmployeeName
      , e.EmployeePosition
      , c.ContractType
      , (date, c.startdate) as startdate
FROM Employee AS e
      CROSS JOIN Contract AS c on c.EmployeeID = e.EmployeeID
)
SELECT COUNT(DISTINCT EmployeeID) AS TotalEmployees
      , ContractType
FROM result
GROUP BY ContractType
      HAVING COUNT(DISTINCT EmployeeID) > 2

```

정답:

설명:

```

WITH result AS(
SELECT e.EmployeeID
      , e.EmployeeName
      , e.EmployeePosition
      , c.ContractType
      , (date, c.startdate) as startdate
FROM Employee AS e
      CROSS JOIN Contract AS c on c.EmployeeID = e.EmployeeID
)
SELECT COUNT(DISTINCT EmployeeID) AS TotalEmployees
      , ContractType
FROM result
GROUP BY ContractType
      HAVING COUNT(DISTINCT EmployeeID) > 2

```

Explanation:

## Answer Area

WITH result AS(  
SELECT e.EmployeeID  
, e.EmployeeName  
, e.EmployeePosition  
, c.ContractType  
, (date, c.StartDate) as StartDate

	▼
CAST	
CONVERT	
REPLACE	
SUBSTRING	

FROM Employee AS e

	▼
CROSS JOIN	
INNER JOIN	
LEFT OUTER JOIN	
RIGHT OUTER JOIN	

Contract AS c on c.EmployeeID = e.EmployeeID

SELECT COUNT(DISTINCT EmployeeID) AS TotalEmployees  
, ContractType

FROM result

GROUP BY ContractType

	▼
CONTAINS	
HAVING	
LIMIT	
WHERE	

COUNT(DISTINCT EmployeeID) > 2

### 질문 # 35

You have an Azure key vault named KeyVault1 that contains secrets.

You have a Fabric workspace named Workspace!. Workspace! contains a notebook named Notebook1 that performs the following tasks:

\* Loads stage data to the target tables in a lakehouse

\* Triggers the refresh of a semantic model

You plan to add functionality to Notebook1 that will use the Fabric API to monitor the semantic model refreshes. You need to retrieve the registered application ID and secret from KeyVault to generate the authentication token. Solution: You use the following code segment:

Use notebookutils.credentials.getSecret and specify key vault URL and the name of a linked service.

Does this meet the goal?

- A. Yes
- B. No

정답: B

### 질문 # 36

#### HOTSPOT

You have a Fabric workspace.

You are debugging a statement and discover the following issues:

Sometimes, the statement fails to return all the expected rows.

The PurchaseDate output column is NOT in the expected format of mmm dd, yy.

You need to resolve the issues. The solution must ensure that the data types of the results are retained. The results can contain blank cells.

How should you complete the statement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
SELECT
    item_id as ItemId
    ,convert(varchar(20), item_name) as ItemName
    ,convert(varchar(max), item_name)
    ,try_cast(item_name as varchar(20))
    ,item_description as ItemDescription
    ,convert(varchar, purchase_date, 7) as PurchaseDate
    ,convert(varchar, purchase_date, 109)
    ,convert(varchar, purchase_date, 112)
FROM
    Table1
WHERE
    item_type = @itemtype_parameter
```

정답:

설명:

Answer Area

SELECT

item\_id as ItemId

Dropdown menu for ItemName with options: ,convert(varchar(20), item\_name), ,convert(varchar(max), item\_name), ,try\_cast(item\_name as varchar(20)), ,item\_description as ItemDescription

Dropdown menu for PurchaseDate with options: ,convert(varchar, purchase\_date, 7), ,convert(varchar, purchase\_date, 109), ,convert(varchar, purchase\_date, 112)

Microsoft logo

FROM

Table1

WHERE

item\_type = @itemtype\_parameter

Explanation:

Answer Area

SELECT

item\_id as ItemId

Dropdown menu for ItemName with options: ,convert(varchar(20), item\_name), ,convert(varchar(max), item\_name), ,try\_cast(item\_name as varchar(20)), ,item\_description as ItemDescription

Dropdown menu for PurchaseDate with options: ,convert(varchar, purchase\_date, 7), ,convert(varchar, purchase\_date, 109), ,convert(varchar, purchase\_date, 112)

Microsoft logo

FROM

Table1

WHERE

item\_type = @itemtype\_parameter

질문 # 37

You have a Fabric F32 capacity that contains a workspace. The workspace contains a warehouse named DW1 that is modelled by using MD5 hash surrogate keys.

DW1 contains a single fact table that has grown from 200 million rows to 500 million rows during the past year.

You have Microsoft Power BI reports that are based on Direct Lake. The reports show year-over-year values.

Users report that the performance of some of the reports has degraded over time and some visuals show errors.

You need to resolve the performance issues. The solution must meet the following requirements:

Provide the best query performance.

Minimize operational costs.  
Which should you do?

- A. Increase the capacity.C Enable V-Order
- B. Change the MD5 hash to SHA256.
- C. Create views.
- **D. Modify the surrogate keys to use a different data type.**

정답: D

설명:

In this case, the key issue causing performance degradation likely stems from the use of MD5 hash surrogate keys. MD5 hashes are 128-bit values, which can be inefficient for large datasets like the 500 million rows in your fact table. Using a more efficient data type for surrogate keys (such as integer or bigint) would reduce the storage and processing overhead, leading to better query performance. This approach will improve performance while minimizing operational costs because it reduces the complexity of querying and indexing, as smaller data types are generally faster and more efficient to process.

질문 # 38

.....

다년간 IT업계에 종사하신 전문가들이 자신의 노하우와 경험으로 제작한 Microsoft DP-700덤프는 DP-700 실제 기출문제를 기반으로 한 자료로서 DP-700시험문제의 모든 범위와 유형을 포함하고 있어 높은 적응율을 자랑하고 있습니다.덤프구매후 불합격 받으시면 구매일로부터 60일내 주문은 덤프비용을 환불해드립니다.IT 자격증 취득은 DumpTOP덤프가 정답입니다.

DP-700최신버전 덤프 샘플문제 : <https://www.dumptop.com/Microsoft/DP-700-dump.html>

DumpTOP에서 출시한 DP-700 덤프만 있으면 학원다닐 필요없이 DP-700시험패스 가능합니다, DP-700인증시험에 도전해보려는 분들은 회사에 다니는 분들이 대부분입니다, Microsoft DP-700덤프샘플 다운 가장 최신버전 덤프자료 제공, 인터넷에는Microsoft인증 DP-700시험대비공부자료가 헤아릴수 없을 정도로 많습니다.이렇게 많은 Microsoft인증 DP-700공부자료중 대부분 분들께서 저희DumpTOP를 선택하는 이유는 덤프 업데이트가 다른 사이트보다 빠르다는 것이 제일 큰 이유가 아닐까 싶습니다, DP-700최신버전 덤프 샘플문제 - Implementing Data Engineering Solutions Using Microsoft Fabric덤프구매후 시험이 늦추어져도 최신버전 덤프를 받을수 있기때문입니다.

입고 가서 바로 만나면 되겠네, 검은 머리는 겁에 질린 신부의 모습에 자신이 얼마나 물을 꺼렸었는지도 잊어버렸다, DumpTOP에서 출시한 DP-700 덤프만 있으면 학원다닐 필요없이 DP-700시험패스 가능합니다.

## 최신 DP-700덤프샘플 다운 덤프데모문제 다운

DP-700인증시험에 도전해보려는 분들은 회사에 다니는 분들이 대부분입니다, 가장 최신버전 덤프자료 제공, 인터넷에는Microsoft인증 DP-700시험대비공부자료가 헤아릴수 없을 정도로 많습니다.이렇게 많은Microsoft인증 DP-700공부자료중 대부분 분들께서 저희DumpTOP를 선택하는 이유는 덤프 업데이트가 다른 사이트보다 빠르다는 것이 제일 큰 이유가 아닐까 싶습니다.

Implementing Data Engineering Solutions Using Microsoft Fabric덤프구매후 시험이 늦추어져도 최신버전 덤프를 받을수 있기때문입니다.

- 적응율 좋은 DP-700덤프샘플 다운 인증시험덤프 □ ▶ [www.exampassdump.com](http://www.exampassdump.com) ◀은 【 DP-700 】 무료 다운로드를 받을 수 있는 최고의 사이트입니다DP-700퍼펙트 덤프공부문제
- DP-700인기자격증 시험 덤프자료 □ DP-700시험패스 □ DP-700최신 덤프문제 □ [ [www.itdumpskr.com](http://www.itdumpskr.com) ]에서 ▶ DP-700 □를 검색하고 무료로 다운로드하세요DP-700최고품질 덤프샘플문제
- DP-700덤프샘플 다운최신버전 덤프 □ 《 [www.dumptop.com](http://www.dumptop.com) 》의 무료 다운로드 ▶ DP-700 □□□페이지가 지금 열립니다DP-700최고품질 덤프샘플문제
- DP-700시험패스 □ DP-700인증시험 인기 덤프문제 □ DP-700최신버전 덤프문제 □ 시험 자료를 무료로 다운로드하려면 ( [www.itdumpskr.com](http://www.itdumpskr.com) ) 을 통해 □ DP-700 □를 검색하십시오DP-700 Vce
- 적응율 좋은 DP-700덤프샘플 다운 인증시험덤프 □ 지금 ▶ [www.dumptop.com](http://www.dumptop.com) □에서 ▶ DP-700 □를 검색하고 무료로 다운로드하세요DP-700최신버전 덤프문제
- 적응율 좋은 DP-700덤프샘플 다운 인증시험덤프 □ 지금 ▶ [www.itdumpskr.com](http://www.itdumpskr.com) □□□을(를) 열고 무료 다운로드를 위해 □ DP-700 □를 검색하십시오DP-700 Vce
- DP-700최고품질 덤프샘플문제 □ DP-700최신버전자료 □ DP-700적응율 높은 덤프자료 □ “ [www.dumptop.com](http://www.dumptop.com) ”웹사이트를 열고 ▶ DP-700 □를 검색하여 무료 다운로드DP-700시험대비 덤프데모문제

