

最高のJN0-481問題集 &合格スムーズJN0-481資格取得 |高品質なJN0-481サンプル問題集



ちなみに、It-Passports JN0-481の一部をクラウドストレージからダウンロードできます：
https://drive.google.com/open?id=1X9v-bYj_fXadBZtL9HFHp3RUOTLK6qS7

ひとつには、当社It-PassportsはJN0-481試験トレントを編集するために、この分野の多くの有力な専門家を採用しているので、JN0-481問題トレントの高品質について確実に安心できます。一方、JN0-481学習教材の指導の下で試験を準備したお客様の間での合格率は98%~100%に達しました。さらに、JN0-481認定資格を取得することが確実であるため、JN0-481質問JuniperトレントをData Center, Specialist (JNCIS-DC)使用した後、近い将来昇進と昇給を得る機会が増えます。

JuniperのJN0-481証明書は優れていますが、毎年正常に取得できる人はまれであり、JN0-481試験の難しさと学習のプレッシャーにより、生徒は落胆します。しかし、私たちIt-Passportsにとって、これらはもはや問題ではありません。過去数年間、私たちのチームは何百もの業界の専門家を招き、昼夜を問わず数々の課題を経験し、最終的に完全な学習製品を形成しました。JN0-481試験トレントは、Data Center, Specialist (JNCIS-DC)証明書。

>> JN0-481問題集 <<

JN0-481試験の準備方法 | 信頼的なJN0-481問題集試験 | 認定するData Center, Specialist (JNCIS-DC)資格取得

我々社のJuniper JN0-481問題集を購入するかどうかと疑問があると、弊社It-PassportsのJN0-481問題集のサンプルを試してみるのもいいことです。試用した後、我々のJN0-481問題集はあなたを試験に順調に合格させると信じられます。なぜと言うのは、我々社の専門家は改革に応じて問題の更新と改善を続けていくのは出発点から勝つからです。

Juniper Data Center, Specialist (JNCIS-DC) 認定 JN0-481 試験問題 (Q19-Q24):

質問 # 19

Which fabric type should be chosen in a template to create a five-stage Clos?

- A. collapsed
- **B. pod-based**
- C. rack-based
- D. circuit switched

正解: B


解説:

A five-stage Clos architecture allows for large-scale topologies with an additional aggregation layer that interconnects multiple pods into a single fabric. A pod is a group of racks that share the same spine devices. A rack is a group of leaf devices that connect to the same servers. To create a five-stage Clos network using Juniper Apstra, you need to choose the pod-based fabric type in the

template creation wizard. This will allow you to specify the number of pods, planes, spines, and leaves for your network design.

質問 # 20

Referring to the exhibit, what needs to change in the IP fabric to make it a valid IP fabric?



- A. The IP fabric must consist of only one device model throughout the fabric.
- B. The IP fabric connections must be increased to a speed greater than 10 Gbps.
- C. The connection between the two spine nodes must be removed.
- D. The connection between the two spine nodes must be increased to 40 Gbps.

正解: C

解説:

To make the IP fabric a valid IP fabric, the connection between the two spine nodes must be removed. This is because an IP fabric is a network topology that uses a spine-leaf architecture, where the spine devices are only connected to the leaf devices, and the leaf devices are only connected to the spine devices. This creates a non-blocking, high-performance, and scalable network that supports Layer 3 routing protocols such as BGP or OSPF. The connection between the two spine nodes in the exhibit violates the spine-leaf design principle and introduces unnecessary complexity and potential loops in the network.

質問 # 21

Referring to the exhibit, how many rack types are used in the staged blueprint?

Filter selected by ☒ all ☐ selected only ☐ unselected only

☐	Name	Rack Type
☐	borderleaf_001	BorderLeaf 2022-03-02 09:33
☐	serverrack_001	ServerRack 2022-03-01 10:19
☐	serverrack_002	ServerRack 2022-03-01 10:19
☐	serverrack_003	ServerRack 2022-03-01 10:19
☐	serverrack_004	ServerRack 2022-03-01 10:19
☐	serverrack_005	ServerRack 2022-03-01 10:19
☐	serverrack_006	ServerRack 2022-03-01 10:19

- A. three
- B. two
- C. six
- D. seven


正解: B

解説:

Referring to the exhibit, the image shows the Racks table under the Staged menu in the Juniper Apstra UI. The Racks table displays the details of the racks that are used in the blueprint, such as the name, rack type, and date. The rack type is a resource that defines the type and number of leaf devices, access switches, and/or generic systems that are used in rack builds. The image shows seven racks in the table, but only two rack types: BorderLeaf and ServerRack.

質問 # 22

In the EVPN-VXLAN data center fabric bridged overlay architecture shown in the exhibit, the servers are connected to Leaf1 and Leaf6 using the same virtual network identifier (VNI). Which two statements are correct in this scenario? (Choose two.)



- A. Loopback IPv4 addresses must be advertised into the EBGp underlay from leaf and spine devices.
- B. The underlay must be provisioned with PIMv2.
- C. The underlay must use IRB interfaces.
- D. The underlay EBGp peering's must be established between leaf and spine devices.

正解: A、D

解説:

In the EVPN-VXLAN data center fabric bridged overlay architecture shown in the exhibit, the servers are connected to Leaf1 and Leaf6 using the same virtual network identifier (VNI). This means that the servers belong to the same Layer 2 domain and can communicate with each other using VXLAN tunnels across the fabric. The underlay network provides the IP connectivity between the leaf and spine devices, and it uses EBGp as the routing protocol. Therefore, the following two statements are correct in this scenario:

Loopback IPv4 addresses must be advertised into the EBGp underlay from leaf and spine devices. This is because the loopback addresses are used as the source and destination IP addresses for the VXLAN tunnels, and they must be reachable by all the devices in the fabric.

The loopback addresses are also used as the router IDs and the BGP peer addresses for the EBGp sessions.

The underlay EBGp peering's must be established between leaf and spine devices. This is because the EBGp sessions are used to exchange the underlay routing information and the EVPN routes for the overlay network. The EBGp sessions are established using the loopback addresses of the devices, and they follow a spine-and-leaf topology, where each leaf device peers with all the spine devices, and each spine device peers with all the leaf devices.

質問 # 23

Within Managed Devices in the Juniper Apstra UI, you notice that several devices have the OOS- Quarantined status. The devices cannot be added to any blueprint. Which action would solve this problem?

- A. Fix the hardware issues with the quarantined devices.
- B. Acknowledge the device.
- C. Install the agent, even though connectivity is established.
- D. Upload a new pristine configuration.

正解: B

解説:

When an agent installation is successful, devices are placed into the Out of Service Quarantined (OOS-QUARANTINED) state using the Juniper Apstra UI. This state means that the device is not yet managed by Apstra and has not been assigned to any blueprint. The device configuration at this point is called Pristine Config. To make the device ready for use in a blueprint, you need to acknowledge the device, which is a manual action that confirms the device identity and ownership. Acknowledging the device changes its status to Out of Service Ready (OOS- READY).

質問 # 24

.....

It-PassportsのJN0-481問題集の超低い価格に反して、It-Passportsに提供される問題集は最高の品質を持っています。そして、もっと重要なのは、It-Passportsは質の高いサービスを提供します。望ましい問題集を支払うと、あなたはすぐにそれを得ることができます。It-Passportsのサイトはあなたが最も必要なもの、しかもあなたに最適な試験参考書を持っています。JN0-481問題集を購入してから、また一年間の無料更新サービスを得ることもできます。一年以内に、あなたが持っている資料を更新したい限り、It-Passportsは最新バージョンのJN0-481問題集を捧げます。It-Passportsはあなたに最大の利便性を与えるために全力を尽くしています。

JN0-481資格取得: <https://www.it-passports.com/JN0-481.html>

この点について、私たちのJN0-481トレーニングエンジンの多くの利点を活用して、あなたの強さを強化するのに役立つ、JN0-481学習教材の使用プロセスをご覧ください、Juniper JN0-481問題集 当社は価格を高水準に引き上げたことはありません、Juniper JN0-481問題集 今年で一番人気があるIT認証試験に申し込みましたか、JN0-481実際テストに合格することは簡単ではなく、試験準備に多くの時間を費やす必要があります、It-Passportsは、これまでで最高のJN0-481学習ガイドだけでなく、最も効率的な顧客のサーバーも提供することで、この分野で最も人気のある評判を所有しています、Juniper JN0-481 問題集 疑いがある方々が無料でデモをダウンロードして試用しても大丈夫です。

きゃっ 張られる、消毒薬塗るとかえって傷の治りが遅れるんですって、この点について、私たちのJN0-481トレーニングエンジンの多くの利点を活用して、あなたの強さを強化するのに役立つ、JN0-481学習教材の使用プロセスをご覧ください。

現実的なJN0-481問題集 | 素晴らしい合格率のJN0-481 Exam | 有効的なJN0-481: Data Center, Specialist (JNCIS-DC)

当社は価格を高水準に引き上げたことはありません、今年で一番人気があるIT認証試験に申し込みましたか、JN0-481実際テストに合格することは簡単ではなく、試験準備に多くの時間を費やす必要があります。

- JN0-481無料模擬試験 □ JN0-481資格難易度 □ JN0-481最新問題 □ 検索するだけで▶ www.passtest.jp ◀ から { JN0-481 } を無料でダウンロードJN0-481対策学習
- JN0-481最新問題 □ JN0-481学習関連題 □ JN0-481無料模擬試験 □ ➡ www.goshiken.com □ □ □ から [JN0-481] を検索して、試験資料を無料でダウンロードしてくださいJN0-481日本語版受験参考書
- JN0-481日本語版復習資料 □ JN0-481試験問題解説集 ♣ JN0-481参考書 □ ➡ www.mogicexam.com □ から簡単に▶ JN0-481 ◀ を無料でダウンロードできますJN0-481最新試験
- 一番優秀なJN0-481問題集試験-試験の準備方法-高品質なJN0-481資格取得 □ 今すぐ 【 www.goshiken.com 】 で { JN0-481 } を検索し、無料でダウンロードしてくださいJN0-481最新問題
- 正確なJN0-481問題集と検証するJN0-481資格取得 □ ウェブサイト▶ www.mogicexam.com ◀ を開き、□ JN0-481 □ を検索して無料でダウンロードしてくださいJN0-481参考資料
- 有効的なJN0-481問題集 | 素晴らしい合格率のJN0-481: Data Center, Specialist (JNCIS-DC) | 最新の更新JN0-481資格取得 □ 今すぐ { www.goshiken.com } で “JN0-481” を検索し、無料でダウンロードしてくださいJN0-481問題と解答
- 便利JN0-481 | 高品質なJN0-481問題集試験 | 試験の準備方法Data Center, Specialist (JNCIS-DC)資格取得 □ 今すぐ▶ www.jptestking.com ◀ で▶ JN0-481 ◀ を検索し、無料でダウンロードしてくださいJN0-481参考書
- JN0-481試験内容 □ JN0-481最新試験 □ JN0-481問題と解答 □ 時間限定無料で使える ➡ JN0-481 □ □ □ の試験問題は “www.goshiken.com” サイトで検索JN0-481参考資料
- JN0-481試験の準備方法 | 信頼的なJN0-481問題集試験 | 最新のData Center, Specialist (JNCIS-DC)資格取得 □ □ ➡ jp.fast2test.com □ □ □ には無料の▶ JN0-481 ◀ 問題集がありますJN0-481日本語版復習資料
- JuniperのJN0-481認定試験に準備する時間を節約できる問題集 □ 【 www.goshiken.com 】 サイトにて□ JN0-481 □ 問題集を無料で使おうJN0-481問題無料

- 無料でクラウドストレージから最新のIt-Passports JN0-481 PDFダンプをダウンロードする: https://drive.google.com/open?id=1X9v-bYj_fXadBZtL9HFHp3RUOTLK6qS7

無料でクラウドストレージから最新のIt-Passports JN0-481 PDFダンプをダウンロードする: https://drive.google.com/open?id=1X9v-bYj_fXadBZtL9HFHp3RUOTLK6qS7