

주제 2	<ul style="list-style-type: none"> • Netskope Platform Troubleshooting: This section of the exam measures the skills of Support Engineers and focuses on identifying and resolving common issues within the Netskope platform. It includes troubleshooting client connectivity problems, analyzing steering methods, resolving general connectivity concerns, and addressing SAML integration issues. The section ensures candidates can diagnose and fix issues that impact platform performance and user access.
주제 3	<ul style="list-style-type: none"> • Netskope Platform Management: This section of the exam measures the skills of Security Administrators and covers essential administrative tasks required to manage the Netskope Security Cloud Platform. It includes managing DLP functions, handling identity integrations, and monitoring Netskope components to maintain platform stability. The domain ensures professionals can manage daily operations and maintain strong access, data, and security controls.
주제 4	<ul style="list-style-type: none"> • Netskope Platform Implementation: This section of the exam measures the abilities of Cloud Security Engineers and focuses on implementing the Netskope Security Cloud Platform using recommended steering architectures and deployment approaches. It includes key concepts such as API-enabled protection and real-time protection features, ensuring candidates understand how to deploy Netskope to secure cloud usage effectively within enterprise networks.
주제 5	<ul style="list-style-type: none"> • Cloud Security Solutions: This section of the exam measures the skills of Cloud Security Analysts and covers the core components and functions of the Netskope Security Cloud Platform. It includes understanding how the platform integrates with enterprise environments, the deployment methods supported by Netskope, and the role of various microservices in delivering cloud-based security. The focus is on ensuring candidates can recognize how Netskope's architecture protects users, applications, and data across cloud services.

>> NSK300인기자격증 시험 덤프자료 <<

높은 통과율 NSK300인기자격증 시험 덤프자료 덤프공부

만약 Pass4Test 선택 여부에 대하여 망설이게 된다면 여러분은 우선 우리 Pass4Test 사이트에서 제공하는 Netskope NSK300 시험 정보 관련 자료의 일부분 문제와 답 등 샘플을 무료로 다운받아 체험해볼 수 있습니다. 체험 후 Pass4Test 에서 출시한 Netskope NSK300 덤프에 신뢰감을 느끼게 될 것입니다. Pass4Test는 여러분이 안전하게 Netskope NSK300 시험을 패스할 수 있는 최고의 선택입니다. Pass4Test를 선택함으로써 여러분은 성공도 선택한 것이라고 볼 수 있습니다.

최신 Netskope NCCSA NSK300 무료 샘플 문제 (Q15-Q20):

질문 # 15

A recent report states that users are using non-sanctioned Cloud Storage platforms to share data Your CISO asks you for a list of aggregated users, applications, and instance IDs to increase security posture Which Netskope tool would be used to obtain this data?

- A. Applications in Skope IT
- B. Cloud Confidence Index (CCI)
- C. Behavior Analytics
- D. Advanced Analytics

정답: D

설명:


To obtain a list of aggregated users, applications, and instance IDs, especially when dealing with non-sanctioned Cloud Storage platforms, the Advanced Analytics (A) tool within Netskope would be used.

Advanced Analytics provides in-depth visibility into cloud app usage and activities. It allows security teams to create detailed reports and dashboards that can help identify risks and ensure compliance with company policies by analyzing user behavior, application access, and data movement across the organization¹.

The capabilities of the Advanced Analytics tool are outlined in Netskope's documentation and resources, which describe its use for gaining insights into cloud application usage and security posture

질문 # 16

Review the exhibit.



You installed Directory Importer and configured it to import specific groups of users into your Netskope tenant as shown in the exhibit. One hour after a new user has been added to the domain, the user still has not been provisioned to Netskope. What are three potential reasons for this failure? (Choose three.)

- A. The server that the Directory Importer is installed on is unable to reach Netskope's add-on endpoint.
- B. Directory Importer does not support ongoing user syncs; you must manually provision the user.
- C. The user is not a member of the group specified as a filter
- D. The default collection interval is 180 minutes, therefore a sync may not have run yet.
- E. Active Directory integration is not enabled on your tenant.

정답: A,C,D

설명:

The three potential reasons for the failure of a new user not being provisioned to Netskope an hour after being added to the domain could be:

B. The server that the Directory Importer is installed on is unable to reach Netskope's add-on endpoint: If the server cannot

connect to Netskope's endpoint, it cannot sync the user data. This could be due to network issues, incorrect configuration, or firewall restrictions¹.

C . The user is not a member of the group specified as a filter: The Directory Importer may be configured to import users from specific groups only. If the new user is not a member of these groups, they will not be imported into Netskope¹.

E . The default collection interval is 180 minutes, therefore a sync may not have run yet: The Directory Importer may be scheduled to sync every 180 minutes. If only an hour has passed, the sync process might not have occurred yet, and the user would not be provisioned until the next sync interval¹.

질문 # 17

You successfully configured Advanced Analytics to identify policy violation trends. Upon further investigation, you notice that the activity is NULL. Why is this happening in this scenario?

- A. A user accessed a static Web page.
- B. The REST API v1 token has expired.
- C. A policy violation was identified using API Protection.
- D. The SSPM policy was not configured during setup.

정답: A

설명:

The reason for the activity being NULL in this scenario is likely because a user accessed a static Web page. In Netskope's Advanced Analytics, when the activity is reported as NULL, it often indicates that there was no dynamic interaction or transaction to record, which is typical when a static web page is accessed¹. Static web pages do not generate the kind of events or activities that are tracked by policies, hence they appear as NULL in the activity field.

This explanation is supported by the Netskope Knowledge Portal, which mentions that applications fields with null values indicate incidents generated from web traffic, such as accessing static web pages². Further information on interpreting NULL values in Advanced Analytics reports can be found in the Netskope documentation¹.

질문 # 18

You built a number of DLP profiles for different sensitive data types. If a file contains any of this sensitive data, you want to take the most restrictive policy action but also create incident details for all matching profiles.

Which statement is correct in this scenario?

- A. Create a single Real-time Protection policy and include all of the DLP profiles; each matched profile will generate a unique DLP incident
- B. Create a single Real-time Protection policy and include all of the DLP profiles; all matched profiles will show up in a single DLP incident.
- C. Create a Real-time Protection policy for each DLP profile; each matched profile will generate a unique DLP incident.
- D. Create a Real-time Protection policy for each DLP profile; all matched profiles will show up in a single DLP incident

정답: B

설명:

When configuring a Real-time Protection policy with multiple DLP profiles, if the content matches multiple profiles, the policy performs the most restrictive action associated with the DLP profiles that match for that policy. The resulting incident lists all the profiles that matched along with their corresponding forensic information. This means that even though the most restrictive action is taken, details for all matching profiles are created and included in a single DLP incident².

The explanation is based on the best practices and detailed descriptions provided in the Netskope Knowledge Portal and Community discussions, which outline the process of handling multiple DLP profile matches within a single Real-time Protection policy

질문 # 19

You have an NG-SWG customer that currently steers all Web traffic to Netskope using the Netskope Client. They have identified one new native application on Windows devices that is a certificate-pinned application. Users are not able to access the application due to certificate pinning. The customer wants to configure the Netskope Client so that the traffic from the application is steered to Netskope and the application works as expected.

Which two methods would satisfy the requirements? (Choose two.)

- A. Configure domain exceptions in the steering configuration for the domains used by the native application.
- B. Tunnel traffic to Netskope and bypass traffic inspection at the Netskope proxy.
- C. Bypass traffic using the bypass action in the Real-time Protection policy.
- D. Configure the SSL Do Not Decrypt policy to not decrypt traffic for domains used by the native application.

정답: A,D

설명:

To address the issue of a certificate-pinned application not being accessible due to certificate pinning, while still steering the traffic to Netskope, the two methods that would satisfy the requirements are:

B: Configure the SSL Do Not Decrypt policy to not decrypt traffic for domains used by the native application. This ensures that the SSL traffic for the specified domains is not decrypted, thus avoiding issues with certificate pinning.

C: Configure domain exceptions in the steering configuration for the domains used by the native application. By setting domain exceptions, traffic to these domains will bypass SSL decryption, allowing the certificate-pinned application to function as expected. These methods are in line with Netskope's capabilities for handling certificate-pinned applications, which often require bypassing decryption to prevent breaking the application's functionality due to its security features.

질문 # 20

.....

Pass4Test는 IT업계에서 유명한 IT인증자격증 공부자료를 제공해드리는 사이트입니다. 이는 Pass4Test 의 IT전문가가 오랜 시간동안 IT인증시험을 연구한 끝에 시험대비자료로 딱 좋은 덤프를 제작한 결과입니다. Netskope인증 NSK300덤프는 수많은 덤프중의 한과목입니다. 다른 덤프들과 같이 Netskope인증 NSK300덤프 적응율과 패스율은 100% 보장해드립니다. Netskope인증 NSK300시험에 도전하려는 분들은 Pass4Test 의 Netskope인증 NSK300덤프로 시험을 준비할것이지요?

NSK300 Dump: <https://www.pass4test.net/NSK300.html>

- NSK300 인기시험덤프, NSK300 덤프, NSK300시험대비덤프 □ “www.koreadumps.com”을(를) 열고 (NSK300) 를 입력하고 무료 다운로드를 받으십시오NSK300최신시험
- NSK300시험대비 최신 덤프 □ NSK300시험대비 덤프공부 □ NSK300퍼펙트 인증공부자료 □ 시험 자료를 무료로 다운로드하려면 【 www.itdumpskr.com 】을 통해 「 NSK300 」를 검색하십시오NSK300예상문제
- NSK300인증 시험덤프 □ NSK300인증덤프 샘플 다운로드 □ NSK300최신버전 덤프공부 □ (www.itdumpskr.com) 웹사이트에서 ✨ NSK300 ✨를 열고 검색하여 무료 다운로드NSK300인증덤프공부 문제
- NSK300 인기시험덤프, NSK300 덤프, NSK300시험대비덤프 □ 무료 다운로드를 위해 ⇒ NSK300 ⇐를 검색하려면 “www.itdumpskr.com”을(를) 입력하십시오NSK300시험대비 최신 덤프
- NSK300최고품질 인증시험덤프데모 □ NSK300최신버전 덤프공부 □ NSK300예상문제 □ [www.koreadumps.com] 웹사이트를 열고 □ NSK300 □를 검색하여 무료 다운로드NSK300최고품질 인증시험공부자료
- NSK300퍼펙트 인증공부자료 □ NSK300인증덤프데모문제 □ NSK300인증덤프공부문제 □ □ www.itdumpskr.com □의 무료 다운로드 > NSK300 □페이지가 지금 열립니다NSK300시험대비 최신 덤프공부
- 시험대비 NSK300인기자격증 시험 덤프자료 덤프데모 다운로드 □ 검색만 하면 (www.exampassdump.com) 에서 □ NSK300 □ 무료 다운로드NSK300최고품질 인증시험덤프데모
- 시험패스 가능한 NSK300인기자격증 시험 덤프자료 덤프 샘플문제 다운받기 □ 무료로 다운로드하려면 { www.itdumpskr.com }로 이동하여 ⇒ NSK300 □를 검색하십시오NSK300인증 시험덤프
- NSK300 인기시험덤프, NSK300 덤프, NSK300시험대비덤프 □ 무료 다운로드를 위해 □ NSK300 □를 검색하려면 【 www.koreadumps.com 】을(를) 입력하십시오NSK300시험대비 최신 덤프자료
- 최신 업데이트버전 NSK300인기자격증 시험 덤프자료 인증덤프 ↙ ⇒ www.itdumpskr.com ⇐을(를) 열고 ⇒ NSK300 □□□를 입력하고 무료 다운로드를 받으십시오NSK300최고품질 인증시험덤프데모
- 시험패스 가능한 NSK300인기자격증 시험 덤프자료 덤프 샘플문제 다운받기 □ 무료 다운로드를 위해 지금 □ www.itdumpskr.com □에서 ⇒ NSK300 □ 검색NSK300최고품질 인증시험공부자료
- jakubnmx017276.idblogmaker.com, zoyaqfkf918207.liberty-blog.com, minazrwe454509.prublogger.com, www.stes.tyc.edu.tw, mattierwmz554124.blogsumer.com, ellaakry791372.wikicarrier.com, deaconrokr287732.azzablog.com, extrabookmarking.com, lanceakru202332.gynoblog.com, jeanorqe916709.blogacep.com, Disposable vapes

그리고 Pass4Test NSK300 시험 문제집의 전체 버전을 클라우드 저장소에서 다운로드할 수 있습니다: <https://drive.google.com/open?id=1AZDvqk9m29xh243GPw7yEBjyAbQq-soE>