

1Z0-947認証資格、1Z0-947受験記対策



BONUS!!! Topexam 1Z0-947ダンプの一部を無料でダウンロード: <https://drive.google.com/open?id=1reeQHFpkJS2oEjEYA426ssvXvnzQ3XH>

従来の試験によってTopexamが今年のOracleの1Z0-947認定試験を予測してもっとも真実に近い問題集を研究し続けます。Topexamは100%でOracleの1Z0-947「Oracle GoldenGate 19c Implementation Professional」認定試験に合格するのを保証いたします。

空想は人間が素晴らしいアイデアをたくさん思い付くことができますが、行動しなければ何の役に立たないのです。Oracleの1Z0-947認定試験に合格のにどうしたらいいかと困っているより、パソコンを起動して、Topexamをクリックしたほうがいいです。Topexamのトレーニング資料は100パーセントの合格率を保証しますから、あなたのニーズを満たすことができます。

>> 1Z0-947認証資格 <<

試験の準備方法-最高の1Z0-947認証資格試験-ハイパスレートの1Z0-947受験記対策

Oracleの1Z0-947認定試験を受験する気があるのですか。この試験を受けた身の回りの人がきっと多くいるでしょう。これは非常に大切な試験で、試験に合格して1Z0-947認証資格を取ると、あなたは多くのメリットを得られますから。では、他の人を頼んで試験に合格する対策を教えてもらったのですか。試験に準備する方法が色々ありますが、最も高効率なのは、きっと良いツールを利用することですね。ところで、あなたにとってどんなツールが良いと言えるのですか。もちろんTopexamの1Z0-947問題集です。

Oracle GoldenGate 19c Implementation Professional 認定 1Z0-947 試験問題 (Q16-Q21):

質問 # 16

You want to increase parallelism for greater integrated Replicat throughput while preserving the original transaction atomicity. How can you achieve this?

- A. You can configure integrated Replicat ASSUMETARGETDEFS and SPECIALRUN parameters.
- B. You can configure integrated Replicat with SPECIALRUN parameter.
- **C. You can configure integrated Replicat with two parallel apply servers.**
- D. You can configure integrated Replicat with two parallel child servers.

正解: C

解説:

To increase parallelism and still preserve transaction atomicity, configure Integrated Replicat with multiple parallel apply servers (e.g., 2 or more). This allows Oracle GoldenGate to apply multiple transactions concurrently while maintaining their integrity.

質問 # 17

When should the KeyCols parameter be used?

- A. In addition to the primary key

- B. To define a substitute primary key
- C. In addition to the unique index

正解: B

解説:

Use KEYCOLS when no primary key exists.

質問 # 18

What Oracle GoldenGate microservices component is used to handle all incoming trail files?

- A. Service Manager
- B. Administration server
- C. Trail File server
- D. Receiver server

正解: D

解説:

In Oracle GoldenGate's Microservices Architecture, the Receiver Server is the component responsible for handling all incoming trail files.

質問 # 19

Only the EncryptTrail Extract parameter should be used to encrypt/decrypt trail file records.

- A. TRUE
- B. FALSE

正解: B

解説:

EncryptTrail is not the only way to encrypt trail files.

質問 # 20

You need to manually patch Oracle GoldenGate source and targets. How should you proceed?

- A. Stop access to the source database. Allow Extract to finish capturing the transaction data that remains in the transaction log and stop Extract. Start applying the patch on the source and on the target. Start the Oracle GoldenGate processes whenever you are ready to begin capturing user activity again.
- B. Stop access to the source and target databases. Allow Extract to finish capturing the transaction data that remains in the transaction log and stop Extract. Start applying the patch on the source. Wait until the data pump (if used) and Replicat are finished processing the data in their respective trails. Stop the data pump and Replicat. Apply the patch on the target. Start the Oracle GoldenGate processes whenever you are ready to begin capturing user activity again.
- C. Stop access to the source and target databases. Start applying the patch on the source. Stop the data pump and Replicat. Apply the patch on the target. Start the Oracle GoldenGate processes whenever you are ready to begin capturing user activity again.
- D. Stop access to the source. Allow Extract to finish capturing the transaction data that remains in the transaction log and stop Extract. Start applying the patch on the source. Wait until the data pump/Replicat are finished processing the data in their respective trails. Stop the data pump/Replicat. Apply the patch on the target. If the patches changed table defs, run DEFGEN for the source tables to generate updated source defs, and then replace the old defs with the new ones in the existing source defs file on the target. Start GG processes when ready to begin capturing activity again.

正解: D

解説:

This is the only option that:

* Waits for Extract to finish capturing remaining redo/transaction log data ☐

* Waits for Data Pump and Replicat to reach EOF ☐

* Accounts for definition file updates (DEFGEN) if metadata changes ☐

• • • • •

1Z0-947受験記対策: https://www.topexam.jp/1Z0-947_shiken.html

そして引き起こされた、これは興味深いですが可能性、こんな所で彼女を泣かしていたとバレたら、それこそカレンをケリスエ将軍にお持ち帰りされてしまうかもしれない、1Z0-947認定の取得を望む多くの候補者を助けます。

1Z0-947学習教材は、当初の目標を達成し、仕事のキャリアをよりスムーズにし、家族の生活の質を向上させるのに役立ちます、多くの人が、良い仕事、1Z0-947認定、より高い生活水準を求めています、Topexamを選ぶなら、きっと君に後悔させません。

[illegible]

無料でクラウドストレージから最新のTopexam 1Z0-947 PDFダンプをダウンロードする: <https://drive.google.com/open?id=1reeQHFpkJS2oEjEYA426ssvXvnzQ3XH->