

# 権威のあるC\_ADBTP英語版と高品質のC\_ADBTP勉強資料



IT業種で仕事している皆さんが現在最も受験したい認定試験はSAPの認定試験のようですね。広く認証されている認証試験として、SAPの試験はますます人気があるようになっていきます。その中で、C\_ADBTP認定試験が最も重要な一つです。この試験の認定資格はあなたが高い技能を身につけていることも証明できます。しかし、試験の大切さと同じ、この試験も非常に難しいです。試験に合格するのは少し大変ですが、心配しないでください。CertShikenはC\_ADBTP認定試験に合格することを助けてあげますから。

弊社SAPが提供する製品は、専門家によって精巧にコンパイルされており、お客様に便利な方法でC\_ADBTP学習教材の学習を支援することを目的としたさまざまなバージョンを強化しています。Administrating SAP Business Technology Platform(C\_ADBTP\_2601)彼らは毎日アップデートをチェックしており、購入日から無料のアップデートサービスが受けられることを保証できます。Administrating SAP Business Technology Platform(C\_ADBTP\_2601)販売前または販売後にカスタマーサービスを提供するSAP試験問題について質問や疑問がある場合は、試験資料について質問や疑問がある場合は連絡してください。専門の担当者が解決に役立ちます。CertShikenのC\_ADBTP学習資料の使用に関する問題。

>> C\_ADBTP英語版 <<

## プロフェッショナルC\_ADBTP英語版 & 資格試験におけるリーダーオファー & 信頼できるC\_ADBTP勉強資料

C\_ADBTP認定試験に参加して、認証を取得するのはIT業界で働いている人にとって必要があることです。この認証をもらったら、給料の増加とプロモーションのチャンスがもらえることができます。我々のC\_ADBTP練習問題があって、あなたは速く成功を収獲することができます。多くのIT業界の人がもう行動しました。C\_ADBTP試験を準備しているあなたも速く行動しましょう。

## SAP Administrating SAP Business Technology Platform(C\_ADBTP\_2601) 認定 C\_ADBTP 試験問題 (Q10-Q15):

### 質問 # 10

#### SIMULATION

Enable a Cloud Foundry Environment

Add a service plan for Cloud Foundry environment and enable it in a subaccount.

Task 1: Add a Service Plan for Cloud Foundry Environment

In your SAP BTP cockpit, in your EU HCM Dev subaccount, entitle one MEMORY service plan for the Cloud Foundry Runtime.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Human Resources directory.

Open the EU HCM Dev subaccount.

This matters because the runtime memory quota must be assigned to the EU HCM Dev subaccount specifically. SAP documents that the MEMORY plan is the quota-bearing plan for Cloud Foundry Runtime.

Step 1 - Open the EU HCM Dev subaccount

In the cockpit, choose Directories.

Open Human Resources.

Select EU HCM Dev.

You should now be on the EU HCM Dev subaccount page.

Step 2 - Open Entitlements

In EU HCM Dev, choose Entitlements.

SAP Help confirms that service plans and quota assignments for a subaccount are configured in the Entitlements area.

Step 3 - Configure entitlements

Click Configure Entitlements or Add Service Plans.

Search for:

Cloud Foundry Runtime

In SAP Help, this appears as Cloud Foundry Runtime (APPLICATION\_RUNTIME), and the relevant plan for assigning runtime memory is MEMORY.

Step 4 - Select the MEMORY plan

Under Cloud Foundry Runtime, select:

MEMORY

Set the quantity to 1 if the cockpit shows an amount/quota field.

Add the plan to the subaccount.

Save the entitlement changes.

SAP documents that the MEMORY plan is specifically used to assign runtime memory quota to the subaccount, and that 1 unit corresponds to 1 GB of runtime memory when quota is adjusted or assigned.

Step 5 - Verify the result

After saving, check the Entitlements page of EU HCM Dev.

You should see:

Cloud Foundry Runtime

plan: MEMORY

quantity: 1 if shown

Final expected result

Inside EU HCM Dev:

Cloud Foundry Runtime is entitled

the service plan is MEMORY

the assigned amount is 1 if the cockpit displays quantity/quota units

Common mistakes to avoid

Doing this in the wrong subaccount; it must be EU HCM Dev

Choosing the wrong Cloud Foundry plan; the task asks for MEMORY

Forgetting to save the entitlement change after adding the plan

Confusing the runtime memory entitlement with the later step of actually enabling the Cloud Foundry environment; SAP distinguishes the MEMORY runtime quota from enabling the Cloud Foundry org itself.

## 質問 # 11

### SIMULATION

Enable Service Subscriptions

In the entitlements of a directory, add a service plan for a service subscription. Assign and create this subscription to/in a subaccount of the directory.

Task 1: Entitle a Service in a Directory

In your SAP BTP cockpit, enable entitlement management for your Partner directory.

In your Partner directory, entitle the standard (Application) service plan for the SAP Build Work Zone, standard edition.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both actions in this task must be done at the Partner directory level, not directly in a subaccount.

Step 1 - Open the Partner Directory

What to do

In the left navigation, click Directories.

Select Partner.

Explanation:

This opens the directory where you must manage entitlements for this task.

What to verify

You should now be inside the Partner directory page.

Step 2 - Open Entitlements

What to do

Inside the Partner directory, go to Entitlements.

Explanation:

This is the area where you manage quota and service plan assignments for the directory and its subaccounts.

What to verify

You should see the entitlements page for Partner.

Step 3 - Enable Entitlement Management for the Partner Directory

What to do

In the Entitlements area, look for the option to Enable Entitlement Management.

Click Enable.

Explanation:

A directory must have entitlement management enabled before you can add and manage service plans there.

What to verify

After enabling, the Partner directory should allow entitlement assignment and management.

Step 4 - Start Adding a Service Plan

What to do

In the Entitlements page of the Partner directory, click Configure Entitlements or Add Service Plans.

Explanation:

This opens the service catalog where you can select the service and plan to add.

What to verify

You should see the list of available services and plans.

Step 5 - Find the Required Service

What to do

Search for or scroll to:

SAP Build Work Zone, standard edition

Select that service.

Explanation:

You must choose the exact service named in the task. Be careful not to select a different SAP Build service by mistake.

What to verify

The selected service should be:

SAP Build Work Zone, standard edition

Step 6 - Select the Correct Service Plan

What to do

Under the selected service, choose the service plan:

standard (Application)

Add the plan to the entitlement configuration.

Explanation:

This task requires the standard (Application) service plan specifically.

Do not choose another plan if more than one is listed.

What to verify

The selected plan should read exactly:

standard (Application)

Step 7 - Save the Entitlement Changes

What to do

Click Add, Save, or Confirm depending on the screen.

Then click Save for the entitlement configuration.

Explanation:

This commits the new service plan entitlement to the Partner directory.

What to verify

After saving, the entitlements list for Partner should include:

SAP Build Work Zone, standard edition

plan: standard (Application)

Final Expected Result for Task 1

Inside the Partner directory:

Entitlement management is enabled

The service SAP Build Work Zone, standard edition is entitled

The plan standard (Application) is added

Common Mistakes to Avoid

1. Working in the wrong level

Do this in:

Partner directory

Not in:

Global Account

Subaccount

Another directory

2. Forgetting to enable entitlement management first

If entitlement management is not enabled for the directory, you may not be able to add the service plan properly.

3. Choosing the wrong service

Be sure you select:

SAP Build Work Zone, standard edition

Not another SAP Build service.

4. Choosing the wrong plan

You must select:

standard (Application)

## 質問 # 12

### SIMULATION

Task 2: Create Subaccounts in a Directory

In the Partner directory, create the subaccount AM PA Dev Test (Description: Partner Development and Testing) with subdomain btpops#####-am-pa-dev-test in the region Microsoft Azure → US West (WA) cf-us20.

In the Partner directory, create the subaccount AM PA Prod (Description: Partner Production) with subdomain btpops#####-am-pa-prod using AM PA Dev Test as source subaccount. Set the subaccount as used in production.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Task 2 - Create Subaccounts in a Directory

You must create these two subaccounts inside the Partner directory:

AM PA Dev Test

AM PA Prod

Important:

Replace ##### with your global account number

Enter all names and subdomains exactly

Be careful with hyphens and spaces

AM PA Prod must be marked as used in production

Before You Start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both subaccounts in this task must be created inside the Partner directory. If you create them under the global account or another directory, the task will be wrong.

Step 1 - Open the Partner Directory

What to do

In the left menu, click Directories.

In the directory list, select Partner.

Explanation:

The Partner directory is the container where both required subaccounts must be created.

What to verify

You should now be inside the Partner directory page.

Step 2 - Start Creating the First Subaccount

What to do

Inside the Partner directory, go to Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

What to verify

You should now see the form for creating a new subaccount.

Step 3 - Enter Data for AM PA Dev Test

What to do

Enter the following values:

Display Name / Name: AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Then choose the region:

Cloud Provider: Microsoft Azure

Region: US West (WA)

Environment / Technical Region: cf-us20

After checking all values, click Create.

Explanation:

This creates the development and testing subaccount for the Partner directory.

The important points are:

the subaccount name must match exactly

the subdomain must include your account number in place of #####

the region must be Microsoft Azure → US West (WA) cf-us20

What to verify

After creation, you should see the new subaccount:

AM PA Dev Test

inside the Partner directory.

Step 4 - Confirm the First Subaccount Exists

What to do

Check the subaccounts list under Partner.

Explanation:

Before creating the production subaccount, confirm that AM PA Dev Test was created successfully, because it will be used as the source subaccount for the next step.

What to verify

You should see:

AM PA Dev Test

If it is not there, do not continue until it is created correctly.

Step 5 - Start Creating the Second Subaccount

What to do

Still inside the Partner directory, click Create → Subaccount again.

Explanation:

This opens a new subaccount creation form for the production subaccount.

Step 6 - Enter Data for AM PA Prod

What to do

Enter the following values:

Display Name / Name: AM PA Prod  
Description: Partner Production  
Subdomain: btpops#####-am-pa-prod  
Then set:  
Source Subaccount: AM PA Dev Test  
Enable the production setting:  
Used in Production: Yes  
Then click Create.

□ Explanation:

This creates the production subaccount by using AM PA Dev Test as the source subaccount. Using a source subaccount means SAP BTP copies base settings from the selected source, which helps keep configuration aligned. The production indicator is mandatory here because this is the production subaccount.

What to verify

After creation, you should see:

AM PA Prod  
inside the Partner directory, and it should be marked as a production subaccount.

Final Expected Result for Task 2

Inside the Partner directory, you must have these two subaccounts:

1. AM PA Dev Test

Description: Partner Development and Testing  
Subdomain: btpops#####-am-pa-dev-test  
Region: Microsoft Azure → US West (WA) cf-us20

2. AM PA Prod

Description: Partner Production  
Subdomain: btpops#####-am-pa-prod  
Source Subaccount: AM PA Dev Test  
Used in Production: Yes

□ Common Mistakes to Avoid

1. Creating the subaccounts in the wrong place

Both subaccounts must be created in:

Partner directory

Not in:

Global Account

Americas

Eurasia

Human Resources

2. Wrong subdomain format

Use exactly:

btpops#####-am-pa-dev-test

btpops#####-am-pa-prod

Replace only ##### with your global account number.

Do not:

remove hyphens

add spaces

misspell dev-test or pa-prod

3. Wrong region for AM PA Dev Test

It must be:

Microsoft Azure

US West (WA)

cf-us20

4. Forgetting the source subaccount for AM PA Prod

You must select:

AM PA Dev Test

as the source subaccount.

5. Forgetting the production flag

For AM PA Prod, make sure:

Used in Production is enabled

## SIMULATION

### Establish Shared Services

#### Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain btopops#####-sh-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain btopops#####-sh-ops in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

### 正解:

#### 解説:

See the Explanation below for complete solution.

#### Explanation:

##### Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.

#### Part A - Create the Shared Services Directory

##### Step 1 - Open Directories

##### What to do

In the SAP BTP Cockpit, open your Global Account.

In the left navigation menu, click Directories.

##### Explanation:

This is where you create and manage directory structures under the global account.

##### What to verify

You should now see the list of existing directories.

##### Step 2 - Create the Directory Shared Services

##### What to do

Click Create or Create Directory.

Enter the following values:

Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.

##### Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

##### What to verify

You should now see:

Shared Services

under the global account.

#### Part B - Create the SH Dev Subaccount

##### Step 3 - Open the Shared Services Directory

##### What to do

In the directory list, select Shared Services.

##### Explanation:

Both required subaccounts must be created inside this directory.

##### What to verify

You should now be inside the Shared Services directory.

##### Step 4 - Open Subaccounts

##### What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

##### Explanation:

This opens the subaccount creation screen.

##### Step 5 - Create SH Dev

##### What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev

inside the Shared Services directory.

Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btpops####-sh-ops

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development

Subdomain: btpops####-sh-dev

Region: AWS → Europe (Frankfurt) cf-eu10

SH Ops

Description: Shared Services Operations

Subdomain: btpops####-sh-ops

Region: AWS → Europe (Frankfurt) cf-eu10

Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory

Both subaccounts must be created inside:

Shared Services

### 3. Wrong subdomain values

Use exactly:

btpops#####-sh-dev

btpops#####-sh-ops

Only replace ##### with your global account number.

### 4. Wrong region

Both subaccounts must use:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

### 5. Mixing up SH Dev and SH Ops

Be careful:

SH Dev = Shared Services Development

SH Ops = Shared Services Operations

## 質問 # 14

.....

他人の気付いていないときに、だんだんSAPのC\_ADBTP試験成功したいのですか？我が社はIT資格認証試験資料の販売者として、いつまでもできお客様に相応しく信頼できるC\_ADBTP問題集を提供できます。あなたのすべての需要を満たすためには、一緒に努力します。躊躇わずに我々の模試験を利用してみてください。全力を尽くせば、C\_ADBTP試験の合格も可能となります。

**C\_ADBTP勉強資料:** [https://www.certshiken.com/C\\_ADBTP-shiken.html](https://www.certshiken.com/C_ADBTP-shiken.html)

SAPのC\_ADBTP認定試験はIT専門知識のレベルの考察として、とっても重要な地位になりつつます、すべてのお客様に適切な学習教材を提供するために、当社の多くの専門家がC\_ADBTPトレーニング教材を設計しました、C\_ADBTPトレーニング資料の学習システムを更新することにより、当社がC\_ADBTP試験に関する最新情報をすべての人に提供できることを保証できます、SAP C\_ADBTP英語版 私たちの候補者にとって選択は自由でそれは時間のロースを減少します、SAP C\_ADBTP英語版では、常に自分自身をアップグレードする必要があります、お支払いについては、クレジットカードでSAP Certified Associate C\_ADBTP最新学習資料を購入できます。

眼鏡のレンズにぶつかりそう 気にしてるんだよ、この女顔 早坂は獅子と距離をとると、眼鏡をかけ直した、だが宮前も荒木と同じく、俺がどんな態度を取ろうとも意に介さない変な女だ、SAPのC\_ADBTP認定試験はIT専門知識のレベルの考察として、とっても重要な地位になりつつます。

## ハイパスレートのC\_ADBTP英語版試験-試験の準備方法-有効的なC\_ADBTP勉強資料

すべてのお客様に適切な学習教材を提供するために、当社の多くの専門家がC\_ADBTPトレーニング教材を設計しました、C\_ADBTPトレーニング資料の学習システムを更新することにより、当社がC\_ADBTP試験に関する最新情報をすべての人に提供できることを保証できます。

私たちの候補者にとって選択は自由でそれはC\_ADBTP時間のロースを減少します、では、常に自分自身をアップグレードする必要があります。

- C\_ADBTP試験の準備方法 | 実際のC\_ADBTP英語版試験 | 権威のある Administrating SAP Business Technology Platform(C\_ADBTP\_2601)勉強資料 □ ➡ [www.it-passports.com](http://www.it-passports.com) □には無料の▷ C\_ADBTP ◁問題集があります C\_ADBTP復習攻略問題
- C\_ADBTP学習体験談 □ C\_ADBTP復習テキスト □ C\_ADBTP試験関連赤本 □ ➡ [www.goshiken.com](http://www.goshiken.com) □□□で使える無料オンライン版[ C\_ADBTP ] の試験問題C\_ADBTP受験料
- C\_ADBTP学習体験談 □ C\_ADBTP問題例 □ C\_ADBTP資格関連題 □ ▶ [www.passtest.jp](http://www.passtest.jp) ◀から簡単に ( C\_ADBTP ) を無料でダウンロードできますC\_ADBTP資格復習テキスト
- C\_ADBTP復習攻略問題 □ C\_ADBTP試験関連赤本 □ C\_ADBTP模擬練習 □ ( [www.goshiken.com](http://www.goshiken.com) ) を入力して{ C\_ADBTP }を検索し、無料でダウンロードしてくださいC\_ADBTP日本語学習内容
- C\_ADBTP試験の準備方法 | 実際のC\_ADBTP英語版試験 | 権威のある Administrating SAP Business Technology Platform(C\_ADBTP\_2601)勉強資料 □ 《 C\_ADBTP 》を無料でダウンロード▶ [www.goshiken.com](http://www.goshiken.com) □で検索するだけC\_ADBTP模擬体験
- C\_ADBTP基礎訓練 □ C\_ADBTP無料問題 □ C\_ADBTP復習攻略問題 □ 時間限定無料で使える { C\_ADBTP } の試験問題は ☀ [www.goshiken.com](http://www.goshiken.com) □☀ □サイトで検索C\_ADBTP無料問題

