


試験の準備方法-信頼的なNSE7_CDS_AR-7.6トレーニング資料試験-素敵なNSE7_CDS_AR-7.6試験対応



21世紀には、{Examcode}認定は受験者の特定の能力を表すため、社会でますます認知されるようになりました。ただし、{Examcode}認定を取得するには、NSE7_CDS_AR-7.6試験の準備に多くの時間を費やす必要があります。NSE7_CDS_AR-7.6模擬試験を購入すると、当社のウェブサイトはプロの技術を使用してすべてのユーザーのプライバシーを暗号化し、ハッカーの盗用を防ぎます。私たちは、ビジネスがお客様のために十分に考慮された場合にのみ継続できると考えているため、当社の評判を損なうような行為は一切行いません。NSE7_CDS_AR-7.6試験問題に完全な信頼を寄せていただければ幸いです。失望することはありません。

Fortinet NSE7_CDS_AR-7.6 認定試験の出題範囲:

トピック	出題範囲
トピック 1	自動化ツール:このドメインでは、Terraform、Ansible、Azure Bicep、AWS CloudFormationなどのコードとしてのインフラストラクチャ ツールを使用して、クラウドインフラストラクチャと Fortinet ソリューションの展開を自動化することに重点を置いています。
トピック 2	トラブルシューティング:このドメインには、SDN コネクタの問題の診断など、AWS および Azure 環境における接続の問題の解決が含まれます。
トピック 3	クラウドインフラストラクチャの監視:このドメインでは、クラウドワークロードの可視性と管理のために設計された Fortinet 監視ツールを使用して、AWS および Azure ネットワークを監視する方法について説明します。
トピック 4	セキュリティ ソリューションの展開:このドメインでは、IaaS および CaaS 環境を保護するための Fortinet ソリューションの展開と、クラウドネイティブセキュリティ ツールとの統合について説明します。

>> NSE7_CDS_AR-7.6トレーニング資料 <<

NSE7_CDS_AR-7.6試験対応 & NSE7_CDS_AR-7.6テスト参考書

FortinetのNSE7_CDS_AR-7.6認定試験は全てのIT職員にとって大変重要な試験です。この試験に受かったら、あなたは絶対職場に廃れられることはありません。しかも、昇進と高給も実現できます。FortinetのNSE7_CDS_AR-7.6試験に受かったら成功への鍵を握ったと言った人もいます。これは間違いありません。It-PassportsのFortinetのNSE7_CDS_AR-7.6試験トレーニング資料はあなたが成功へのショートカットです。このトレーニング資料を持っていたら、成功への道を見つけます。

Fortinet NSE 7 - Public Cloud Security 7.6 Architect 認定 NSE7_CDS_AR-7.6 試験問題 (Q63-Q68):

質問 # 63

Refer to the exhibit. You have deployed a Linux EC2 instance in Amazon Web Services (AWS) with the settings shown in the exhibit.

What next step must the administrator take to access this instance from the internet?

The screenshot displays the AWS Management Console's 'Network settings' for an EC2 instance. Under 'VPC - required', the 'vpc-0832884e2cfba2440 (Terraform-VPC)' is selected. The 'Subnet Info' section shows 'subnet-0afdedac6fea5a8b8' (terraform-subnet) is selected, with details: VPC: vpc-0832884e2cfba2440, Owner: 845513257411, Availability Zone: us-east-2a, IP addresses available: 251, CIDR: 10.0.0.0/24. The 'Auto-assign public IP' is set to 'Disable'. In the 'Firewall (security groups)' section, 'Create security group' is selected. The right sidebar shows: Number of instances: 1, Software Image (AMI): Amazon Linux 2023 AMI 2023.1.2..., Virtual server type (instance type): t2.micro, Firewall (security group): New security group, and Storage (volumes): 1 volume(s) - 8 GiB.

- A. Enable SSH and allocate it to the device.
- B. Create a VIP on FortiGate to allow access.
- C. Configure the user name and password.
- D. Allocate an Elastic IP address and assign it to the instance.

正解: D

解説:

In the exhibit, Auto-assign public IP is disabled, meaning the instance has no public IP for internet access. To make the Linux EC2 instance reachable from the internet, the administrator must allocate an Elastic IP address and assign it to the instance.

質問 # 64

Your organization has several FortiGate VMs deployed in Azure. You need to implement a solution with Azure native tools that allows you to determine whether packets are being permitted or blocked by the FortiGate VMs.

Which solution can you use to meet these requirements?

- A. Install the Azure Monitor agent in all VMs.
- B. Use IP flow verify for each of the VMs.
- C. Insert the VM traffic logs in Azure Sentinel.
- D. Configure Azure Advisor to analyze the network traffic.

正解: B

解説:

Azure IP flow verify is part of Network Watcher and lets you check if traffic is allowed or denied for a specific VM by analyzing its effective security rules and routing. This provides visibility into whether packets are being permitted or blocked for the FortiGate VMs.

質問 # 65

Refer to the exhibit.



You are troubleshooting a Microsoft Azure SDN connector issue on your FortiGate VM in Azure. Which command can you use to examine details about API calls sent by the connector?

- A. diag debug application cloud-connector -1
- **B. diag debug application azd -1**
- C. get system sdn-connector
- D. diag test application azd 1

正解: B

質問 #66

Refer to the exhibit. You are troubleshooting a FortiGate HA floating IP issue with Microsoft Azure. After the failover, the new primary device does not have the previous primary device floating IP address. What could be the possible issue with this scenario?

HA diagnose output

```
Azure-HA-Passive # diagnose debug application azd -1
Debug messages will be on for 30 minutes.
Azure-HA-Passive # diagnose debug enable
FGT-HA-Slave # azd running in secondary mode, will not update
HA event
HA state: primary
azd sdn connector 'AZ-Connector' getting token
size: 1268
token expire in: 3600 seconds
AZ-Connector: resourcegroup: NSE7-HA-RG, sub: "<Removed string>"
Disable interface: port1
Disable interface: port2
get pubip FGTAAPClusterPublicIP in resource group NSE7-HA-RG
azd api failed, url
=https://management.azure.com/subscriptions/<Removed String>/resourceGroups/NSE7-HA-
RG/providers/Microsoft.Network/publicIPAddresses
ses/FGTAAPClusterPublicIP?api-version=2022-06-01, rc = 403,
{"error":{"code":"AuthorizationFailed","message":"The client '<Removed String>' with obj
ect id '<Removed String>' does not have authorization to perform action
'Microsoft.Network/publicIPAddresses/read' over scope '/subscriptions/<Removed
String>/resourceGroups/NSE7-HA-
RG/providers/Microsoft.Network/publicIPAddresses/FGTAAPClusterPublicIP' or the scope is
invalid. If access was recent
tly granted, please refresh your credentials."}}
```

- A. A wrong client secret credential is used.
- B. FortiGate port4 does not have internet access.
- C. The error is caused by credential time expiration.
- **D. The Azure service principal account must have a contributor role.**

正解: D

解説:

The debug output shows an AuthorizationFailed (403) error when FortiGate tries to update the Azure public IP. This indicates the Azure service principal account used by FortiGate does not have sufficient permissions. To manage floating IPs in HA, the service principal must be assigned at least the Contributor role on the subscription or resource group.

質問 # 67

Refer to the exhibit. An administrator installed a FortiWeb ingress controller to protect a containerized web application. What is the reason for the status shown in FortiView?



- A. The manifest file deployed is configured with the wrong node IP addresses.
- B. The SDN connector is not authenticated correctly.
- C. The FortiWeb VM is missing a route to the node subnet.
- D. The load balancing type is not set to round-robin.

正解: C

解説:

The FortiView dashboard shows the backend pods (192.168.0.x:80) as unreachable (orange indicators). This happens when the FortiWeb VM does not have a proper route to the node subnet, preventing it from forwarding traffic to the containerized application endpoints.

質問 # 68

.....

人々は常に、特定の分野で有能で熟練していることを証明したいと考えています。能力を証明する方法はさまざまですが、最も直接的で便利な方法は、NSE7_CDS_AR-7.6認定試験に参加し、認定証を取得することです。NSE7_CDS_AR-7.6認定に合格すると、非常に有能で優秀であることを証明できます。また、NSE7_CDS_AR-7.6テストに合格することで有用な知識とスキルを習得できます。NSE7_CDS_AR-7.6ガイドトレントを購入すると、It-PassportsのNSE7_CDS_AR-7.6試験に合格するのに役立ちます。時間と労力はほとんどかかりません。

NSE7_CDS_AR-7.6試験対応: https://www.it-passports.com/NSE7_CDS_AR-7.6.html

- 有効的-最高のNSE7_CDS_AR-7.6トレーニング資料試験-試験の準備方法NSE7_CDS_AR-7.6試験対応 □ 時間限定無料で使える「NSE7_CDS_AR-7.6」の試験問題は□ www.passtest.jp □ サイトで検索
NSE7_CDS_AR-7.6前提条件
- 試験の準備方法-ハイパスレートのNSE7_CDS_AR-7.6トレーニング資料試験-認定するNSE7_CDS_AR-7.6試験対応 □ 検索するだけで⇒ www.goshiken.com □ □ □ から“NSE7_CDS_AR-7.6”を無料でダウンロード
NSE7_CDS_AR-7.6前提条件
- NSE7_CDS_AR-7.6技術問題 □ NSE7_CDS_AR-7.6試験攻略 □ NSE7_CDS_AR-7.6必殺問題集 □ (www.mogixexam.com) から簡単に⇒ NSE7_CDS_AR-7.6 □ を無料でダウンロードできますNSE7_CDS_AR-7.6技術問題
- NSE7_CDS_AR-7.6必殺問題集 □ NSE7_CDS_AR-7.6赤本合格率 □ NSE7_CDS_AR-7.6問題集 □ サイト □ www.goshiken.com □ で { NSE7_CDS_AR-7.6 } 問題集をダウンロードNSE7_CDS_AR-7.6赤本合格率
- NSE7_CDS_AR-7.6合格記 □ NSE7_CDS_AR-7.6必殺問題集 □ NSE7_CDS_AR-7.6関連試験 □ 検索するだけで✓ www.xhs1991.com □ ✓ □ から▶ NSE7_CDS_AR-7.6 ◀ を無料でダウンロードNSE7_CDS_AR-7.6 PDF
- NSE7_CDS_AR-7.6日本語勉強資料、NSE7_CDS_AR-7.6模擬試験、NSE7_CDS_AR-7.6日本語問題と解答 □ □ ⇒ www.goshiken.com □ の無料ダウンロード[NSE7_CDS_AR-7.6] ページが開きますNSE7_CDS_AR-7.6日本語講座
- Fortinet NSE7_CDS_AR-7.6 Exam| NSE7_CDS_AR-7.6トレーニング資料 - NSE7_CDS_AR-7.6試験対応を安全

かつ簡単に購入する □ 検索するだけで▷ www.goshiken.com◁から▶ NSE7_CDS_AR-7.6 ◀を無料でダウンロードNSE7_CDS_AR-7.6 PDF

- NSE7_CDS_AR-7.6学習指導 □ NSE7_CDS_AR-7.6技術問題 □ NSE7_CDS_AR-7.6トレーニング資料 □
今すぐ (www.goshiken.com) を開き、※ NSE7_CDS_AR-7.6 □※□を検索して無料でダウンロードしてくださいNSE7_CDS_AR-7.6問題集
- 試験の準備方法-有難いNSE7_CDS_AR-7.6トレーニング資料試験-ユニークなNSE7_CDS_AR-7.6試験対応
□ 最新{ NSE7_CDS_AR-7.6 }問題集ファイルは[www.mogixam.com]にて検索NSE7_CDS_AR-7.6模擬対策問題
- NSE7_CDS_AR-7.6 PDF □ NSE7_CDS_AR-7.6資料勉強 □ NSE7_CDS_AR-7.6関連試験 □ ▶
NSE7_CDS_AR-7.6 □の試験問題は▷ www.goshiken.com◁で無料配信中NSE7_CDS_AR-7.6試験攻略
- Fortinet NSE7_CDS_AR-7.6 Exam| NSE7_CDS_AR-7.6トレーニング資料 - NSE7_CDS_AR-7.6試験対応を安全
かつ簡単に購入する □ □ www.goshiken.com □を開いて ➡ NSE7_CDS_AR-7.6 □を検索し、試験資料を無料でダウンロードしてくださいNSE7_CDS_AR-7.6技術問題
- lms.dwightinc.com, bbs.t-firefly.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, mylearning.uk,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes