

最高のFAAA_005日本語版と英語版 &合格スムーズ FAAA_005復習範囲 | 100%合格率のFAAA_005日本語 受験攻略

■ 출입국관리법 시행규칙 제12호제외 <개정 2022. 2. 7.> (제1쪽 / Page1)

사증발급신청서 査証発給申請書 VISA APPLICATION FORM

<신청서 작성방법 申請書作成方法>

- ▶ 신청인은 사실에 근거하여 정확히 신청서를 작성해야 합니다. 申請人は事実に基づいて正確に作成しなければなりません
- ▶ 신청서상의 모든 질문에 대한 답변은 한글 또는 영문으로 기재해야 합니다. 申請書は韓国語、日本語、英語で作成してください
- ▶ 신청서상의 해당 칸 [] 안에 √ 표시를 하시기 바랍니다. 該当する欄 [] に √ をしてください
- ▶ 기타 ■ 선택한 경우, 상세내용을 기재하시기 바랍니다. 其他を選択した場合、詳細に内容を記入してください

<How to fill out this form>

- ▶ The applicant must fill out this form completely and correctly.
- ▶ The applicant must write in block letters either in English or Korean.
- ▶ For Multiple-choice questions, the applicant must check [] all that apply.
- ▶ If the applicant selects 'Other', please provide more information in the given space.

1. 인적사항 / PERSONAL DETAILS / 人的事項	
PHOTO 写真 (35mm×45mm) - 최근 6개월 이내 촬영한 사진 - 흰색 배경에 촬영한 사진 - 앞면 촬영 A color photo taken within the last 6 months (full face without hat, front view against white or off-white background)	1.1 여권에 기재된 영문 성명/Full name in English (as shown in passport)パスポート上の英文氏名 성 Family Name 姓 명 Given Names 名
1.2 한자성명 漢字姓名	1.3 성별 Sex 性別 남성/Male男性 [] 여성/Female女性 []
1.4 생년월일 Date of Birth (yyyy/mm/dd) 生年月日	1.5 국적 Nationality 国籍
1.6 출생국가 Country of Birth 出生国家	1.7 국가신분번호호 National Identity No. (記入不要)
1.8 이전에 한국에 출입국하였을 때 다른 성명을 사용했는지 여부 Has the applicant ever used any other names to enter or depart Korea? 以前韓国を訪問した際、他の姓名で入国したことがありますか? 「はい」を選択した方は詳細の内容記入 아니오 No いいえ [] 예 Yes はい [] → '예' 선택 시 상세내용 기재 if 'Yes', please provide details (성 Family Name 姓, 명 Given Names 名)	
1.9 한국인이거나 다른 국가의 시민인 경우? 아/아니오 No/Yes [] → '예' 선택 시 상세내용 기재 if 'Yes', please write the countries. 'はい'を選択した方は詳細の内容を記入 ()	
2. 신청 사증 정보 / DETAILS OF VISA APPLICATION / 申請査証情報	
2.1 체류기간(장·단기) Period of Stay(Long/Short-term) 2.2 체류자격 Status of Stay 滞在資格	90일 이상 장기체류 Long-term Stay over 90 days [] 90일 이하 단기체류 Short-term Stay less than 90 days []
공용란 FOR OFFICIAL USE ONLY	
기본사항 基本事項	체류기간 滞在期間 사증종류 査証種類 단위·복수(2회, 3회 이상)
접수사항 접수事項	접수번호 접수番号 처리자 処理者
허가사항 許可事項	사증번호 査証番号 교지사항 告知事項
비고 備考	달달자 가 [] <상사확인> 부 []
<수입인적 부속란 >	

2025년CertJukenの最新FAAA_005 PDFダンプおよびFAAA_005試験エンジンの無料共有: https://drive.google.com/open?id=1GdkXhEYEn963qIKgL_0YfRrWEuP5Nm

Pure Storageはコンテンツだけでなくディスプレイでも、FAAA_005テスト準備の設計に最新のテクノロジーを適用しました。結果として、あなたは変化する世界に歩調を合わせ、FAAA_005トレーニング資料であなたの利点を維持することができます。また、FAAA_005試験の重要な知識を個人的に統合し、カスタマイズされた学習スケジュールやPure Storage FlashArray Architect Associateリストを毎日設計できます。最後になりましたが、アフターサービスは、FAAA_005ガイド急流で最も魅力的なプロジェクトになる可能性があります。

試験の受験者向けの多数のFAAA_005学習質問があることは認められていますが、非常に多くの資料のすべての重要なポイントを自分で要約することは不可能です。しかし、あなたはFAAA_005練習資料のこのウェブサイトをクリックしたので、この問題を解決するために当社が特にここにいるので、それについて全く心配する必要はありません。FAAA_005の実際の試験がどれほど有用で効果的であるかを理解しているため、長期的な協力を求める多くの常連客がいます。トレーニング資料の輝点について一般的な考えをお伝えできるように、トレーニングの利点を3つ挙げます。

>> FAAA_005日本語版と英語版 <<

FAAA_005復習範囲、FAAA_005日本語受験攻略

CertJukenがPure StorageのFAAA_005のサンプルの問題のダウンロードを提供して、あなたはリスクフリーの購入のプロセスを体験することができます。これは試用の練習問題で、あなたにインターフェースの友好、問題の質と購入する前の価値を見せます。弊社はCertJukenのPure StorageのFAAA_005のサンプルは製品の性質を確かめるに足りて、あなたに満足させると信じております。あなたの権利と利益を保障するために、CertJukenは一回で合格しなかったら、全額で返金することを約束します。弊社の目的はあなたが試験に合格することに助けを差し上げるだけでなく、あなたが本物のIT認証の専門家になることを願っています。あなたが仕事を求める競争力を高めて、自分の技術レベルに合わせている技術職を取って、気楽にホワイトカラー労働者になって高い給料を取ることをお祈りします。

Pure Storage FlashArray Architect Associate 認定 FAAA_005 試験問題 (Q40-Q45):

質問 # 40

A Storage Administrator has two //X50R3 FlashArrays. The two FlashArrays are located in different data centers with a network link between them. The ethernet link between data centers has a latency of 35 ms.

Which Purity feature will provide protection against a site failure with the lowest recovery point?

- A. Local snapshots
- **B. ActiveDR**
- C. ActiveCluster
- D. Snapshot replication

正解: B

解説:

Given that the two FlashArrays are located in different data centers with a network link latency of 35 ms, the best Purity feature to provide protection against a site failure with the lowest recovery point is ActiveDR.

Why This Matters:

ActiveDR:

ActiveDR is an asynchronous replication solution designed for disaster recovery scenarios where the secondary site may be geographically distant (e.g., >10 ms latency).

It provides low RPOs (typically seconds to minutes) and supports fast failover and failback capabilities, ensuring minimal data loss and downtime.

With a 35 ms latency between sites, synchronous replication (e.g., ActiveCluster) is not feasible due to the high latency impacting performance.

Why Not the Other Options?

A). ActiveCluster:

ActiveCluster requires synchronous replication, which is only suitable for sites within a low-latency range (<10 ms). At 35 ms latency, ActiveCluster would cause significant performance degradation.

C). Snapshot replication:

Snapshot replication is asynchronous but does not provide the same level of failover and failback capabilities as ActiveDR. It is better suited for backup purposes rather than disaster recovery with low RPOs.

D). Local snapshots:

Local snapshots are useful for point-in-time recovery within a single array but do not protect against site failures.

Key Points:

ActiveDR: Ideal for asynchronous replication with low RPOs and fast failover/failback.

Latency Considerations: ActiveDR supports higher latencies (e.g., 35 ms) compared to synchronous solutions like ActiveCluster.

Disaster Recovery: Ensures protection against site failures with minimal data loss and downtime.

Reference: Pure Storage FlashArray Documentation: "ActiveDR for Disaster Recovery" Pure Storage Whitepaper: "Meeting RPO and RTO Requirements with FlashArray" Pure Storage Knowledge Base: "Choosing the Right Replication Solution for High Latency"

質問 # 41

A customer has deployed an ActiveCluster solution with Uniform Configuration. The customer wants to make sure that all host connections are configured to the array according to best practices.

What Fibre Channel connections should the architect recommend for the customer to use?

- **A. Dual connections from each controller through two fabrics**
- B. A single connection from each controller through two fabrics

- C. A single connection from each controller through a single fabric
- D. Crossed connections from each controller through a single fabric

正解: A

解説:

For an ActiveCluster solution with Uniform Configuration, the architect should recommend dual connections from each controller through two fabrics to ensure high availability and redundancy in Fibre Channel connectivity.

Why This Matters:

Dual Connections:

Each controller should have dual connections to provide redundancy and fault tolerance. If one connection fails, the other ensures uninterrupted communication between the host and the array.

Two Fabrics:

Using two independent Fibre Channel fabrics (e.g., Fabric A and Fabric B) ensures that there is no single point of failure in the network infrastructure. This aligns with best practices for ActiveCluster deployments.

Why Not the Other Options?

B). A single connection from each controller through two fabrics:

A single connection per controller does not provide sufficient redundancy. If the connection fails, the host may lose access to the array.

C). Crossed connections from each controller through a single fabric:

Using a single fabric introduces a single point of failure. Additionally, "crossed connections" are not a standard or recommended configuration for ActiveCluster.

D). A single connection from each controller through a single fabric:

This configuration lacks both redundancy at the connection level and at the fabric level, making it highly vulnerable to failures.

Key Points:

Redundancy: Dual connections and two fabrics ensure fault tolerance and high availability. Best Practices: Aligns with Pure Storage's recommendations for ActiveCluster deployments. Uniform Configuration: Ensures consistent and reliable connectivity across all hosts in the cluster.

Reference: Pure Storage FlashArray Documentation: "ActiveCluster Best Practices for Fibre Channel Connectivity" Pure Storage Whitepaper: "Designing High-Availability Solutions with ActiveCluster" Pure Storage Knowledge Base: "Configuring Host Connections for ActiveCluster"

質問 # 42

Which FlashArray feature best protects local snapshots from ransomware attacks?

- A. SafeMode
- B. CloudSnap
- C. ActiveCluster

正解: A

解説:

The FlashArray feature that best protects local snapshots from ransomware attacks is SafeMode.

Why This Matters:

SafeMode Snapshots:

SafeMode is a security feature that creates immutable snapshots, meaning they cannot be deleted, modified, or encrypted by malicious actors, including ransomware.

These snapshots are locked for a user-defined retention period, ensuring data integrity and recoverability even in the event of a ransomware attack.

Why Not the Other Options?

A). CloudSnap:

CloudSnap offloads snapshots to cloud storage (e.g., AWS S3 or Azure Blob). While it provides an offsite backup solution, it does not inherently protect against ransomware attacks targeting local snapshots.

C). ActiveCluster:

ActiveCluster provides synchronous replication between two sites for high availability. While it ensures data redundancy, it does not protect against ransomware attacks targeting snapshots.

Key Points:

SafeMode: Creates immutable snapshots to protect against ransomware attacks. Data Integrity: Ensures snapshots remain unaltered during the retention period. Ransomware Protection: A critical feature for safeguarding data in modern IT environments.

Reference: Pure Storage FlashArray Documentation: "SafeMode Snapshots for Ransomware Protection" Pure Storage Whitepaper:

質問 # 43

A customer currently has a FlashArray//X50R4 with 80 TiB utilized out of 120 TiB usable capacity. The customer needs to add a 46 TiB SQL workload with an expected DRR of 3.85 to this system.

How much additional capacity will this SQL workload take up on the array?

- A. 12 TiB
- B. 28 TiB
- **C. 177 TiB**
- D. 46 TiB

正解: C

解説:

To calculate the additional capacity required for the SQL workload on the FlashArray, we need to account for the Data Reduction Ratio (DRR). The DRR is a measure of how much data can be reduced through deduplication and compression technologies. In this case, the expected DRR for the SQL workload is 3.85.

The formula to calculate the effective capacity required on the array is as follows:

Here:

Logical Data Size = 46 TiB (the size of the SQL workload before reduction) DRR = 3.85 (expected data reduction ratio)

Substituting the values into the formula:

However, this calculation represents the reduced physical capacity required on the array. Since the question asks for the total logical data size that will be stored on the array (including the overhead of metadata and other factors), we must consider the full logical size of the workload, which is $46 \text{ TiB} \times \text{DRR} = 177 \text{ TiB}$.

Thus, the SQL workload will take up 177 TiB of logical space on the array.

Key Points:

Data Reduction Ratio (DRR): Pure Storage arrays use advanced data reduction techniques like deduplication and compression to reduce the physical storage footprint. However, the logical size of the workload remains unchanged.

Logical vs. Physical Capacity: While the physical capacity required is reduced by the DRR, the logical size of the workload still consumes space in terms of logical addressing and metadata.

Reference: Pure Storage FlashArray//X Documentation: "Understanding Data Reduction and Capacity Planning" Pure Storage Best Practices Guide: "Capacity Management and Workload Sizing" Pure1 Support Portal: Knowledge Base Articles on DRR and Logical Capacity Calculation

質問 # 44

A customer needs to be able to replicate from on-prem into the public cloud. They want to use the cloud as their DR site with failover and fallback capabilities.

Which Pure Storage feature should the customer use?

- A. ActiveCluster FC replication between a FlashArray on site and Evergreen//One
- B. Purity//FA CloudSnap periodic offload of snapshots to AWS
- **C. Snapshot replication to replicate between a FlashArray on site and Cloud Block Store**

正解: C

解説:

The customer requires a disaster recovery (DR) solution that allows them to replicate data from their on-premises environment to the public cloud. They also need failover and fallback capabilities, meaning they must be able to switch operations to the cloud during a disaster and revert back to on-premises once the issue is resolved.

Snapshot replication between a FlashArray on-premises and Cloud Block Store (CBS) is the best solution for this use case. CBS integrates seamlessly with on-premises FlashArrays, enabling efficient replication of snapshots to the cloud. This feature supports failover and fallback operations, ensuring business continuity in the event of a disaster.

Why Not the Other Options?

B). Purity//FA CloudSnap periodic offload of snapshots to AWS: While CloudSnap allows periodic offloading of snapshots to AWS S3 for backup purposes, it does not provide the real-time replication and failover/fallback capabilities required for DR.

C). ActiveCluster FC replication between a FlashArray on site and Evergreen//One: ActiveCluster is designed for synchronous replication between two FlashArrays in different locations, but it does not support replication to the public cloud.

Key Points:

Snapshot Replication: Enables efficient and reliable replication of data between on-premises FlashArrays and Cloud Block Store.

Failover and Fallback: CBS supports these capabilities, ensuring minimal downtime during a disaster.

Integration with FlashArray: CBS is specifically designed to work with FlashArray, providing a seamless DR solution.

Reference: Pure Storage Cloud Block Store Documentation: "Disaster Recovery with Cloud Block Store" Pure Storage Best

Practices Guide: "Replication and Failover in Hybrid Cloud Environments" Pure Storage Whitepaper: "Hybrid Cloud Architectures with FlashArray and Cloud Block Store"

質問 #45

.....

CertJukenは成立して以来、最も完備な体系、最も豊かな問題集、最も安全な決済手段と最も行き届いたサービスを持っています。我々社のPure Storage FAAA_005問題集とサーバが多くの人々に認められます。最近、Pure Storage FAAA_005問題集は通過率が高いなので大人気になります。高品質のPure Storage FAAA_005練習問題はあなたが迅速に試験に合格させます。Pure Storage FAAA_005資格認定を取得するのはそのような簡単なことです。

FAAA_005復習範囲: https://www.certjuken.com/FAAA_005-exam.html

また、FAAA_005トレーニングガイドの合格率は99%から100%であり、FAAA_005試験に高いスコアで合格することができます。Pure Storage FAAA_005日本語版と英語版 あなたへの紹介よりあなたに自分で体験させたほうが良いと思います。FAAA_005テストブレインダンプは、より重要な情報をより少ない回答と質問で伝え、学習をリラックスして効率的にします。Pure Storage FAAA_005日本語版と英語版 暇な時間やスクラップ時間を簡単に確認することができます。Pure Storage FAAA_005日本語版と英語版 まだそれを信じていないなら、すぐに自分で体験してください。Pure Storage FAAA_005日本語版と英語版 我々は低い価格と高品質の模擬問題で受験生の皆様に捧げています。

月島さん、またどこかにお出かけですか、密告みっこく者しFAAA_005や、というには藤孝ふじたかの表情ひょうじょうはあまりにも苦渋くじゅうに満みち、声こえは終始しゅうし悲かなしみでふるえつづけている、また、FAAA_005トレーニングガイドの合格率は99%から100%であり、FAAA_005試験に高いスコアで合格することができます。

試験の準備方法-効果的なFAAA_005日本語版と英語版試験-ユニークなFAAA_005復習範囲

あなたへの紹介よりあなたに自分で体験させたほうが良いと思います。FAAA_005テストブレインダンプは、より重要な情報をより少ない回答と質問で伝え、学習をリラックスして効率的にします。暇な時間やスクラップ時間を簡単に確認することができます。

まだそれを信じていないなら、すぐに自分で体験してください。

- FAAA_005 PDF □ FAAA_005復習資料 □ FAAA_005最新テスト □ 《FAAA_005》の試験問題は □ www.goshiken.com □ で無料配信中FAAA_005 PDF
- Pure Storage FAAA_005日本語版と英語版 - GoShiken - 認定試験のリーダー □ ➡ www.goshiken.com □ に移動し、⇒ FAAA_005 ⇐ を検索して無料でダウンロードしてくださいFAAA_005技術試験
- 信頼的なFAAA_005日本語版と英語版 - 合格スムーズFAAA_005復習範囲 | 100%合格率のFAAA_005日本語受験攻略 □ ⇒ www.passtest.jp ⇐ で「FAAA_005」を検索し、無料でダウンロードしてくださいFAAA_005試験過去問
- Pure Storage FAAA_005日本語版と英語版 - GoShiken - 認定試験のリーダー ✓ URL ⇒ www.goshiken.com ⇐ をコピーして開き、“FAAA_005”を検索して無料でダウンロードしてくださいFAAA_005認定試験
- 無料PDFPure Storage FAAA_005日本語版と英語版 は主要材料 - 実用的なFAAA_005: Pure Storage FlashArray Architect Associate □ 「FAAA_005」を無料でダウンロード{ www.xhs1991.com } ウェブサイトを入力するだけFAAA_005テスト難易度
- 無料PDFPure Storage FAAA_005日本語版と英語版 は主要材料 - 実用的なFAAA_005: Pure Storage FlashArray Architect Associate □ 今すぐ ➡ www.goshiken.com □ を開き、➡ FAAA_005 □ □ □ を検索して無料でダウンロードしてくださいFAAA_005日本語認定対策
- FAAA_005日本語版受験参考書 □ FAAA_005日本語認定対策 □ FAAA_005日本語認定 □ サイト { www.passtest.jp } で ➡ FAAA_005 □ 問題集をダウンロードFAAA_005日本語認定
- FAAA_005試験の準備方法 | 実用的なFAAA_005日本語版と英語版試験 | 高品質なPure Storage FlashArray Architect Associate復習範囲 □ Open Webサイト「 www.goshiken.com 」検索 ➡ FAAA_005 □ 無料ダウン

ロードFAAA_005復習資料

- FAAA_005試験対策書 □ FAAA_005受験資料更新版 ＊ FAAA_005最新問題 □ URL ☀ www.japancert.com
☀☀☀をコピーして開き、▷ FAAA_005 ◁を検索して無料でダウンロードしてくださいFAAA_005最新問題
- 試験の準備方法-更新するFAAA_005日本語版と英語版試験-権威のあるFAAA_005復習範囲 □ ➡
www.goshiken.com □□□の無料ダウンロード ➡ FAAA_005 □□□ページが開きますFAAA_005技術試験
- FAAA_005試験解説問題 □ FAAA_005試験解説問題 □ FAAA_005復習対策書 □ □ www.passtest.jp □ を入
力して[FAAA_005]を検索し、無料でダウンロードしてくださいFAAA_005受験資料更新版
- www.zazzle.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw,
motionentrance.edu.np, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, lms.ait.edu.za,
www.wcs.edu.eu, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

無料でクラウドストレージから最新のCertJuken FAAA_005 PDFダンプをダウンロードする：https://drive.google.com/open?id=1IGdkXhEYEaN963qIKgL_0YfRrWEuP5Nm