

300-425更新，最新300-425考古題



BONUS!!! 免費下載Fast2test 300-425考試題庫的完整版：https://drive.google.com/open?id=1RnmCdMCPFeeyayZvhPpFZ6E5jS7_yjod

很多準備參加Cisco 300-425 認證考試的考生在網上也許看到了很多網站也線上提供有關Cisco 300-425 認證考試的資源。但是我們的Fast2test是唯一一家由頂尖行業專家研究的參考材料研究出來的考試練習題和答案的網站。我們的資料能確保你第一次參加Cisco 300-425 認證考試就可以順利通過。

Cisco 300-425考試涵蓋了設計和實施企業無線網絡的各種主題。這些主題包括無線站點調查、高密度無線網絡設計、無線基礎設施、無線安全和無線網絡服務。考試還會測試候選人對不同Cisco無線技術的了解，例如Cisco DNA中心、Cisco Mobility Express和Cisco無線局域網控制器等。

為了準備 Cisco 300-425 考試，建議考生具備強大的網絡概念和技術理解，以及在 Cisco 無線技術方面的實踐經驗。考生還可以利用 Cisco 提供的各種學習材料，例如在線課程、學習指南和模擬考試。通過 Cisco 300-425 考試對於想在無線網絡設計和實施方面推進自己職業生涯的網絡專業人員來說是一個重要的成就。

>> 300-425更新 <<

最新Cisco 300-425考古題 & 300-425新版題庫上線

最熱門的300-425認證考試是能夠改變您生活的IT認證考試，獲得Cisco 300-425證書的IT專業人員的薪水要比沒有獲得證書的員工高出很多倍，他們的上升空間也很大，能帶來更好的工作機會。不要因為準備Cisco 300-425而浪費過多時間，可以使用Fast2test網站提供的考古題資料，幫助您更有效率的準備300-425考試。這是一個人可以讓您輕鬆通過300-425考試的難得的學習資料，錯過這個機會您將會後悔。

最新的 CCNP Enterprise 300-425 免費考試真題 (Q230-Q235):

問題 #230

An engineer working for an enterprise deployed multiple Cisco WLCs. A controller that sits in the R&D division is connected through a firewall and is part of the same mobility group. The engineer must ensure that the mobility tunneling is available through the firewall and test it as R&D engineers roam the production ..within their department. How is this requirement met?

- A. mapping on UDP port 16667 and mapping on Protocol 97 between management ports
- B. mapping on UDP port 16667 and mapping on Protocol 96 between management ports
- C. mapping on UDP port 16666 and mapping on Protocol 96 between management ports
- D. mapping on UDP port 16666 and mapping on Protocol 97 between management ports

答案： D

解題說明：

For mobility tunneling through a firewall in a Cisco wireless network environment, UDP port 16666 must be open along with IP Protocol number '97', which is used for Encapsulating Security Payload (ESP) traffic typically found in IPsec tunnels. By ensuring these ports are mapped correctly through the firewall, R&D engineers can roam within their department while maintaining a secure mobility tunnel. Reference = (CCNP Enterprise Wireless Design ENWLSLSD 300-425 and Implementation ENWLSI 300-430 Official Cert Guide Premium Edition and Practice)

問題 #231

A wireless engineer is designing a wireless network to support real-time applications over wireless. Which IEEE protocol must the engineer enable on the WLC so that the number of packets that are exchanged between an access point and client are reduced and fast roaming occurs?

- A. 802.11k
- B. 802.11r
- C. 802.11w
- D. 802.11i

答案： A

解題說明：

Section: Wired and Wireless Infrastructure

問題 #232

An engineer is designing a wireless network to support Cisco Hyperlocation. The customer indicated some How is the design adjusted?

- A. Add additional APs to all the corners of the site.
- B. Add more APs than indicated from the site survey spread across all areas.
- C. Run the site survey using -57d Bm as a threshold.
- D. Add an additional AP in the middle of the dense area.

答案： B

解題說明：

Cisco Hyperlocation requires a dense deployment of access points for accurate location tracking. Adding more APs than a standard site survey suggests can meet the granular location requirements needed for Hyperlocation services. Reference: ENWLSLSD official certification guide.

問題 #233

A wireless engineer must optimize RF performance for multiple buildings with multiple types of construction and user density. Which two actions must be taken? (Choose two.)

- A. Configure WMM profiles for each building.
- B. Configure FlexConnect groups for each building.
- C. Enable DTPC on the network.
- D. Configure RF profiles for each area type.
- E. Configure AP groups for each area type.

答案： D,E

解題說明：

id=1RnmCdMCPFeeyayZvhPpFZ6E5jS7_yjod