

1Z0-083赤本勉強、1Z0-083復習教材

Oracle 1Z0-083 Oracle Database Administration II 1



1Z0-083試験勉強過去問 & 1Z0-083無料模擬試験

献身と熱意を持って1Z0-083ガイド資料を段階的に学習する場合Oracle必死に試験に合格することを保証します。学習資料の権威あるプロバイダーとして、潜在顧客からより多くの注目を集めるために、常に同等のテストと比較して1Z0-083模擬テストの高い合格率を追求しています。それ以外の場合、残念ながら、1Z0-083学習教材で試験に合格しなかった場合、製品費用はすぐに全額返金されます。1Z0-083研究トレンドは、高い合格率でより魅力的で素晴らしいものになります。

Oracle 1Z0-083試験は、Oracleデータベースでの作業経験を持ち、データベース管理のキャリアを推進したいプロフェッショナルに最適です。この試験は、Oracle 1Z0-082試験を修了し、データベースの概念SQL/PLSQLについて強い理解を持っている個人を対象としています。この試験に合格することで、候補者が大規模なOracleデータベースを管理し、可用性、セキュリティ、パフォーマンスを確保するために必要なスキルと知識を持っていることが証明されます。さらにOracle Database Administrator Certified Professionalになることで、新しい仕事の機会が開かれ、フィールドでの高い給与を得ることができます。

Oracle 1Z0-083試験ではOracleデータベース管理に関連する幅広いトピックをカバーしています。これらには、バックアップと回復戦略、データベースのチューニングとパフォーマンスの最適化、データベースセキュリティ、および高度なデータベース管理タスクが含まれます。候補者は、これらのトピックを完全に理解し、実際のシナリオに知識を適用できる必要があります。

>> 1Z0-083試験勉強過去問 <<

信頼的な1Z0-083試験勉強過去問 | 最初の試行で簡単に勉強して試験に合格する & よくできたOracle Oracle Database

1Z0-083試験勉強過去問 & 1Z0-083無料模擬試験

P.S. CertShikenがGoogle Driveで共有している無料かつ新しい1Z0-083ダンプ: https://drive.google.com/open?id=173ml2h5QLYfPnFbr_0CB_0jzGtPEZKfS

1Z0-083テストガイドの言語は理解しやすいため、学習障害のない学習者は、学生であろうと現職のスタッフであろうと、初心者であれ、多くの経験豊富な経験豊富なスタッフであれ、年。困難なテストを通過するために1Z0-083ガイドトレンドを選択するのは素晴らしい素晴らしいアイデアです。全体として、信じられないことは何もありません。今から意味のある何かをするために、成功はheする人を待って、購入して行きません!

当社CertShikenは、無料の更新サービスに添付されている1Z0-083練習資料のすべてのバージョンをコミットしました。1Z0-083試験準備に新しい更新がある場合、カスタマーサービススタッフから最新バージョンが送信されます。したがって、最高のサービスと1Z0-083実践教材を提供するペースを止めることはありません。そして、お支払い前に品質を確認するための1Z0-083学習教材の無料デモを提供します。数万人の候補者が1Z0-083学習教材を使用して学習能力を育成し、間違いなくその1つになることができます。

>> 1Z0-083赤本勉強 <<

最新の1Z0-083赤本勉強 & 合格スムーズ1Z0-083復習教材 | 一番優秀な1Z0-083日本語サンプル Oracle Database Administration II

あなたの人生に残念と後悔を残さないように、私たちはできるだけ人生を変えるあらゆるチャンスをつかむ必

要があります。あなたはそれをやったことができましたか。CertShikenのOracleの1Z0-083試験トレーニング資料は成功したいIT職員のために作成されたのです。あなたがOracleの1Z0-083認定試験に合格することを助けます。成功と擦れ違うことを避けるように速く行動しましょう。

Oracle Database Administration II 認定 1Z0-083 試験問題 (Q54-Q59):

質問 # 54

Examine this command:

\$ rhptcl move database -sourcehome Oracle_home_path -destinationhome Oracle_home_path For which two purposes can you use this command? (Choose two.)

- A. to switch to a read-only Oracle home
- B. to switch the Oracle Database home when using a centralized Rapid Home Provisioning server
- C. to switch an existing Oracle Database home to a newer release of Oracle software on the same server
- **D. to switch back to the previous Oracle home as part of a rollback operation**
- **E. to switch to a patched Oracle Database home**

正解: D、E

解説:

Explanation

You can use rhptcl move gihome command with the same syntax to switch from the current Oracle Grid Infrastructure home to a patched home. The rhptcl command enables you to switch from your current Oracle Grid Infrastructure or Oracle Database home to patched Oracle home so that you can provision the new Oracle home as gold image. You can also use the rhptcl command to switch back to the old Oracle home, if you want to roll back the operation.

質問 # 55

You have configured RMAN SBT channels to write backups to media.

You then take an RMAN backup by using this command:

Which three are true? (Choose three.)

- A. All archive logs created after this backup are kept for two years.
- B. The restore point is a label for the system change number (SCN) before the archival backup was taken.
- **C. The control file is included in the self-contained archival backup.**
- **D. The SPFILE is included in the self-contained archival backup.**
- **E. The data file backups in the self-contained archive backup are not considered obsolete for two years regardless of the retention policy.**
- F. The restore point is a label for the system change number (SCN) that will be saved two years after the archival backup was taken.

正解: C、D、E

解説:

The restore point is a label for the SCN to which this archival backup can be restored and recovered, and is captured just after the data file backups complete. (F is wrong) Normal restore points are retained in the database for at least the number of days specified for the CONTROL_FILE_RECORD_KEEP_TIME initialization parameter (A incorrect)

- The control file autobackup that RMAN automatically makes when you use the backup .. keep command has a copy of the restore point (and also the spfile D and E are correct) KEEP - Specifies the backup as an archival backup, which is a self-contained backup that is exempt from the configured retention policy.

UNTIL TIME - Specifies the time until which the backup or copy must be kept (B correct)

https://docs.oracle.com/cd/E18283_01/server.112/e17118/statements_6011.htm

<http://devel.hotpilot.cz/ora11gR2u2-full/backup.112/e10643/rcmsubcl011.htm> An example:

<http://www.online-database.eu/recovery-manager-rman/143-rman-backupsets-with-restore-point>

質問 # 56

Which three actions will add a resource to an Oracle Restart configuration? (Choose three.)

- **A. creating a database service using Oracle Database Configuration Assistant (DBCA)**

- B. creating a disk group using the CREATE DISKGROUP SQL statement
- C. creating an Oracle Database service by modifying the SERVICE_NAMES parameter
- D. creating a database service using DBMS_SERVICE.CREATE_SERVICE
- E. creating a database using the CREATE DATABASE SQL statement
- F. creating an Oracle Automatic Storage Management (ASM) instance with ASM Configuration Assistant (ASMCA)

正解: A、B、F

解説:

<https://docs.oracle.com/en/database/oracle/oracle-database/19/admin/configuring-automatic-restart-of-an-oracle-database.html#GUID-2AED50FD-C9C4-4187-8BD8-5113B6735A4A>

質問 # 57

Examine this configuration:

- 1.The ORCL database data files are in Automatic Storage Management (Oracle ASM) disk group +DATA.
- 2.ORCL uses disk group +FRA for the Fast Recovery Area.
- 3.LISTENER is the listener for ORCL.
- 4.The database, listener, ASM instance, and ASM disk groups are managed by Oracle Restart.
- 5.All components are currently shut down.

You execute this command:

□
What is the outcome?

- A. Only the ORCL database instance is started.
- B. Only the ORCL database and the ASM instances are started.
- C. Only the ORCL database instance, the Oracle ASM instance, and the +DATA and +FRA disk groups are started.
- D. The ORCL database, the Oracle ASM instances, the +DATA and +FRA disk groups, and the LISTENER are started.
- E. Only the ORCL database instance and the +DATA and +FRA disk groups are started.

正解: D

解説:

Explanation

https://docs.oracle.com/html/E25494_01/start001.htm

質問 # 58

Which two are direct benefits of the multiprocess, multithreaded architecture of Oracle Database 12c when it is enabled?

- A. Reduced logical I/O
- B. Reduced physical I/O
- C. Improved Serial Execution performance
- D. Reduced CPU utilization
- E. Reduced virtual memory utilization

正解: D、E

質問 # 59

.....

あなたはOracleの1Z0-083の資料を探すのに悩んでいますか。心配しないでください。私たちを見つけるのはあなたのOracleの1Z0-083試験に合格する保障からです。数年以来IT認証試験のためのソフトを開発している我々CertShikenチームは国際的に大好評を博しています。我々はOracleの1Z0-083のような重要な試験を準備しているあなたに一番全面的で有効なヘルプを提供します。

1Z0-083復習教材: <https://www.certshiken.com/1Z0-083-shiken.html>

1Z0-083試験を通して、あなたは新しいスキルをマスターすることができるだけでなく、1Z0-083認証資格を取得して自分の高い能力を証明することもできます。Oracle 1Z0-083赤本勉強 私たちはあなたを失望させないと信じてください、Oracle 1Z0-083赤本勉強 当社の製品は信頼性が高く、優れています、Oracle 1Z0-083赤本勉強 IT

