

# Exam MuleSoft MCD-Level-1 Outline & New MCD-Level-1 Mock Exam



No doubt the MuleSoft MCD-Level-1 certification is a valuable credential that offers countless advantages to MCD-Level-1 exam holders. Beginners and experienced professionals can validate their skills and knowledge level with the MuleSoft Certified Developer - Level 1 (Mule 4) MCD-Level-1 Exam and earn solid proof of their proven skills.

## What is the duration, language, and format of 2VB-602:vSphere 6.5 Foundations

- Length of Examination: 120 minutes
- Passing Score: 70%
- Number of Questions: 60
- Type of Questions: Single and Multiple Choice.
- Language: English

The MCD-Level-1 exam is made up of multiple-choice questions and is timed at 120 minutes. MCD-Level-1 exam can be taken online or at a testing center and is available in multiple languages. To prepare for the exam, MuleSoft offers a range of resources including training courses, practice exams, and documentation. MCD-Level-1 Exam is designed to be challenging and requires a thorough understanding of MuleSoft's Anypoint Platform and the ability to apply that knowledge to real-world integration scenarios. Passing the MCD-Level-1 exam is a significant accomplishment and can help developers advance their careers in the field of integration and API development.

>> Exam MuleSoft MCD-Level-1 Outline <<

## Exam MCD-Level-1 Outline | Easily Pass MuleSoft Certified Developer - Level 1 (Mule 4) | Download Right Now

Actual4Labs is a leading platform that is committed to offering to make the MuleSoft Exam Questions preparation simple, smart, and successful. To achieve this objective Actual4Labs has got the services of experienced and qualified MCD-Level-1 Exam trainers. They work together and put all their efforts and ensure the top standard of Actual4Labs MuleSoft MCD-Level-1 exam dumps all the time.

MuleSoft Certified Developer - Level 1 (MCD-Level-1) Exam is a certification exam designed to test the knowledge and skills of developers who work with the MuleSoft platform. MCD-Level-1 exam is focused on Mule 4, the latest version of MuleSoft's integration platform. MCD-Level-1 exam covers a wide range of topics including Anypoint Studio, API design, data transformation, error handling, and more. Passing MCD-Level-1 Exam is a valuable achievement for developers looking to demonstrate their expertise in MuleSoft and increase their professional credibility.

## MuleSoft Certified Developer - Level 1 (Mule 4) Sample Questions (Q200-Q205):

### NEW QUESTION # 200

Refer to the exhibits.

The screenshot shows the 'Global Element Properties' dialog for an 'HTTP Request configuration'. The dialog has tabs for 'General', 'Settings', 'Advanced', 'Notes', and 'Help'. The 'General' tab is selected. Under 'Basic Settings', the 'Name' field is 'HTTP\_Request\_configuration'. Under 'URL Configuration', the 'Base path' field is empty. Under 'Connection Configuration', the 'Protocol' is 'HTTP (Default)', the 'Host' is 'localhost', and the 'Port' is '8081'. The 'Host' and 'Port' fields have a small 'fx' icon next to them, indicating they are configured with an expression. The dialog also has 'OK' and 'Cancel' buttons at the bottom.

Mule application has an HTTP request configuration where host name is hardcoded. Organization is looking to move host and port values to configuration file. What valid expression can be used to so that HTTP configuration can pick the value from configuration file?

- A. `${training.host}`
- B. `#[training.host]`
- C. `#{http.host}`
- D. `#{training.host}`

**Answer: A**

Explanation:

Correct answer is `${training.host}`

### NEW QUESTION # 201

Refer to the exhibit.

What DataWeave expression transforms the conductorIds array to the XML output?

- A.
- B.
- C.
- D.

**Answer: C**

### NEW QUESTION # 202

Refer to the exhibit.

What is the correct syntax to add an employee ID as a URI parameter in an HTTP Listener path?

- A. {employeeID}
- B. (employeeID)
- C. #[employeeID]
- D. \${employeeID}

**Answer: A**

Explanation:

While configuring HTTP listener path, URI parameters are always enclosed within curly braces. Hence option 1 is correct choice

### NEW QUESTION # 203

Refer to the exhibits.

The <when> expression for the Choice router needs to be written.

What is a valid <when> expression to route Mule events to the non-default flow?

- A. #[ company = "MuleSoft" ]
- B. #[ 'MuleSoft' == payload.company ]
- C. #[ if( 'MuleSoft' == payload.company ) ]
- D. #[ if( company = "MuleSoft" ) ]

**Answer: C**

### NEW QUESTION # 204

Refer to the exhibit.

What expression correctly specifies input parameters to pass the city and state values to the SQL query?

- A)
- B)
- C)
- D)

- A. Option B
- B. Option D
- C. Option C
- D. Option A

**Answer: D**

### NEW QUESTION # 205

.....

