

# Quiz 2026 Reliable NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 Best Preparation Materials



With NCM-MCI training quiz, you only need to pay half the money to get the help of the most authoritative experts. NCM-MCI exam questions are also equipped with a mock examination function, that allowing you to find your own weaknesses at any time during the learning process of our NCM-MCI Study Materials, and to constantly improve your own learning methods. It also allows you to familiarize yourself with the examination environment in advance that helps you to avoid any emergency in the exam.

## How to Succeed in Nutanix NCM-MCI Exam

Nutanix NCM-MCI Exam is an essential source for your successful certification. So the materials will help you to pass the exam.

Now, we are providing you the opportunity of experiencing our best service by offering the **Nutanix NCM-MCI Dumps** Package. It is a bundle pack that includes all the Nutanix NCM-MCI Dumps required for Nutanix NCM-MCI exam.

We have included in it all of our products because according to our research their combination has proven very effective for passing Nutanix NCM-MCI Exam. If you prepare for this exam using these products individually, it may not be easy for you to pass it in one attempt. The reason is that each product has its separate function and topics which when combined with other products make a complete study package for passing Nutanix NCM-MCI Exam successfully.

So, we recommend you to use this powerful package instead of individual products if you really want to save your time and money while achieving your goal of becoming Nutanix Certified Professional.

## Helping You Out - Why Nutanix NCM-MCI Exam Is Important for Any Professional

Every professional in the network field knows that the Nutanix NCM-MCI Exam is important to them. This is a very helpful test that can determine whether they should pursue a career in networking. A lot of people are interested in taking this test and are not sure whether they should go ahead and do so or not.

There are many reasons why someone would like to have a profession in networking. The first reason is that it allows for an

individual to work with several types of networks and use them for different purposes. It also allows for an individual to learn how to use different types of technology so that they can improve their skills and increase their knowledge. All the **Nutanix NCM-MCI Dumps** are based on real exams and are updated regularly based on the latest syllabus changes.

Another reason why one would like to take this exam is because it will help them get a job as soon as possible. Since this is such a big exam, there are many companies that are looking for people who know how to take it well and pass it with flying colors. The more experience you have with taking this type of test, the better your chances will be at getting the job you want.

>> **NCM-MCI Best Preparation Materials** <<

## **The Best NCM-MCI Best Preparation Materials Offers Candidates Perfect Actual Nutanix Nutanix Certified Master - Multicloud Infrastructure v6.10 Exam Products**

As we all know, if everyone keeps doing one thing for a long time, as time goes on, people's attention will go from rising to falling. Experiments have shown that this is scientifically based and that our attention can only play the best role in a single period of time. In reaction to the phenomenon, therefore, the NCM-MCI test material is reasonable arrangement each time the user study time, as far as possible let users avoid using our latest NCM-MCI Exam Torrent for a long period of time, it can better let the user attention relatively concentrated time efficient learning. The NCM-MCI practice materials in every time users need to master the knowledge, as long as the user can complete the learning task in this period, the NCM-MCI test material will automatically quit learning system, to alert users to take a break, get ready for the next period of study.

## **Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q11-Q16):**

### **NEW QUESTION # 11**

Topic 1, Performance Based Questions

Environment

You have been provisioned a dedicated environment for your assessment which includes the following:

Workstation

\* windows Server 2019

\* All software/tools/etc to perform the required tasks

\* Nutanix Documentation and whitepapers can be found in desktop\files\Documentation

\* Note that the workstation is the system you are currently logged into Nutanix Cluster

\* There are three clusters provided. The connection information for the relevant cluster will be displayed to the right of the question. Please make sure you are working on the correct cluster for each item. Please ignore any licensing violations

\* Cluster A is a 3-node cluster with Prism Central 2022.6 where most questions will be performed

\* Cluster B is a one-node cluster and has one syslog item and one security item to perform

\* Cluster D is a one-node cluster with Prism Central 5.17 and has a security policy item to perform. Important Notes

\* If the text is too small and hard to read, or you cannot see all of the GUI, you can increase/decrease the zoom of the browser with CTRL + and CTRL - (the plus and minus keys). You will be given 3 hours to complete the scenarios for Nutanix NCMMCI. Once you click the start button below, you will be provided with:

- A Windows desktop A browser page with the scenarios and credentials (Desktop\instructions) Notes for this exam delivery:

The browser can be scaled to improve visibility and fit all the content on the screen.

- Copy and paste hot-keys will not work. Use your mouse for copy and paste.

- The Notes and Feedback tabs for each scenario are to leave notes for yourself or feedback for

- Make sure you are performing tasks on the correct components.

- Changing security or network settings on the wrong component may result in a failing grade.

- Do not change credentials on a component unless you are instructed to.

- All necessary documentation is contained in the Desktop\Files\Documentation directory. Task 1 An administrator has been asked to configure a storage for a distributed application which uses large data sets across multiple worker VMs.

The worker VMs must run on every node. Data resilience is provided at the application level and low cost per GB is a Key Requirement.

Configure the storage on the cluster to meet these requirements. Any new object created should include the phrase **Distributed\_App** in the name.

### **Answer:**

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the storage on the cluster for the distributed application, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as Distributed\_App\_Storage\_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for low cost per GB, you may prefer to use more HDDs than SSDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container, such as Distributed\_App\_Container, and select the storage pool that you just created, Distributed\_App\_Storage\_Pool, as the source.

Under Advanced Settings, enable Erasure Coding and Compression to reduce the storage footprint of the data. You can also disable Replication Factor since data resilience is provided at the application level. These settings will help you achieve low cost per GB for the container.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore, such as Distributed\_App\_Datastore, and select NFS as the datastore type. Select the container that you just created, Distributed\_App\_Container, as the source.

Click Save to create the datastore.

The datastore will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on Distributed\_App\_Datastore. You should see all nodes listed under Hosts.

You can now create or migrate your worker VMs to this datastore and run them on any node in the cluster. The datastore will provide low cost per GB and high performance for your distributed application.

## NEW QUESTION # 12

Task 16

Running NCC on a cluster prior to an upgrade results in the following output FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%) Identify the CVM with the issue, remove the file causing the storage bloat, and check the health again by running the individual disk usage health check only on the problematic CVM do not run NCC health check Note: Make sure only the individual health check is executed from the affected node

**Answer:**

Explanation:

See the Explanation for step by step solution

Explanation:

To identify the CVM with the issue, remove the file causing the storage bloat, and check the health again, you can follow these steps: Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and find the NCC health check output file from the list. You can use the date and time information to locate the file. The file name should be something like ncc-output-YYYY-MM-DD-HH-MM-SS.log.

Open the file and look for the line that says FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%). Note down the IP address of the CVM that has this issue. It should be something like X.X.X.X.

Log in to the CVM using SSH or console with the username and password provided.

Run the command du -sh /home/\* to see the disk usage of each file and directory under /home. Identify the file that is taking up most of the space. It could be a log file, a backup file, or a temporary file. Make sure it is not a system file or a configuration file that is needed by the CVM.

Run the command rm -f /home/<filename> to remove the file causing the storage bloat. Replace <filename> with the actual name of the file.

Run the command ncc health\_checks hardware\_checks disk\_checks disk\_usage\_check --cvm\_list=X.X.X.X to check the health again by running the individual disk usage health check only on the problematic CVM. Replace X.X.X.X with the IP address of the CVM that you noted down earlier.

Verify that the output shows PASS: CVM System Partition /home usage at XX% (less than threshold, 90%). This means that the issue has been resolved.

#access to CVM IP by Putty

allssh df -h #look for the path /dev/sdb3 and select the IP of the CVM

ssh CVM\_IP

ls

cd software\_downloads

ls

cd nos

```
ls -l -h
rm files_name
df -h
ncc health_checks hardware_checks disk_checks disk_usage_check
```

## NEW QUESTION # 13

### Task 2

An administrator needs to configure storage for a Citrix-based Virtual Desktop infrastructure.

Two VDI pools will be created

Non-persistent pool names MCS\_Pool for tasks users using MCS Microsoft Windows 10 virtual Delivery Agents (VDAs)

Persistent pool named Persist\_Pool with full-clone Microsoft Windows 10 VDAs for power users

20 GiB capacity must be guaranteed at the storage container level for all power user VDAs The power user container should not be able to use more than 100 GiB Storage capacity should be optimized for each desktop pool

Configure the storage to meet these requirements. Any new object created should include the name of the pool(s) (MCS and/or Persist) that will use the object.

Do not include the pool name if the object will not be used by that pool.

Any additional licenses required by the solution will be added later.

### Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the storage for the Citrix-based VDI, you can follow these steps:

Log in to Prism Central using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as VDI\_Storage\_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for optimal performance, you may prefer to use more SSDs than HDDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container for the non-persistent pool, such as MCS\_Pool\_Container, and select the storage pool that you just created, VDI\_Storage\_Pool, as the source.

Under Advanced Settings, enable Deduplication and Compression to reduce the storage footprint of the non-persistent desktops.

You can also enable Erasure Coding if you have enough nodes in your cluster and want to save more space. These settings will help you optimize the storage capacity for the non-persistent pool.

Click Save to create the container.

Go to Storage > Containers and click on Create Container again.

Enter a name for the new container for the persistent pool, such as Persist\_Pool\_Container, and select the same storage pool, VDI\_Storage\_Pool, as the source.

Under Advanced Settings, enable Capacity Reservation and enter 20 GiB as the reserved capacity. This will guarantee that 20 GiB of space is always available for the persistent desktops. You can also enter 100 GiB as the advertised capacity to limit the maximum space that this container can use. These settings will help you control the storage allocation for the persistent pool.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore for the non-persistent pool, such as MCS\_Pool\_Datastore, and select NFS as the datastore type. Select the container that you just created, MCS\_Pool\_Container, as the source.

Click Save to create the datastore.

Go to Storage > Datastores and click on Create Datastore again.

Enter a name for the new datastore for the persistent pool, such as Persist\_Pool\_Datastore, and select NFS as the datastore type. Select the container that you just created, Persist\_Pool\_Container, as the source.

Click Save to create the datastore.

The datastores will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on each datastore. You should see all nodes listed under Hosts.

You can now use Citrix Studio to create your VDI pools using MCS or full clones on these datastores. For more information on how to use Citrix Studio with Nutanix Acropolis, see Citrix Virtual Apps and Desktops on Nutanix or Nutanix virtualization environments.

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2079-Citrix-Virtual-Apps-and-Desktops:bp-nutanix-storage-configuration.html>

## NEW QUESTION # 14

### Task 13

The application team is reporting performance degradation for a business-critical application that runs processes all day on Saturdays.

The team is requesting monitoring or processor, memory and storage utilization for the three VMs that make up the database cluster for the application: ORA01, ORA02 and ORA03.

The report should contain tables for the following:

At the cluster level, only for the current cluster:

The maximum percentage of CPU used

At the VM level, including any future VM with the prefix ORA:

The maximum time taken to process I/O Read requests

The Maximum percentage of time a VM waits to use physical CPU, out of the local CPU time allotted to the VM.

The report should run on Sundays at 12:00 AM for the previous 24 hours. The report should be emailed to [appdev@cyberdyne.net](mailto:appdev@cyberdyne.net) when completed.

Create a report named Weekends that meets these requirements

Note: You must name the report Weekends to receive any credit. Any other objects needed can be named as you see fit. SMTP is not configured.

A: Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Report Settings option, select Weekly from the Schedule drop-down menu and choose Sunday as the day of week. Enter 12:00 AM as the time of day. Enter [appdev@cyberdyne.net](mailto:appdev@cyberdyne.net) as the Email Recipient. Select CSV as the Report Output Format.

Click Next.

Review the report details and click Finish.

□

### Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To create a report named Weekends that meets the requirements, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter Weekends as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select Cluster. Click Next.

Under the Custom Columns option, add the following variable: CPU Usage (%). Click Next.

Under the Aggregation option for CPU Usage (%), select Max. Click Next.

Under the Filter option, select Current Cluster from the drop-down menu. Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Custom Views section, select Data Table again. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, I/O Read Latency (ms), VM Ready Time (%). Click Next.

Under the Aggregation option for I/O Read Latency (ms) and VM Ready Time (%), select Max. Click Next.

Under the Filter option, enter ORA\* in the Name field. This will include any future VM with the prefix OR

## NEW QUESTION # 15

### Task 3

An administrator needs to assess performance gains provided by AHV Turbo at the guest level. To perform the test the administrator created a Windows 10 VM named Turbo with the following configuration.

1 vCPU

8 GB RAM

SATA Controller

40 GB vDisk

The stress test application is multi-threaded capable, but the performance is not as expected with AHV Turbo enabled. Configure the VM to better leverage AHV Turbo.

Note: Do not power on the VM. Configure or prepare the VM for configuration as best you can without powering it on.

### Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the VM to better leverage AHV Turbo, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to VM > Table and select the VM named Turbo.

Click on Update and go to Hardware tab.

Increase the number of vCPUs to match the number of multiqueues that you want to enable. For example, if you want to enable 8 multiqueues, set the vCPUs to 8. This will improve the performance of multi-threaded workloads by allowing them to use multiple processors.

Change the SCSI Controller type from SATA to VirtIO. This will enable the use of VirtIO drivers, which are required for AHV Turbo.

Click Save to apply the changes.

Power off the VM if it is running and mount the Nutanix VirtIO ISO image as a CD-ROM device. You can download the ISO image from Nutanix Portal.

Power on the VM and install the latest Nutanix VirtIO drivers for Windows 10. You can follow the instructions from Nutanix Support Portal.

After installing the drivers, power off the VM and unmount the Nutanix VirtIO ISO image.

Power on the VM and log in to Windows 10.

Open a command prompt as administrator and run the following command to enable multiqueue for the VirtIO NIC:  
ethtool -L eth0 combined 8

Replace eth0 with the name of your network interface and 8 with the number of multiqueues that you want to enable. You can use ipconfig /all to find out your network interface name.

Restart the VM for the changes to take effect.

You have now configured the VM to better leverage AHV Turbo. You can run your stress test application again and observe the performance gains.

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LKPdCAO> change vCPU to 2/4 ?

Change SATA Controller to SCSI:

acli vm.get Turbo

Output Example:

```
Turbo {  
  config {  
    agent_vmn: False  
    allow_live_migrate: True  
    boot {  
      boot_device_order: "kCdrom"  
      boot_device_order: "kDisk"  
      boot_device_order: "kNetwork"  
      uefi_boot: False  
    }  
    cpu_passthrough: False  
    disable_branding: False  
    disk_list {  
      addr {  
        bus: "idle"  
        index: 0  
      }  
      cdrom: True  
      device_uuid: "994b7840-dc7b-463e-a9bb-1950d7138671"  
      empty: True  
    }  
    disk_list {  
      addr {  
        bus: "sata"  
        index: 0  
      }  
      container_id: 4  
      container_uuid: "49b3e1a4-4201-4a3a-8abc-447c663a2a3e"  
      device_uuid: "622550e4-fb91-49dd-8fc7-9e90e89a7b0e"  
      naa_id: "naa.6506b8dcda1de6e9ce911de7d3a22111"  
      storage_vdisk_uuid: "7e98a626-4cb3-47df-a1e2-8627cf90eae6"  
    }  
  }  
}
```

```

vmdisk_size: 10737418240
vmdisk_uuid: "17e0413b-9326-4572-942f-68101f2bc716"
}
flash_mode: False
hwclock_timezone: "UTC"
machine_type: "pc"
memory_mb: 2048
name: "Turbo"
nic_list {
  connected: True
  mac_addr: "50:6b:8db2:a5:e4"
  network_name: "network"
  network_type: "kNativeNetwork"
  network_uuid: "86a0d7ca-acfd-48db-b15c-5d654ff39096"
  type: "kNormalNic"
  uuid: "b9e3e127-966c-43f3-b33c-13608154c8bf"
  vlan_mode: "kAccess"
}
num_cores_per_vcpu: 2
num_threads_per_core: 1
num_vcups: 2
num_vnuma_nodes: 0
vga_console: True
vm_type: "kGuestVM"
}
is_rfl_vm: False
logical_timestamp: 2
state: "Off"
uuid: "9670901f-8c5b-4586-a699-41f0c9ab26c3"
}
acli vm.disk_create Turbo clone_from_vmdisk=17e0413b-9326-4572-942f-68101f2bc716 bus=scsi remove the old disk acl
vm.disk_delete 17e0413b-9326-4572-942f-68101f2bc716 disk_addr=sata.0

```

## NEW QUESTION # 16

.....

Although our company has designed the best and most suitable NCM-MCI learn prep, we also do not stop our step to do research about the NCM-MCI study materials. All experts and professors of our company have been trying their best to persist in innovate and developing the NCM-MCI test training materials all the time in order to provide the best products for all people and keep competitive in the global market. We believe that the NCM-MCI Study Materials will keep the top selling products. We sincerely hope that you can pay more attention to our NCM-MCI study questions.

**NCM-MCI Latest Test Braindumps:** <https://www.examslabs.com/Nutanix/Master-Level/best-NCM-MCI-exam-dumps.html>

- NCM-MCI Reliable Mock Test □ NCM-MCI Exam Papers □ Exam Dumps NCM-MCI Pdf □ Search on ▶ [www.prepawaypdf.com](http://www.prepawaypdf.com)◀ for ✓ NCM-MCI □✓ □ to obtain exam materials for free download □NCM-MCI Free Dump Download
- NCM-MCI Exam Questions Vce □ Exam Dumps NCM-MCI Pdf □ NCM-MCI Reliable Mock Test □ Simply search for ▶ NCM-MCI □ for free download on ▶ [www.pdfvce.com](http://www.pdfvce.com) □ ←NCM-MCI Reliable Mock Test
- NCM-MCI Best Preparation Materials Exam | NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 – 100% free □ Copy URL □ [www.prep4away.com](http://www.prep4away.com) □ open and search for ▶ NCM-MCI □ to download for free □ □NCM-MCI Exam Passing Score
- Get Up-to-Date NCM-MCI Best Preparation Materials to Pass the NCM-MCI Exam □ Download ▶ NCM-MCI □ for free by simply searching on ▶ [www.pdfvce.com](http://www.pdfvce.com) □ \*NCM-MCI Reliable Braindumps Ppt
- Nutanix NCM-MCI Exam Collection, NCM-MCI pass rate □ Open ( [www.dumpsmaterials.com](http://www.dumpsmaterials.com) ) enter ▶ NCM-MCI □ and obtain a free download □ NCM-MCI Exam Passing Score
- NCM-MCI Exam Questions Vce □ NCM-MCI Certificate Exam □ Exam Dumps NCM-MCI Pdf □ Search for □ NCM-MCI □ and easily obtain a free download on 《 [www.pdfvce.com](http://www.pdfvce.com) 》 □NCM-MCI Reliable Mock Test
- NCM-MCI Exam Torrent - NCM-MCI Study Questions - NCM-MCI Valid Pdf □ Download □ NCM-MCI □ for free by simply searching on ▶ [www.prepawayete.com](http://www.prepawayete.com) □ □NCM-MCI Reliable Braindumps Ppt

