


NSE5_FSW_AD-7.6인증덤프데모문제 - NSE5_FSW_AD-7.6인증시험공부



2026 PassTIP 최신 NSE5_FSW_AD-7.6 PDF 버전 시험 문제집과 NSE5_FSW_AD-7.6 시험 문제 및 답변 무료 공유:
<https://drive.google.com/open?id=12KigOgl-d5qFJEllKt73XViz6lUVP70i>

지금 같은 세대에 많은 분들이 IT업계에 관심을 가지고 있습니다. 이렇게 인재를 많은 사회에서 IT관련인사들은 아직도 적은 편입니다. 면접 시에도 IT인증 자격증유무를 많이들 봅니다. 때문에 IT자격증이 많은 인기를 누리고 있습니다. 이런 살아가기 힘든 사회에서 이런 자격증을 또한 취득하기가 넘 어렵습니다. Fortinet NSE5_FSW_AD-7.6인증시험 또한 아주 어려운 시험입니다. 많은 분들이 응시하지만 통과하는 분들은 아주 적습니다.

PassTIP는 엘리트한 전문가들의 끊임없는 연구와 자신만의 노하우로 Fortinet NSE5_FSW_AD-7.6덤프자료를 만들어 냈으므로 여러분의 꿈을 이루어드립니다. 기존의 Fortinet NSE5_FSW_AD-7.6시험문제를 분석하여 만들어낸 Fortinet NSE5_FSW_AD-7.6덤프의 문제와 답은 실제시험의 문제와 답과 아주 비슷합니다. Fortinet NSE5_FSW_AD-7.6덤프는 합격보장해드리는 고품질 덤프입니다. PassTIP의 덤프를 장바구니에 넣고 페이지를 통한 안전결제를 진행하여 덤프를 다운받아 시험합격하세요.

>> NSE5_FSW_AD-7.6인증덤프데모문제 <<

NSE5_FSW_AD-7.6인증시험공부 & NSE5_FSW_AD-7.6최신 덤프문제모음집

목표가 있다면 목표를 향해 끊임없이 달려야 멋진 인생이 됩니다. 지금의 현황에 만족하여 아무런 노력도 하지 않는다면 언젠가는 치열한 경쟁을 이겨내지 못하게 될것입니다. IT업종에 종사중이시라면 다른분들이 모두 취득하는 자격증쯤은 마련해야 되지 않겠습니까? Fortinet인증 NSE5_FSW_AD-7.6시험은 요즘 가장 인기있는 자격증 시험의 한과목입니다. IT업계에서 살아남으려면PassTIP에서Fortinet인증 NSE5_FSW_AD-7.6덤프를 마련하여 자격증에 도전하여 자기의 자리를 찾아보세요.

최신 Fortinet Network Security Expert NSE5_FSW_AD-7.6 무료샘플문제 (Q80-Q85):

질문 # 80

(Full question statement start from here)

When you change FortiSwitch management mode fromstandalonetomanaged, what happens to the existing standalone configuration?
(Choose one answer)

- A. FortiSwitch merges the existing standalone configuration with the default FortiLink configuration.
- B. FortiSwitch registers to FortiSwitch Cloud to save a copy before managing with FortiGate.
- C. FortiSwitch saves the standalone configuration and changes to the default FortiLink configuration.
- D. FortiGate automatically saves the existing FortiSwitch configuration during the FortiLink management process.

정답: C

설명:

When a FortiSwitch is converted from standalone (local) management mode to FortiGate-managed mode using FortiLink, FortiSwitchOS follows a well-defined and protective transition process. According to the FortiSwitchOS 7.6 Administrator Guide, the switch does not merge its existing standalone configuration with FortiLink-managed settings, nor does FortiGate import or preserve the active configuration for reuse.

Instead, when the management mode change occurs, the FortiSwitch saves the current standalone configuration internally and then resets its operational configuration to the default FortiLink configuration. This default configuration is required so the switch can correctly establish FortiLink control-plane communication with the FortiGate, including CAPWAP-based management, VLAN 4094 usage, and dynamic policy provisioning.

Once the FortiSwitch is under FortiGate management, all configuration is controlled centrally by the FortiGate, including VLANs, port policies, security features, and firmware management. The previously saved standalone configuration is retained only as a backup reference on the switch and is not actively used unless the switch is later reverted back to standalone mode.

This behavior ensures configuration consistency, prevents conflicts between local and centralized policies, and aligns the switch with the FortiGate-centric Security Fabric architecture. It also avoids unpredictable results that could occur if legacy standalone settings were merged with FortiLink-managed profiles.

The other options are incorrect because FortiSwitch does not register with FortiSwitch Cloud automatically, does not merge configurations, and FortiGate does not back up the standalone configuration during onboarding.

Therefore, the correct and fully documented answer is C. FortiSwitch saves the standalone configuration and changes to the default FortiLink configuration.

질문 # 81

You need to deploy routing on a standalone FortiSwitch and want to maximize routing performance. Which type of routing is best for this deployment? (Choose one answer)

- A. Hardware-based routing because the routing is performed directly by the kernel
- **B. Hardware-based routing because it relies on ASIC for faster performance**
- C. Software-based routing because it is preferred for high-speed backbone networks
- D. Software-based routing because it bypasses the CPU to increase routing speed

정답: B

설명:

According to the FortiSwitchOS 7.6 Administration Guide and the FortiSwitch 7.6.1 Administration Guide-Standalone Mode, FortiSwitch units support two primary methods for processing Layer 3 traffic:

software-based routing and hardware-based routing. To maximize performance, the documentation specifies that hardware-based routing (Option A) is the superior choice for high-speed environments.

The primary technical reason for this performance advantage is the use of Application-Specific Integrated Circuits (ASICs). In hardware-based routing, the routing table and forwarding information are programmed directly into the switch's specialized hardware silicon. This allows the FortiSwitch to perform packet lookups and forwarding decisions at "wire speed," which refers to the full throughput capacity of the physical ports.

By offloading these tasks to the ASIC, the switch minimizes latency and prevents the performance bottlenecks associated with general-purpose CPU processing.

In contrast, software-based routing (Options B and D) requires the main system CPU and kernel to process every packet, which is significantly slower and can lead to high CPU utilization during heavy traffic loads.

Option C is factually incorrect because hardware-based routing specifically avoids the kernel's software path to increase speed.

Therefore, for a deployment focused on maximizing routing performance, especially in a backbone or high-density branch environment, utilizing the ASIC-driven hardware forwarding path is the recommended approach in FortiSwitchOS 7.6.

질문 # 82

(Full question statement start from here)

You enable Dynamic Host Configuration Protocol (DHCP) snooping on a VLAN and configure a FortiSwitch port as trusted for DHCP snooping. What additional step is required to configure the port as trusted for Dynamic ARP Inspection (DAI)? (Choose one answer)

- A. Manually set the port as trusted for DAI through the CLI.
- B. Enable IP Source Guard (IPSG) on the port.
- C. Enable static MAC learning on the port.
- **D. DAI implicitly trusts the port.**

정답: D

설명:

In FortiSwitchOS 7.6, Dynamic ARP Inspection (DAI) is tightly integrated with DHCP snooping to provide Layer 2 protection against ARP spoofing and man-in-the-middle attacks. DAI relies on the DHCP snooping binding table, which contains trusted IP-to-MAC-to-port mappings learned from legitimate DHCP transactions. Because of this dependency, the trust model for DAI is directly inherited from DHCP snooping.

According to the FortiSwitchOS 7.6 Administrator Guide, when a switch port is configured as trusted for DHCP snooping, that same port is automatically treated as trusted by DAI. No additional configuration is required. This implicit trust relationship exists because trusted DHCP snooping ports are assumed to be connected to legitimate infrastructure devices such as DHCP servers, routers, or upstream network devices that must be allowed to send valid ARP replies.

On untrusted ports, DAI inspects ARP packets and validates them against the DHCP snooping database. If an ARP packet does not match an existing binding, it is dropped. On trusted ports, ARP packets bypass DAI inspection to ensure normal network operation and to avoid blocking valid infrastructure traffic.

The other options are incorrect. There is no separate CLI command required to trust a port for DAI (Option A). IP Source Guard (Option C) is another Layer 2 security feature that also depends on DHCP snooping but is not required to establish DAI trust. Static MAC learning (Option D) is unrelated to DAI trust behavior.

Therefore, once a port is configured as trusted for DHCP snooping, DAI implicitly trusts the port, making Option B the correct and fully verified answer based on FortiSwitchOS 7.6 documentation.

질문 # 83

Exhibit.

LAG and MLAG are used to increase the available network bandwidth and enable redundancy. How does spanning tree protocol see MLAG and LAG if they are configured based on the physical view shown in the exhibit? (Choose two)

- A. Switch 1, Switch 2, and Switch 3 are seen as one MLAG peer group
- **B. Switch 3 and Switch 4 uplinks are treated as single interfaces.**
- C. Switch 3 and switch 4 are seen as one MLAG switch client
- **D. Switch 1 and Switch 2 both seen as one single switch.**

정답: B,D

설명:

According to the FortiSwitchOS 7.6 Administration Guide and the FortiSwitch 7.6 Study Guide, Multichassis Link Aggregation (MLAG) and standard Link Aggregation Groups (LAG) are designed to provide link-level and node-level redundancy while presenting a simplified logical view to the Spanning Tree Protocol (STP).

In the provided topology:

* Logical Switch View (Option D): Switch 1 and Switch 2 are configured as MLAG peers connected via an Inter-Chassis Link (ICL). From the perspective of downstream devices and STP, these two physical switches act as a single logical entity. This prevents STP from seeing a loop between the two switches and the downstream Switch 3, as the redundant physical paths are bundled into a single logical MLAG trunk.

* Logical Interface View (Option B): The exhibit shows Switch 4 connected to Switch 3 via two physical links bundled into a LAG, and Switch 3 connected to the MLAG peers via split links. In both cases, STP treats the aggregated physical links as a single logical interface. Because the multiple physical paths are managed by the Link Aggregation Control Protocol (LACP) as one trunk, STP does not block individual ports to prevent loops; instead, it sees one high-bandwidth path.

Regarding the incorrect options: Option A is false because Switch 3 is an MLAG client, not a peer in the group. Option C is incorrect because Switch 3 and Switch 4 are separate physical and logical nodes; they are not seen as a single client entity by the core.

질문 # 84

Exhibit.

port1 and port2 are the only ports configured with the same native VLAN 10.

What are two reasons that can trigger port1 to shut down? (Choose two.)

- A. STP triggered a loop and applied loop guard protection on port1.
- **B. Loop guard frame sourced from port1 was received on port1.**
- **C. port1 was shut down by loop guard protection.**
- D. An endpoint sent a BPDU on port1 that it received from another interface.

정답: B,C

질문 #85

.....

PassTIP는 몇년간 최고급 덤프품질로 IT인증덤프제공사이트중에서 손꼽히는 자리에 오게 되었습니다. Fortinet NSE5_FSW_AD-7.6 덤프는 많은 덤프들중에서 구매하는 분이 많은 인기덤프입니다. Fortinet NSE5_FSW_AD-7.6 시험준비중이신 분이시라면Fortinet NSE5_FSW_AD-7.6한번 믿고 시험에 도전해보세요. 좋은 성적으로 시험패스하여 자격증 취득할것입니다.

NSE5_FSW_AD-7.6인증시험공부 : https://www.passtip.net/NSE5_FSW_AD-7.6-pass-exam.html

Fortinet NSE5_FSW_AD-7.6 덤프의 PDF 버전과 Software 버전의 내용은 동일합니다, NSE5_FSW_AD-7.6 덤프자료는 IT전문가들이 자신만의 노하우와 경험으로 실제 NSE5_FSW_AD-7.6시험에 대비하여 연구제작한 완벽한 작품으로서 100%NSE5_FSW_AD-7.6 시험통과율을 보장해드립니다, Fortinet인증 NSE5_FSW_AD-7.6시험은 IT인증자격증중 가장 인기있는 자격증을 취득하는 필수시험 과목입니다, Fortinet NSE5_FSW_AD-7.6인증덤프데모문제 하지만 여러분의 선택에 따라 보장도 또한 틀립니다, Fortinet NSE5_FSW_AD-7.6인증덤프데모문제 엄청난 학원수강료 필요없이 20~30시간의 독학만으로도 시험패스가 충분합니다, NSE5_FSW_AD-7.6 덤프는 NSE5_FSW_AD-7.6시험의 기출문제와 예상문제가 묶여져 있어 시험적중율이 굉장히 높습니다.

당신의 사소한 습관들을 알아가고 싶다, 그대에게 보여주고 싶은걸, Fortinet NSE5_FSW_AD-7.6 덤프의 PDF 버전과 Software 버전의 내용은 동일합니다, NSE5_FSW_AD-7.6 덤프자료는 IT전문가들이 자신만의 노하우와 경험으로 실제 NSE5_FSW_AD-7.6시험에 대비하여 연구제작한 완벽한 작품으로서 100%NSE5_FSW_AD-7.6 시험통과율을 보장해드립니다.

NSE5_FSW_AD-7.6인증덤프데모문제 인기시험 기출문제모음

Fortinet인증 NSE5_FSW_AD-7.6시험은 IT인증자격증중 가장 인기있는 자격증을 취득하는 필수시험 과목입니다, 하지만 여러분의 선택에 따라 보장도 또한 틀립니다, 엄청난 학원수강료 필요없이 20~30시간의 독학만으로도 시험패스가 충분합니다.

- 퍼펙트한 NSE5_FSW_AD-7.6인증덤프데모문제 덤프데모 다운로드 ☐ ➡ www.dumpstop.com ☐의 무료 다운로드 ➡ NSE5_FSW_AD-7.6 ☐☐☐페이지가 지금 열립니다NSE5_FSW_AD-7.6최고패스자료
- NSE5_FSW_AD-7.6인기덤프자료 ☐ NSE5_FSW_AD-7.6인기덤프공부 ☐ NSE5_FSW_AD-7.6높은 통과율 덤프문제 ☐ [www.itdumpskr.com]은 【 NSE5_FSW_AD-7.6 】 무료 다운로드를 받을 수 있는 최고의 사이트 입니다NSE5_FSW_AD-7.6시험응시료
- NSE5_FSW_AD-7.6인기공부자료 ☐ NSE5_FSW_AD-7.6최신 업데이트 덤프공부 ☐ NSE5_FSW_AD-7.6인기자격증 ☐ 무료로 다운로드하려면 { www.exampassdump.com }로 이동하여 (NSE5_FSW_AD-7.6) 를 검색 하십시오NSE5_FSW_AD-7.6높은 통과율 덤프문제
- NSE5_FSW_AD-7.6인증덤프데모문제 시험 기출문제 ☐ 시험 자료를 무료로 다운로드하려면☼ www.itdumpskr.com ☐☼☐을 통해 [NSE5_FSW_AD-7.6]를 검색하십시오NSE5_FSW_AD-7.6시험대비 인증덤프자료
- NSE5_FSW_AD-7.6최신 업데이트 덤프공부 ☐ NSE5_FSW_AD-7.6퍼펙트 덤프공부문제 ☐ NSE5_FSW_AD-7.6퍼펙트 덤프공부문제 ☐ “ www.koreadumps.com ”에서 검색만 하면 ➡ NSE5_FSW_AD-7.6 ☐를 무료로 다운로드할 수 있습니다NSE5_FSW_AD-7.6시험대비 덤프 최신버전
- NSE5_FSW_AD-7.6인증덤프데모문제 시험준비에 가장 좋은 시험기출문제 모음집 ☐ 무료 다운로드를 위해 지금☼ www.itdumpskr.com ☐☼☐에서 (NSE5_FSW_AD-7.6) 검색NSE5_FSW_AD-7.6시험응시료
- NSE5_FSW_AD-7.6최신 업데이트 덤프공부 ☐ NSE5_FSW_AD-7.6적중율 높은 인증시험덤프 ☐ NSE5_FSW_AD-7.6시험덤프자료 ☐ 【 www.dumpstop.com 】에서 검색만 하면 【 NSE5_FSW_AD-7.6 】를 무료로 다운로드할 수 있습니다NSE5_FSW_AD-7.6높은 통과율 덤프문제
- NSE5_FSW_AD-7.6시험응시료 ☐ NSE5_FSW_AD-7.6덤프최신버전 ☐ NSE5_FSW_AD-7.6시험덤프자료 ☐ ➡ www.itdumpskr.com ☐에서☐ NSE5_FSW_AD-7.6 ☐를 검색하고 무료 다운로드 받기NSE5_FSW_AD-7.6시험대비 덤프 최신버전
- NSE5_FSW_AD-7.6최고패스자료 ☐ NSE5_FSW_AD-7.6인기공부자료 ☐ NSE5_FSW_AD-7.6최신 업데이트 덤프공부 ☐ ✓ www.pass4test.net ☐✓☐은☐ NSE5_FSW_AD-7.6 ☐무료 다운로드를 받을 수 있는 최고의 사이트입니다NSE5_FSW_AD-7.6인기자격증
- NSE5_FSW_AD-7.6인기덤프공부 ☐ NSE5_FSW_AD-7.6최신 인증시험 기출자료 ☐ NSE5_FSW_AD-7.6시험덤프자료 ☐ ➡ www.itdumpskr.com ☐을 통해 쉽게 【 NSE5_FSW_AD-7.6 】 무료 다운로드 받기 NSE5_FSW_AD-7.6시험기출문제
- 퍼펙트한 NSE5_FSW_AD-7.6인증덤프데모문제 최신버전 덤프 ☼ ➡ www.exampassdump.com ☐에서 ➡ NSE5_FSW_AD-7.6 ☐를 검색하고 무료로 다운로드하세요NSE5_FSW_AD-7.6최신버전 시험대비 공부자료
- www.stes.tyc.edu.tw, myportal.utt.edu.tw, myportal.utt.edu.tw, myportal.utt.edu.tw, myportal.utt.edu.tw, myportal.utt.edu.tw

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, k12.instructure.com,
www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes

2026 PassTIP 최신 NSE5_FSW_AD-7.6 PDF 버전 시험 문제집과 NSE5_FSW_AD-7.6 시험 문제 및 답변 무료 공유:
<https://drive.google.com/open?id=12KigOgl-d5qFJEllKt73XViz6IUVP70i>