

# ISO-45001-Lead-Auditor無料試験 & ISO-45001-Lead-Auditor模擬トレーニング



ちなみに、Fast2test ISO-45001-Lead-Auditorの一部をクラウドストレージからダウンロードできます: [https://drive.google.com/open?id=1Gf8AIgAPOPWjPEhiYymot\\_TxlqvpxxB](https://drive.google.com/open?id=1Gf8AIgAPOPWjPEhiYymot_TxlqvpxxB)

IT業界での大手会社として、PECBは認証を通して専門家の標準を確認しました。認証を取得した専門家たちの給料は普通の専門家たちに比べて高いです。だから、ISO-45001-Lead-Auditor試験の認証はIT業界でのあなたにとって重要です。この認証がありましたら、あなたはもっと輝かしい未来を迎えることができます。ISO-45001-Lead-Auditor問題集の重要性が言うまでもなく、ISO-45001-Lead-Auditor問題集の選択も大切です。我々の問題集を利用して、試験に合格することができます。

## PECB ISO-45001-Lead-Auditor 認定試験の出題範囲:

トピック	出題範囲
トピック 1	<ul style="list-style-type: none"><li>ISO 45001 監査の実施: この試験セクションでは、主任監査員のスキルを測定し、ISO 45001 監査の実施について扱います。監査プロセス中の証拠の収集、担当者へのインタビュー、OHSMS 要件への準拠の評価に重点が置かれます。</li></ul>
トピック 2	<ul style="list-style-type: none"><li>OH&amp;S MS の ISO 45001 要件 - 条項 4 ~ 10: この試験セクションでは、労働安全衛生管理システムに関する ISO 45001 に概説されている特定の要件に関連する監査員のスキルを測定します。コンテキスト、リーダーシップ、計画、サポート、運用、パフォーマンス評価、改善を扱う条項の理解を重視します。測定されるスキルは、ISO 45001 要件を組織の実践に適用することです。</li></ul>
トピック 3	<ul style="list-style-type: none"><li>労働安全衛生管理システムの基本原則と概念: この試験セクションでは、安全衛生管理者のスキルを測定し、労働安全衛生管理システム (OHSMS) の基礎となる基本原則と概念をカバーします。職場での怪我や病気を防ぐための安全衛生リスク管理のフレームワークを理解することに重点を置いています。測定されるスキルの 1 つは、効果的な OHSMS の主要コンポーネントを特定することです。</li></ul>

トピック 4	<ul style="list-style-type: none"> <li>• 基本的な監査の概念と原則: この試験セクションでは、内部監査員のスキルを測定し、OHSMS の監査に関連する基本的な概念と原則を扱います。監査の種類、方法論、コンプライアンスと改善における監査の役割を理解することに重点を置いています。測定されるスキルの 1 つは、OHSMS パフォーマンスを評価するための効果的な監査を実施することです。</li> </ul>
--------	---

>> ISO-45001-Lead-Auditor無料試験 <<

## ISO-45001-Lead-Auditor模擬トレーリング & ISO-45001-Lead-Auditor復習教材

PECBのISO-45001-Lead-Auditor試験の合格書は君の仕事の上で更に一步の昇進と生活条件の向上を助けられて、大きな財産に相当します。PECBのISO-45001-Lead-Auditor認定試験はIT専門知識のレベルの考察として、とっても重要な地位になりつつます。Fast2testは最も正確なPECBのISO-45001-Lead-Auditor試験資料を追求しています。

### PECB Certified ISO 45001 Lead Auditor Exam 認定 ISO-45001-Lead-Auditor 試験問題 (Q67-Q72):

#### 質問 #67

In the ISO 45001 health and safety management system, what is 'documented information'? Select the ONE best answer.

- A. The master copies of the documents used to operate the system, held in any format
- B. Any information about the system, or generated by it, held in any format
- C. Any paperwork generated when the system is in operation
- D. Paperwork such as Permits to work and risk assessments

正解: B

解説:

ISO 45001 defines "documented information" as information required to be controlled and maintained by an organization. This can include policies, procedures, records, or other relevant data in any format (Clause 3.19). It encompasses all information used to establish, operate, and demonstrate the effectiveness of the OH&S management system.

Analysis of Options:

A . Any paperwork generated when the system is in operation:

Incorrect. This is too narrow and excludes digital or other formats.

B . Any information about the system, or generated by it, held in any format:

Correct. This aligns with the ISO 45001 definition in Clause 3.19.

C . Paperwork such as Permits to Work and risk assessments:

Incorrect. These are examples of documented information but do not encompass the full scope of the term

D . The master copies of the documents used to operate the system, held in any format:

Incorrect. This definition is limited to master copies, while documented information includes records as well.

ISO Reference:

Clause 3.19: Definition of documented information.

Clause 7.5: Control of documented information.

#### 質問 #68

Out of the following, which is not the Part of PDCA cycle of ISO 45001? Select the correct option, and then select Submit.

- A. Analyzing OHSMS Performance Submit
- B. Treatment of Risks
- C. Environment Management Program
- D. OHSMS Policy

正解: C

#### 解説:

The PDCA (Plan-Do-Check-Act) cycle is a core principle of ISO 45001 and many other management systems. It does not include environmental management, as ISO 45001 focuses on Occupational Health & Safety (OH&S), while environmental aspects are covered by ISO 14001.

#### Analysis of Options:

- \* A. Treatment of Risks:Correct. Risk assessment and control are part of the Plan phase.
- \* B. OHSMS Policy:Correct. The OH&S policy is established in the Plan phase.
- \* C. Environment Management Program:Incorrect. This is outside the scope of ISO 45001 and pertains to ISO 14001.
- \* D. Analyzing OHSMS Performance:Correct. Performance analysis occurs in the Check phase of the PDCA cycle.

#### ISO Reference:

- \* Clause 0.3: PDCA model in ISO 45001.

### 質問 # 69

A trainee audit team leader is being coached by an experienced audit team leader prior to carrying out his first Stage 2 certification audit in the team leader role. They are discussing the typical contents of audit reports and the experienced audit team leader is keen to ensure the trainee understands what such reports should contain.

Which three of the trainee's responses are incorrect?

- A. A copy of the certification body Invoice for the audit
- B. A corrective action plan that add-cross the identified nonconformities
- C. A reference to the audit criteria used
- D. A statement of the audit objectives
- E. Contact details for all members of the audit team
- F. Confirmation of the audit scope
- G. The audit conclusions reached
- H. Audit findings and any related evidence

正解: A、B、E

#### 解説:

Audit reports should provide a clear summary of the audit process, findings, and conclusions based on the defined scope, objectives, and criteria. They do not include administrative details (e.g., invoices) or operational aspects (e.g., corrective action plans).

#### Analysis of Options:

A : A copy of the certification body invoice for the audit:

Incorrect. Invoices are unrelated to the content of audit reports and are handled separately.

B : A reference to the audit criteria used:

Correct. Audit criteria (e.g., ISO 45001 standards) must be included in the report to define the basis for the audit.

C : A statement of the audit objectives:

Correct. The report must outline the objectives to ensure clarity on the purpose of the audit.

D : Audit findings and any related evidence:

Correct. Findings and evidence are essential to support conclusions and recommendations.

E : Confirmation of the audit scope:

Correct. The scope defines the boundaries of the audit and must be documented in the report.

F : Contact details for all members of the audit team:

Incorrect. Personal contact details are unnecessary and not typically included in reports.

G : The audit conclusions reached:

Correct. Conclusions summarize the outcomes of the audit, such as conformity, nonconformities, or recommendations.

H : A corrective action plan that addresses the identified nonconformities:

Incorrect. Corrective action plans are the auditee's responsibility and not included in the audit report.

#### ISO Reference:

ISO 19011:2018, Clause 6.7.3: Content of audit reports.

### 質問 # 70

During a second-party audit at a sawmill, you find that the OHSMS Manager conducted the hazard identification process. In the risk assessment report, hazards were listed as physical hazards, chemical hazards, biological hazards and psychosocial hazards, with the hazards categories as low medium and high to be addressed. The OHSMS Manager did not have an action plan for low and medium risks, saying that they ignored those. He stated that they brought in a health and safety consultant to advise on treatment for the high risks.

When interviewing the OHSMS Manager, the auditor presents a nonconformity relating to potential hazards in the factory. If the dust extraction system broke down, the OHSMS Manager said that, if that happened, the agreed planned action is that workers would put masks on.

Select one of the options for how the auditor should respond to this statement.

- A. Ask the OHSMS Manager to confirm that this action meets regulatory requirements for air purity.
- B. **Seek evidence that the response action is both Implemented and effective.**
- C. Advise that the factory should cease its operations if the dust extraction equipment malfunctioned.
- D. Suggest that they should increase their maintenance checks.

**正解： B**

解説：

The auditor should assess whether the organization's planned action (using masks in case of dust extraction failure) is both implemented and effective. This aligns with ISO 45001 requirements to ensure that control measures are functional and meet the intended objectives.

\* Clause 8.1.2 (Hierarchy of Controls): The use of PPE, such as masks, is considered a last resort in the hierarchy of controls. The organization must demonstrate that the measure is:

- \* Implemented (e.g., PPE is available and workers are trained to use it).
- \* Effective (e.g., masks provide adequate protection against dust).

\* Analysis of Options:

\* A. Advise that the factory should cease operations if the dust extraction equipment malfunctioned. While ceasing operations may be a necessary control in extreme situations, it is not a practical or realistic recommendation unless a high-risk scenario cannot be otherwise managed.

\* B. Ask the OHSMS Manager to confirm regulatory compliance. Regulatory compliance is important but does not fully address the requirement to ensure the action is effective.

\* C. Seek evidence that the response action is both implemented and effective. This is the most appropriate response. The auditor must verify implementation and effectiveness to determine conformity.

\* D. Suggest increasing maintenance checks. Maintenance is important for preventing equipment breakdowns, but this option does not address the immediate audit finding about the adequacy of response actions.

ISO References:

\* Clause 8.1.2: Emphasizes applying the hierarchy of controls effectively.

\* Clause 9.1.1: Requires monitoring and measuring controls to ensure effectiveness.

## 質問 # 71

An auditor of a manufacturer of plastic packaging products for the food industry found a nonconformity in an internal audit report raised against section 10.2 of ISO 45001 in Report IA202. The nonconformity (NC3) stated: "The level of reported health and safety incidents has increased by 9.7% over the last 12 months. This included an increase in reported accidents." Against this background, the third-party audit team found more than twenty minor nonconformities during the audit, which they agreed should be combined into one major nonconformity against clause 4.4 of ISO 45001. "The organisation has failed to demonstrate that it is maintaining and continually improving a health and safety management system." Select two options which would represent acceptable corrective actions for the nonconformity.

- A. **Top management initiated a comprehensive review of the internal and external issues to decide on actions that could lead to improving the performance of the OHSMS.**
- B. OH&S champions were appointed in each department to report near misses and incidents in the OHSMS.
- C. External consultants were appointed to conduct a gap analysis of the OHSMS and report on the gaps found.
- D. **Top Management developed and is leading a programme to promote an effective culture of support for the OHSMS.**
- E. Union representatives of the workers were invited to attend the OH&S management meetings.
- F. Staff from departments with nonconformities were given regular OH&S safety training sessions during their daily toolbox talks.

**正解： A、 D**

解説：

Clause 4.4 of ISO 45001 requires organizations to establish, implement, maintain, and continually improve an OH&S management system. The corrective actions must address systemic issues, involve leadership commitment, and aim to foster a strong safety culture.

Analysis of Options:

A . Top management initiated a comprehensive review of internal and external issues:

Correct. A review of internal and external issues aligns with Clause 4.1 and demonstrates leadership commitment.

B . Union representatives were invited to attend OH&S management meetings:

Incorrect. While participation is valuable, it is not a systemic corrective action.

C . Top management developed and is leading a programme to promote an effective culture of support:

Correct. Promoting a safety culture is a proactive measure and aligns with Clause 5.1 (Leadership).

D . Staff from departments with nonconformities received regular safety training during toolbox talks:

Incorrect. While training addresses specific gaps, it does not address systemic issues.

E . External consultants conducted a gap analysis of the OHSMS:

Incorrect. While helpful, this action does not demonstrate leadership or address systemic improvement.

F . OH&S champions were appointed in each department to report near misses and incidents:

Incorrect. This is a good practice but does not directly address Clause 4.4's requirement for systemic improvement.

ISO Reference:

Clause 4.4: Maintaining and improving the OH&S management system.

Clause 5.1: Leadership and commitment.

Clause 10.3: Continual improvement.

## 質問 # 72

.....

私たちのウェブサイトから見ると、ISO-45001-Lead-Auditor学習教材は3つのバージョンがあります。PDF、ソフトウェアとオンライン版です。PDF版は印刷できます。ソフトウェアとオンライン版はコンピュータで使用できます。コンピュータで学ぶことが難しい場合は、ISO-45001-Lead-Auditor学習教材の印刷資料で勉強できます。また、ISO-45001-Lead-Auditor学習教材の価格は合理的に設定されています。

**ISO-45001-Lead-Auditor模擬トレーリング** : <https://jp.fast2test.com/ISO-45001-Lead-Auditor-premium-file.html>

- 試験の準備方法-検証するISO-45001-Lead-Auditor無料試験試験-信頼的なISO-45001-Lead-Auditor模擬トレーリング □ ➤ www.passtest.jp □ を入力して \* ISO-45001-Lead-Auditor □ \* □ を検索し、無料でダウンロードしてくださいISO-45001-Lead-Auditor日本語版復習資料
- ISO-45001-Lead-Auditor予想試験 □ ISO-45001-Lead-Auditor問題サンプル □ ISO-45001-Lead-Auditor予想試験 □ “www.goshiken.com”の無料ダウンロード \* ISO-45001-Lead-Auditor □ \* □ ページが開きますISO-45001-Lead-Auditor真実試験
- ISO-45001-Lead-Auditor日本語版復習資料 □ ISO-45001-Lead-Auditor問題サンプル □ ISO-45001-Lead-Auditor予想試験 □ □ www.goshiken.com □ から簡単に □ ISO-45001-Lead-Auditor □ を無料でダウンロードできますISO-45001-Lead-Auditor練習問題集
- ISO-45001-Lead-Auditor専門試験 □ ISO-45001-Lead-Auditor受験対策 \* ISO-45001-Lead-Auditor復習時間 □ 《 www.goshiken.com 》サイトで \* ISO-45001-Lead-Auditor □ \* □ の最新問題が使えるISO-45001-Lead-Auditor問題サンプル
- ISO-45001-Lead-Auditor真実試験 □ ISO-45001-Lead-Auditor関連資格知識 □ ISO-45001-Lead-Auditor合格内容 □ ➤ ISO-45001-Lead-Auditor □ を無料でダウンロード ➤ www.xhs1991.com □ ウェブサイトを入力するだけISO-45001-Lead-Auditor受験対策
- ISO-45001-Lead-Auditor真実試験 □ ISO-45001-Lead-Auditor必殺問題集 □ ISO-45001-Lead-Auditor関連資格知識 □ 《 www.goshiken.com 》の無料ダウンロード 《 ISO-45001-Lead-Auditor 》 ページが開きますISO-45001-Lead-Auditor日本語版
- 更新するISO-45001-Lead-Auditor無料試験試験-試験の準備方法-便利なISO-45001-Lead-Auditor模擬トレーリング □ 時間限定無料で使える ✓ ISO-45001-Lead-Auditor □ ✓ □ の試験問題は ( www.shikenpass.com ) サイトで検索ISO-45001-Lead-Auditor予想試験
- 試験の準備方法-検証するISO-45001-Lead-Auditor無料試験試験-信頼的なISO-45001-Lead-Auditor模擬トレーリング □ ➤ www.goshiken.com □ にて限定無料の ( ISO-45001-Lead-Auditor ) 問題集をダウンロードせよISO-45001-Lead-Auditor日本語版復習資料
- ISO-45001-Lead-Auditor問題サンプル □ ISO-45001-Lead-Auditor日本語版 □ ISO-45001-Lead-Auditor日本語版復習資料 □ ➤ www.it-passports.com □ に移動し、「 ISO-45001-Lead-Auditor 」を検索して、無料でダウンロード可能な試験資料を探しますISO-45001-Lead-Auditor専門試験
- 正確的-信頼的なISO-45001-Lead-Auditor無料試験試験-試験の準備方法ISO-45001-Lead-Auditor模擬トレーリング □ ✓ www.goshiken.com □ ✓ □ を開き、▷ ISO-45001-Lead-Auditor □ を入力して、無料でダウンロードしてくださいISO-45001-Lead-Auditor日本語版復習資料
- 一番優秀なISO-45001-Lead-Auditor無料試験試験-試験の準備方法-最高のISO-45001-Lead-Auditor模擬トレーリング □ “www.japancert.com”にて限定無料の ➤ ISO-45001-Lead-Auditor □ 問題集をダウンロードせよISO-45001-Lead-Auditor合格内容
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,

ちなみに、Fast2test ISO-45001-Lead-Auditorの一部をクラウドストレージからダウンロードできます：[https://drive.google.com/open?id=1Gf8AlgAPOPWjPEhiYymot\\_TxlqvpxxB](https://drive.google.com/open?id=1Gf8AlgAPOPWjPEhiYymot_TxlqvpxxB)