

FCSS_EFW_AD-7.6유효한공부문제100%유효한덤프문제



Pass4Test FCSS_EFW_AD-7.6 최신 PDF 버전 시험 문제집을 무료로 Google Drive에서 다운로드하세요:
<https://drive.google.com/open?id=1AlioQrKyw4qz-UPjKibHm2PEUpMup1>

Pass4Test의 Fortinet인증 FCSS_EFW_AD-7.6시험덤프자료는 여러분의 시간,돈 ,정력을 아껴드립니다. 몇개월을 거쳐 시험준비공부를 해야만 패스가능한 시험을Pass4Test의 Fortinet인증 FCSS_EFW_AD-7.6덤프는 며칠간에도 같은 시험패스 결과를 안겨드릴수 있습니다. Fortinet인증 FCSS_EFW_AD-7.6시험을 통과하여 자격증을 취득하려면 Pass4Test의 Fortinet인증 FCSS_EFW_AD-7.6덤프로 시험준비공부를 하세요.

IT인증시험이 다가오는데 어느 부분부터 공부해야 할지 망설이고 있다구요? 가장 간편하고 시간을 절약하며 한방에 자격증을 취득할수 있는 최고의 방법을 추천해드립니다. 바로 우리Pass4Test IT인증덤프제공사이트입니다. Pass4Test는 고품질 고적중율을 취지로 하여 여러분들인 한방에 시험에서 패스하도록 최선을 다하고 있습니다. Fortinet인증FCSS_EFW_AD-7.6시험준비중이신 분들은Pass4Test 에서 출시한Fortinet인증FCSS_EFW_AD-7.6 덤프를 선택하세요.

>> FCSS_EFW_AD-7.6유효한 공부문제 <<

FCSS_EFW_AD-7.6합격보장 가능 덤프공부, FCSS_EFW_AD-7.6퍼펙트 덤프데모

Pass4Test는 한국어로 온라인상답과 메일상답을 받습니다. Fortinet FCSS_EFW_AD-7.6덤프구매후 일년동안 무료업데이트서비스를 제공해드리며Fortinet FCSS_EFW_AD-7.6시험에서 떨어지는 경우Fortinet FCSS_EFW_AD-7.6덤프비용 전액을 환불해드려 고객님의 부담을 덜어드립니다. 더는 고민고민 하지마시고 덤프 받아가세요.

최신 Fortinet Certified Professional Network Security FCSS_EFW_AD-7.6

무료샘플문제 (Q56-Q61):

질문 # 56

Refer to the exhibit, which contains a partial VPN configuration.

```
config vpn ipsec phase1-interface
edit tunnel
set type dynamic
set interface "port1"
set ike-version 2
set keylife 28800
set peertype any
set net-device disable
set proposal aes128-sha256 aes256-sha256
set dpd on-idle
set add-route enable
set psksecret fortinet
next
end
```

What can you conclude from this VPN IPsec phase 1 configuration?

- A. Peer IDs are unencrypted and exposed, creating a security risk.
- **B. This configuration is the best for networks with regular traffic intervals, providing a balance between connectivity assurance and resource utilization.**
- C. A separate interface is created for each dial-up tunnel, which can be slower and more resource intensive, especially in large networks.
- D. FortiGate will not add a route to its routing or forwarding information base when the dynamic tunnel is negotiated.

정답: B

설명:

This IPsec Phase 1 configuration defines a dynamic VPN tunnel that can accept connections from multiple peers. The settings chosen here suggest a configuration optimized for networks with intermittent traffic patterns while ensuring resources are used efficiently.

Key configurations and their impact:

set type dynamic # This allows multiple peers to establish connections dynamically without needing predefined IP addresses.
set ike-version 2 # Uses IKEv2, which is more efficient and supports features like EAP authentication and reduced rekeying overhead.

set dpd on-idle # Dead Peer Detection (DPD) is triggered only when the tunnel is idle, reducing unnecessary keep-alive packets and improving resource utilization.

set add-route enable # FortiGate automatically adds the route to the routing table when the tunnel is established, ensuring connectivity when needed.


set proposal aes128-sha256 aes256-sha256 # Uses strong encryption and hashing algorithms, ensuring a secure connection.

set keylife 28800 # Sets a longer key lifetime (8 hours), reducing the frequency of rekeying, which is beneficial for stable connections.

Because DPD is set to on-idle, the tunnel will not constantly send keep-alive messages but will still ensure connectivity when traffic is detected. This makes the configuration ideal for networks with regular but non-continuous traffic, balancing security and resource efficiency.

질문 # 57

Refer to the exhibit, which shows an ADVPN network.



The client behind Spoke-1 generates traffic to the device located behind Spoke-2.
What is the first message that the hub sends to Spoke-1 to bring up the dynamic tunnel?

- A. Shortcut forward
- **B. Shortcut offer**
- C. Shortcut query
- D. Shortcut reply

정답: B

설명:

In an ADVPN (Auto-Discovery VPN) network, a dynamic VPN tunnel is established on-demand between spokes to optimize traffic flow and reduce latency.

Process:

1. Traffic Initiation:

A client behind Spoke-1 sends traffic to a device behind Spoke-2.



The traffic initially flows through the hub, following the pre-established overlay tunnel.



2. Hub Detection:

The hub detects that Spoke-1 is communicating with Spoke-2 and determines that a direct shortcut tunnel between the spokes can optimize the connection.



3. Shortcut Offer:

The hub sends a "Shortcut Offer" message to Spoke-1, informing it that a direct dynamic tunnel to Spoke-2 is possible.

pass4test.net

4. Tunnel Establishment:

Spoke-1 and Spoke-2 then negotiate and establish a direct IPsec tunnel for communication.

pass4test.net

질문 # 58

Which two statements about IKEv2 are true if an administrator decides to implement IKEv2 in the VPN topology? (Choose two.)

- A. It includes stronger Diffie-Hellman (DH) groups, such as Elliptic Curve (ECP) groups.
- B. It supports interoperability with devices using IKEv1.
- C. It supports the extensible authentication protocol (EAP).
- D. It exchanges a minimum of two messages to establish a secure tunnel.

정답: A,C

설명:

IKEv2 (Internet Key Exchange version 2) is an improvement over IKEv1, offering enhanced security, efficiency, and flexibility in VPN configurations.

It includes stronger Diffie-Hellman (DH) groups, such as Elliptic Curve (ECP) groups.

IKEv2 supports stronger cryptographic algorithms, including Elliptic Curve Diffie-Hellman (ECDH) groups such as ECP256 and ECP384, providing improved security compared to IKEv1.

It supports the extensible authentication protocol (EAP).

IKEv2 natively supports EAP authentication, which allows integration with external authentication mechanisms such as RADIUS, certificates, and smart cards. This is particularly useful for remote access VPNs where user authentication must be flexible and secure.

질문 # 59

An administrator wants to scale the IBGP sessions and optimize the routing table in an IBGP network. Which parameter should the administrator configure?

- A. network-import-check
- B. neighbor-group
- C. ibgp-enforce-multihop
- **D. route-reflector-client**

정답: D

설명:

In an IBGP (Internal BGP) network, all routers must be fully meshed, meaning every router must establish a BGP session with every other router in the same autonomous system (AS). This does not scale well in large networks due to the exponential increase in BGP sessions.

To optimize and scale IBGP, Route Reflectors (RRs) are used. A Route Reflector (RR) reduces the number of IBGP peer connections by allowing a centralized router (RR) to redistribute IBGP routes to other IBGP peers (called clients). This eliminates the need for a full mesh, significantly reducing BGP session overhead.

By configuring the route-reflector-client setting on IBGP peers, an administrator can:

Scale IBGP sessions by reducing the number of direct BGP peer connections.

Optimize the routing table by ensuring routes are efficiently propagated within the IBGP network.

Eliminate the need for full mesh topology, making IBGP more manageable.

질문 # 60

Refer to the exhibit.

Routing table on FortiGate_A

FortiGate_A # get router info routing-table all

Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP

O - OSPF, IA - OSPF inter area

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area

V - BGP VPNv4

* - candidate default

Routing table for VRF=0

S* 0.0.0.0/0 [10/0] via 10.1.0.254, port1, [1/0]

C 10.1.0.0/24 is directly connected, port1

C 10.1.4.0/24 is directly connected, port3

B 100.64.1.0/24 [200/0] via 10.1.0.254 (recursive is directly connected, port1), 00:39:45, [1/0]

B 172.16.1.252/30 [200/0] via 10.1.0.1 (recursive is directly connected, port1), 00:42:48, [1/0]

C 172.16.100.0/24 is directly connected, port8

Routing table on FortiGate_B

FortiGate_B # get router info routing-table all

Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP

O - OSPF, IA - OSPF inter area

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area

V - BGP VPNv4

* - candidate default

Routing table for VRF=0

S* 0.0.0.0/0 [10/0] via 10.1.0.254, port1, [1/0]

S 4.2.2.2/32 [10/0] via 10.1.5.254, port4, [1/0]

C 10.1.0.0/24 is directly connected, port1

B 10.1.4.0/24 [200/0] via 10.1.0.100 (recursive is directly connected, port1), 00:41:02, [1/0]

C 10.1.5.0/24 is directly connected, port4

B 100.64.1.0/24 [200/0] via 10.1.0.254 (recursive is directly connected, port1), 00:38:14, [1/0]

C 172.16.1.248/30 is directly connected, C0

C 172.16.1.252/30 is directly connected, A0

C 172.16.100.0/24 is directly connected, port8

The routing tables of FortiGate_A and FortiGate_B are shown. FortiGate_A and FortiGate_B are in the same autonomous system. The administrator wants to dynamically add only route 172.16.1.248/30 on FortiGate_A. What must the administrator configure?

- A. Enable Redistribute Connected in the BGP section on FortiGate_B.
- **B. A BGP route map out for 172.16.1.248/30 on FortiGate_B**
- C. The prefix 172.16.1.248/30 in the BGP Networks section on FortiGate_B
- D. A BGP route map in for 172.16.1.248/30 on FortiGate_A

정답: B

설명:

FortiGate_A and FortiGate_B are in the same autonomous system (AS), and FortiGate_A does not currently have route 172.16.1.248/30 in its routing table. However, FortiGate_B has this route as a connected route.

To dynamically advertise only 172.16.1.248/30 from FortiGate_B to FortiGate_A, the administrator must configure a BGP route map out on FortiGate_B that specifically permits only this prefix.

A BGP route map out on FortiGate_B controls which routes FortiGate_B advertises to FortiGate_A. If no filtering is applied, FortiGate_B might advertise all BGP-learned and connected routes, which is not what the administrator wants. The route map should include a prefix-list that explicitly allows only 172.16.1.248/30 and denies everything else.

질문 # 61

.....

FCSS_EFW_AD-7.6인증시험은 IT업계에 종사하고 계신 분이시라면 최근 많은 인기를 누리고 있다는 것을 알고 계실 것입니다. FCSS_EFW_AD-7.6인증시험을 패스하여 자격증을 취득하는데 가장 쉬운 방법은 Pass4Test에서 제공해드리는 FCSS_EFW_AD-7.6덤프를 공부하는 것입니다. Fortinet FCSS_EFW_AD-7.6덤프에 있는 문제와 답만 기억하시면 FCSS_EFW_AD-7.6시험을 패스하는데 많은 도움이 됩니다. 덤프구매후 최신버전으로 업데이트되면 업데이트버전을 시스템 자동으로 구매시 사용한 메일주소로 발송해드려 덤프유효기간을 최대한 길게 연장해드립니다.

FCSS_EFW_AD-7.6합격보장 가능 덤프공부 : https://www.pass4test.net/FCSS_EFW_AD-7.6.html

Fortinet FCSS_EFW_AD-7.6 덤프정보 상세보기는 이 글의 링크를 클릭하시면 Pass4Test사이트에 들어오실수 있습니다, 이런 자료들은 여러분이Fortinet인증시험중의FCSS_EFW_AD-7.6시험을 안전하게 패스하도록 도와줍니다, 우리는 아주 정확하게 또한 아주 신속히Fortinet FCSS_EFW_AD-7.6관한 자료를 제공하며, 업데이트될경우 또한 아주 빠르게 뉴버전을 여러분한테 보내드립니다, Pass4Test 표 Fortinet인증FCSS_EFW_AD-7.6덤프를 공부하시면 시험보는데 자신감이 생기고 시험불합격에 대한 우려도 줄어들것입니다, Pass4Test 선택함으로Fortinet FCSS_EFW_AD-7.6인증시험통과는 물론Pass4Test 제공하는 일년무료 업데이트서비스를 제공받을 수 있으며 Pass4Test의 인증덤프로 시험에서 떨어졌다면 100% 덤프비용 전액환불을 약속 드립니다.

클리셰가 고개를 가우뚱거리며 말했다. 결혼이라면 좋은 거잖아, 도현의 앞이마가 주름졌다, Fortinet FCSS_EFW_AD-7.6 덤프정보 상세보기는 이 글의 링크를 클릭하시면 Pass4Test사이트에 들어오실수 있습니다, 이런 자료들은 여러분이Fortinet인증시험중의FCSS_EFW_AD-7.6시험을 안전하게 패스하도록 도와줍니다.

FCSS_EFW_AD-7.6유효한 공부문제 덤프는 FCSS - Enterprise Firewall 7.6 Administrator 시험의 높은 적중율을 자랑

우리는 아주 정확하게 또한 아주 신속히Fortinet FCSS_EFW_AD-7.6관한 자료를 제공하며, 업데이트될경우 또한 아주 빠르게 뉴버전을 여러분한테 보내드립니다, Pass4Test 표 Fortinet인증FCSS_EFW_AD-7.6덤프를 공부하시면 시험보는데 자신감이 생기고 시험불합격에 대한 우려도 줄어들것입니다.

Pass4Test 선택함으로Fortinet FCSS_EFW_AD-7.6인증시험통과는 물론Pass4Test 제공하는 일년무료 업데이트서비스를 제공받을 수 있으며 Pass4Test의 인증덤프로 시험에서 떨어졌다면 100% 덤프비용 전액환불을 약속 드립니다.

- FCSS_EFW_AD-7.6시험패스 가능한 공부하기 □ FCSS_EFW_AD-7.6높은 통과율 덤프샘플 다운 □ FCSS_EFW_AD-7.6최신 덤프데모 다운 □ ☼ www.itdumpskr.com □ ☼ □을(를) 열고☛ FCSS_EFW_AD-7.6 □를 검색하여 시험 자료를 무료로 다운로드하십시오FCSS_EFW_AD-7.6인증덤프공부자료
- 완벽한 FCSS_EFW_AD-7.6유효한 공부문제 덤프문제자료 □ 「 www.itdumpskr.com 」을(를) 열고 《 FCSS_EFW_AD-7.6 》를 검색하여 시험 자료를 무료로 다운로드하십시오FCSS_EFW_AD-7.6인증덤프공부자료
- 시험패스에 유효한 최신버전 FCSS_EFW_AD-7.6유효한 공부문제 최신 덤프모음집 □ 지금> www.exampassdump.com <에서[FCSS_EFW_AD-7.6]를 검색하고 무료로 다운로드하세요FCSS_EFW_AD-7.6인기자격증 인증시험덤프
- 최신 FCSS_EFW_AD-7.6유효한 공부문제 공부문제 □ 무료로 쉽게 다운로드하려면“ www.itdumpskr.com ”에서 「 FCSS_EFW_AD-7.6 」를 검색하세요FCSS_EFW_AD-7.6퍼펙트 덤프문제
- 최신 FCSS_EFW_AD-7.6유효한 공부문제 공부문제 □ [kr.fast2test.com]은 □ FCSS_EFW_AD-7.6 □무료 다운로드를 받을 수 있는 최고의 사이트입니다FCSS_EFW_AD-7.6인기자격증 시험대비자료
- FCSS_EFW_AD-7.6유효한 공부문제 인기 인증 시험덤프문제 □ ☼ www.itdumpskr.com □ ☼ □웹사이트를 열고☛ FCSS_EFW_AD-7.6 □를 검색하여 무료 다운로드FCSS_EFW_AD-7.6인증덤프공부자료
- FCSS_EFW_AD-7.6덤프데모문제 다운 □ FCSS_EFW_AD-7.6인증시험대비 공부자료 □ FCSS_EFW_AD-7.6퍼펙트 덤프데모 □ ➡ www.pass4test.net □을 통해 쉽게☛ FCSS_EFW_AD-7.6 □□□무료 다운로드 받기 FCSS_EFW_AD-7.6최신버전 인기 시험자료
- 최신버전 FCSS_EFW_AD-7.6유효한 공부문제 완벽한 시험자료 □ 시험 자료를 무료로 다운로드하려면 【 www.itdumpskr.com 】을 통해 □ FCSS_EFW_AD-7.6 □를 검색하십시오FCSS_EFW_AD-7.6최신 업데이트버전 덤프문제공부

- FCSS_EFW_AD-7.6유효한 공부문제 인기 인증 시험덤프문제 □ 【 kr.fast2test.com 】에서 □ FCSS_EFW_AD-7.6 □를 검색하고 무료로 다운로드하세요FCSS_EFW_AD-7.6인기자격증 시험대비자료
- FCSS_EFW_AD-7.6 Dumps □ FCSS_EFW_AD-7.6유효한 덤프 □ FCSS_EFW_AD-7.6최신탕덤프 □ { www.itdumpskr.com }에서 검색만 하면 ➡ FCSS_EFW_AD-7.6 □를 무료로 다운로드할 수 있습니다 FCSS_EFW_AD-7.6시험패스 가능한 공부하기
- FCSS_EFW_AD-7.6시험대비 덤프자료 □ FCSS_EFW_AD-7.6최신 업데이트 인증덤프 □ FCSS_EFW_AD-7.6최신 업데이트 인증덤프 □ ⇒ www.itdumpskr.com ⇐에서 검색만 하면 (FCSS_EFW_AD-7.6)를 무료로 다운로드할 수 있습니다FCSS_EFW_AD-7.6최신 업데이트버전 덤프문제공부
- www.stes.tyc.edu.tw, pastebin.com, study.stcs.edu.np, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, pct.edu.pk, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

참고: Pass4Test에서 Google Drive로 공유하는 무료, 최신 FCSS_EFW_AD-7.6 시험 문제집이 있습니다:
<https://drive.google.com/open?id=1AlioQrKyw4qz-UPjKibHml2PEUpMup1>