

H35-211_V2.5的中率 & H35-211_V2.5最新受験攻略



あなたはもうHuawei H35-211_V2.5資格認定試験を申し込んでいましたか。いまのあなたは山となるH35-211_V2.5復習教材と練習問題に面して頭が痛いと感じますか。Topexamは絶対にあなたに信頼できるウェブサイトなので、あなたの問題を解決するTopexamをお勧めいたします。役立つかどうか資料にあまり多い時間をかけるより、早くTopexamのサービスを体験してください。躊躇わなく、行動しましょう。

多くの大学生、多くの労働者、さらに多くの主婦など、H35-211_V2.5試験に合格するために最善を尽くす人が増えています。H35-211_V2.5試験に合格したいこれらの人々は、試験を自分自身を向上させ、大きな進歩を遂げる唯一の機会と考えています。そのため、彼らはH35-211_V2.5試験の準備に全力を尽くすことを望んでいますが、多くの人が重要なH35-211_V2.5試験の準備に十分な時間がないことは明らかです。H35-211_V2.5試験の質問は、最小限の時間と労力でH35-211_V2.5試験に合格するのに役立ちます。

>> H35-211_V2.5的中率 <<

H35-211_V2.5的中率 & 信頼できる H35-211_V2.5最新受験攻略「返金保証」をお約束します

我々Topexamが自分のソフトに自信を持つのは我々のHuaweiのH35-211_V2.5ソフトでHuaweiのH35-211_V2.5試験に参加する皆様は良い成績を取りましたから。HuaweiのH35-211_V2.5試験に合格して彼らのよりよい仕事を探せるチャンスは多くなります。あなたに安心させるために、我々のソフトを利用してあなたが試験に失敗したら、我々は全額で返金するのを承諾してよりよいHuaweiのH35-211_V2.5ソフトを開発し続けます。

Huawei HCIP-Access V2.5 認定 H35-211_V2.5 試験問題 (Q45-Q50):

質問 # 45

Under IGMP snooping, there are two users on demand under the OLT- the same program, and the olt sends two join messages to the multicast router

- A. wrong
- B. Right

正解: A

質問 # 46

When configuring IPTV services on the U2000, what templates are included in the IGMP templates?

- A. Permission templates
- B. Program templates
- C. Preview parameter template
- D. Multicast user templates

正解: A、B、C、D

解説:

In U2000's IPTV/IGMP service model, the IGMP template suite includes: Permission templates (program authorization), Multicast user templates (user IGMP attributes), Program templates (program/group definitions), and Preview parameter templates (preview/fast-zapping parameters). These cooperate to control user authorization, program mapping, and IGMP behavior. References: HCIP-Access V2.5 Study Guide - IPTV over PON with U2000; U2000 Multicast/IGMP Configuration Templates (permission, user, program, preview).

質問 # 47

The maximum spectroscopic (split) ratio supported by 10G EPON is?

- A. 1:32
- B. 1:256 (Laboratory)
- C. 1:64
- D. 1:128

正解: B

解説:

In HCIP-Access teaching materials, 10G-EPON improves optical budget and FEC efficiency compared with 1G EPON, enabling very high split ratios. While commercial deployments commonly use 1:64 or 1:128 depending on optics class and reach, the maximum (laboratory) split ratio often cited for the technology is 1:256 under favorable conditions.

References: HCIP-Access V2.5 Study Guide - 10G-EPON capabilities (rates, optics classes, and maximum/theoretical split ratios).

質問 # 48

When the Type C dual home protection linkage uplink detection, if the OLT or OLT uplink fails, the Type C dual home protection can be reversed to another OLT

- A. True
- B. False

正解: A

質問 # 49

The number of users under the OLT can also determine whether the VLAN is single-layer or dual-layer.

Single-layer VLANs can be used when the number of users is small; dual-layer VLANs must be used when services need to be distinguished and the number of users is close to ().

- A. 2K
- B. CS
- C. 1K
- D. 4K

正解: D

解説:

Ethernet VLAN identifiers provide a practical limit of about 4K per broadcast domain. As user counts and services grow toward this boundary, Huawei recommends dual-layer VLAN (QinQ) to extend scale and maintain service isolation. Hence the planning threshold is ~4K.

References: HCIP-Access V2.5 Study Guide (VLAN capacity limits and hierarchical VLAN deployment guidance).

質問 # 50

.....

myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes